

# PHILIPPINE BIDDING DOCUMENTS

CY 2022 Quick Response Fund (QRF) New Construction of School Buildings for Schools Affected by Calamities, Epidemics, Crises, & Catastrophes - Lot 2 (Manjuyod Central Elementary School, Negros Oriental)

ITB 2023-02-026

Government of the Republic of the Philippines

Sixth Edition July 2020

# **Preface**

These Philippine Bidding Documents (PBDs) for the procurement of Infrastructure Projects (hereinafter referred to also as the "Works") through Competitive Bidding have been prepared by the Government of the Philippines for use by all branches, agencies, departments, bureaus, offices, or instrumentalities of the government, including government-owned and/or -controlled corporations, government financial institutions, state universities and colleges, local government units, and autonomous regional government. The procedures and practices presented in this document have been developed through broad experience, and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.

The PBDs are intended as a model for admeasurements (unit prices or unit rates in a bill of quantities) types of contract, which are the most common in Works contracting.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract; (ii) the eligibility requirements of Bidders; (iii) the expected contract duration; and (iv)the obligations, duties, and/or functions of the winning Bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Works to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Infrastructure Projects. However, they should be adapted as necessary to the circumstances of the particular Project.
- b. Specific details, such as the "name of the Procuring Entity" and "address for bid submission," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, BDS, General Conditions of Contract, Special Conditions of Contract, Specifications, Drawings, and Bill of Quantities are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the names of the Project, Contract, and Procuring Entity, in addition to date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

# TABLE OF CONTENTS

Glossary of Terms, Abbreviations, and Acronyms5		
SECTIO	N I. INVITATION TO BID	8
SECTIO	N II. INSTRUCTIONS TO BIDDERS	12
1.	Scope of Bid	
2.	Funding Information	13
3.	Bidding Requirements	13
4.	Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices	13
5.	Eligible Bidders	14
6.	Origin of Associated Goods	14
7.	Subcontracts	14
8.	Pre-Bid Conference	14
9.	Clarification and Amendment of Bidding Documents	15
10.	Documents Comprising the Bid: Eligibility and Technical Components	15
11.	Documents Comprising the Bid: Financial Component	15
12.	Alternative Bids	16
13.	Bid Prices	16
14.	Bid and Payment Currencies	16
15.	Bid Security	16
16.	Sealing and Marking of Bids	16
17.	Deadline for Submission of Bids	17
18.	Opening and Preliminary Examination of Bids	17
19.	Detailed Evaluation and Comparison of Bids	17
20.	Post Qualification	18
21.	Signing of the Contract	18
SECTIO	N III. BID DATA SHEET	19
SECTIO	N IV. GENERAL CONDITIONS OF CONTRACT	26
1.	Scope of Contract	27
2.	Sectional Completion of Works	27
3.	Possession of Site	27
4.	The Contractor's Obligations	27

5	. Performance Security	28
6	. Site Investigation Reports	28
7	. Warranty	28
8	. Liability of the Contractor	28
9	. Termination for Other Causes	29
1	0. Dayworks	29
1	1. Program of Work	29
1:	2. Instructions, Inspections and Audits	29
1	3. Advance Payment	29
1	4. Progress Payments	30
1:	5. Operating and Maintenance Manual	30
SECT	TION V. SPECIAL CONDITIONS OF CONTRACT	31
SECT	TION VI. SPECIFICATIONS	34
SECT	TION VII. DRAWINGS	59
SECT	TION VIII. BILL OF QUANTITIES	111
SECT	TION IX. CHECKLIST OF TECHNICAL AND FINANCIAL DO	CUMENTS114
BIDI	DING FORMS	115
ANN	EXES	128

# Glossary of Terms, Abbreviations, and Acronyms

**ABC** –Approved Budget for the Contract.

**ARCC** – Allowable Range of Contract Cost.

**BAC** – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

**BSP** – Bangko Sentral ng Pilipinas.

**CDA** – Cooperative Development Authority.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**Contractor** – is a natural or juridical entity whose proposal was accepted by the Procuring Entity and to whom the Contract to execute the Work was awarded. Contractor as used in

these Bidding Documents may likewise refer to a supplier, distributor, manufacturer, or consultant.

**CPI** – Consumer Price Index.

**DOLE** – Department of Labor and Employment.

**DTI** – Department of Trade and Industry.

**Foreign-funded Procurement or Foreign-Assisted Project** –Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**GFI** – Government Financial Institution.

**GOCC** –Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

**NFCC** – Net Financial Contracting Capacity.

**NGA** – National Government Agency.

**PCAB** – Philippine Contractors Accreditation Board.

**PhilGEPS** - Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**UN** – United Nations.

# Section I. Invitation to Bid

#### **Notes on the Invitation to Bid**

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids:
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria.

The IB should be incorporated into the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



# Republic of the Philippines **Department of Education**

REGION VII – central visayas

SCHOOLS DIVISION OF NEGROS ORIENTAL

# Invitation to Bid for

CY 2022 Quick Response Fund (QRF) New Construction of School Buildings for Schools Affected by Calamities, Epidemics, Crises, & Catastrophes - Lot 2 (Manjuyod Central Elementary School, Negros Oriental)

- 1. The Department of Education Schools Division of Negros Oriental, through its Bids and Awards Committee (BAC), with reference to a DepEd Memorandum dated 11 January 2023, intends to apply the sum of Eleven Million Seven Hundred Sixty Six Thousand Three Hundred Ninety Nine and 62/100 Pesos (Php11,766,399.62) being the Approved Budget for the Contract (ABC) to payments under the contract for CY 2022 Quick Response Fund (QRF) New Construction of School Buildings for Schools Affected by Calamities, Epidemics, Crises, & Catastrophes Lot 2 (Manjuyod Central Elementary School, Negros Oriental) with project ID no.: ITB 2023-02-026. Bids received in excess of the ABC shall be automatically rejected at bid opening.
- 2. The **Department of Education Schools Division of Negros Oriental** now invites bids for the above Procurement Project. Completion of the Works is required **Two Hundred Ten (210) Calendar Days**. Bidders should have completed a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).
- 3. Bidding will be conducted through open competitive bidding procedures using non-discretionary "pass/fail" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
- Interested bidders may obtain further information from the Department of Education

   Schools Division of Negros Oriental and inspect the Bidding Documents at the address given below from 8:00 AM to 5:00 PM (Monday to Friday).
- 5. A complete set of Bidding Documents may be acquired by interested bidders on **February 23, 2023 and until the opening of bids** from given address below and upon payment of the applicable fee for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of **Twenty Five Thousand Pesos Only (Php25,000.00)**.

Interested bidders may pay the applicable fees in person or deposit their payment for the Bidding Document to our Development Bank of the Philippines (DBP) account, details as follows:

Account Name: DepEd, Division of Negros Oriental

Account Number: 0-00160-740-1

The bidder must present its proof of payment for the fees in person or email its proof of payment to this email address: **negros.oriental@deped.gov.ph** before the specified date and time of the bid opening. Payments will be verified with the bank.

6. The **Department of Education - Schools Division of Negros Oriental** will hold a Pre-Bid Conference<sup>1</sup> on **10:00 A.M., March 3, 2023** at the 3<sup>rd</sup> Floor Conference Room, DepEd, Schools Division of Negros Oriental, Kagawasan Avenue, Capitol Area, Daro, Dumaguete City and/or through videoconferencing/webcasting via ZOOM link which shall be open to prospective bidders:

#### https://bit.ly/QRFNewConPrebid



- 7. Bids must be duly received by the BAC Secretariat through manual submission at the office address as indicated below, on or before 10:00 A.M., March 15, 2023. Late bids shall not be accepted.
- 8. All bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 15.
- 9. Bid opening shall be on **10:00 A.M., March 15, 2023** at the 3<sup>rd</sup> Floor Conference Room, DepEd, Schools Division of Negros Oriental, Kagawasan Avenue, Capitol Area, Daro, Dumaguete City and/or through videoconferencing/webcasting via ZOOM link:

#### https://bit.ly/QRFNewConBidOpening

Ю. П

Bids will be opened in the presence of the bidders' representatives who choose to attend the activity.

10. The **Department of Education - Schools Division of Negros Oriental** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised Implementing Rules and Regulations (IRR) of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.


May be deleted in case the ABC is less than One Million Pesos (PhP1,000,000) where the Procuring Entity may not hold a pre-bid conference.

11. For further information, please refer to:


#### MARCELO K. PALISPIS, JD EdD

BAC Chairperson, OIC - ASDS Schools Division of Negros Oriental Kagawasan Avenue, Capitol Area, Daro Dumaguete City, Negros Oriental 6200 (035) 225 1623 / www.depednegor.net

12. You may visit our official website: https://www.depednegor.net/ and click on PROCUREMENT menu bar.



On the procurement page click on bid bulletin menu bar.



(Sgd.)

#### MARCELO K. PALISPIS, JD EdD

OIC - Asst. Schools Division Superintendent Chairperson, Bids & Awards Committee

# Section II. Instructions to Bidders

# **Notes on the Instructions to Bidders**

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, Department of Education - Schools Division of Negros Oriental invites Bids for the CY 2022 Quick Response Fund (QRF) New Construction of School Buildings for Schools Affected by Calamities, Epidemics, Crises, & Catastrophes - Lot 2 (Manjuyod Central Elementary School, Negros Oriental) with Project Identification Number: ITB 2023-02-026.

The Procurement Project (referred to herein as "Project") is for the construction of Works, as described in Section VI (Specifications).

#### 2. Funding Information

- 2.1. The GOP through the source of funding as indicated below for Calendar Year 2022 in the amount of Eleven Million Seven Hundred Sixty Six Thousand Three Hundred Ninety Nine and 62/100 Pesos (Php11,766,399.62).
- 2.2. The source of funding is NGA, the General Appropriations Act or Special Appropriations.

# 3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manual and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or invitation to bid by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have inspected the site, determined the general characteristics of the contracted Works and the conditions for this Project, such as (a) the location and the nature of the work; (b) climatic conditions; (c) transportation facilities; (d) nature and condition of the terrain, geological conditions at the site communication facilities, requirements, location and availability of construction aggregates and other materials, labor, water, electric power and access roads; and (e) other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

# 4. Corrupt, Fraudulent, Collusive, Coercive, and Obstructive Practices

The Procuring Entity, as well as the Bidders and Contractors, shall observe the highest standard of ethics during the procurement and execution of the contract. They

or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

- 5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.
- 5.2. The Bidder must have an experience of having completed a Single Largest Completed Contract (SLCC) that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC adjusted, if necessary, by the Bidder to current prices using the PSA's CPI, except under conditions provided for in Section 23.4.2.4 of the 2016 revised IRR of RA No. 9184.

A contract is considered to be "similar" to the contract to be bid if it has the major categories of work stated in the **BDS**.

- 5.3. For Foreign-funded Procurement, the Procuring Entity and the foreign government/foreign or international financing institution may agree on another track record requirement, as specified in the Bidding Document prepared for this purpose.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.2 of the 2016 IRR of RA No. 9184.

# 6. Origin of Associated Goods

There is no restriction on the origin of Goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than fifty percent (50%) of the Project.

The Procuring Entity has prescribed that **Subcontracting is not allowed**.

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing / webcasting as indicated in paragraph 6 of the **IB.** 

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

# 10. Documents Comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.
- 10.2. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. For Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.
- 10.3. A valid PCAB License is required, and in case of joint ventures, a valid special PCAB License, and registration for the type and cost of the contract for this Project. Any additional type of Contractor license or permit shall be indicated in the **BDS**.
- 10.4. A List of Contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen) assigned to the contract to be bid, with their complete qualification and experience data shall be provided. These key personnel must meet the required minimum years of experience set in the **BDS**.
- 10.5. A List of Contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership, certification of availability of equipment from the equipment lessor/vendor for the duration of the project, as the case may be, must meet the minimum requirements for the contract set in the **BDS**.

# 11. Documents Comprising the Bid: Financial Component

11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section IX. Checklist of Technical and Financial Documents**.

- 11.2. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.3. For Foreign-funded procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Alternative Bids

Bidders shall submit offers that comply with the requirements of the Bidding Documents, including the basic technical design as indicated in the drawings and specifications. Unless there is a value engineering clause in the **BDS**, alternative Bids shall not be accepted.

#### 13. Bid Prices

All bid prices for the given scope of work in the Project as awarded shall be considered as fixed prices, and therefore not subject to price escalation during contract implementation, except under extraordinary circumstances as determined by the NEDA and approved by the GPPB pursuant to the revised Guidelines for Contract Price Escalation guidelines.

### 14. Bid and Payment Currencies

- 14.1. Bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation. Bids denominated in foreign currencies shall be converted to Philippines currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 14.2. Payment of the contract price shall be made in Philippine Pesos.

# 15. Bid Security

- 15.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 15.2. The Bid and bid security shall be valid One Hundred Twenty (120) Calendar Days from the opening of bids. Any bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

# 16. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission to the given website or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 17. Deadline for Submission of Bids

The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 18. Opening and Preliminary Examination of Bids

18.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

18.2. The preliminary examination of Bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

### 19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "passed" using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, all Bids and combinations of Bids as indicated in the **BDS** shall be received by the same deadline and opened and evaluated simultaneously so as to determine the Bid or combination of Bids offering the lowest calculated cost to the Procuring Entity. Bid Security as required by **ITB** Clause 15 shall be submitted for each contract (lot) separately.

19.3. In all cases, the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184 must be sufficient for the total of the ABCs for all the lots participated in by the prospective Bidder.

#### 20. Post Qualification

Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS), and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

# **Notes on the Bid Data Sheet (BDS)**

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

ITB Clause	
3	The Department of Education, Schools Division of Negros Oriental requires that interested bidder/s shall secure the Certificate of Site Inspection signed by the school head or its representative and the duly notarized Affidavit of Site Inspection. Both documents shall be included in the Technical Component Envelope. (Items (j) and (k) of Section IX. Checklist of Technical and Financial Document)  Standard forms can be found in ANNEX A and can also be acquired upon purchase of the bid document.
5.2	For this purpose, contracts similar to the Project refer to contracts which have the same major categories of work, which shall be but not limited to:  1. Concreting Works (3000 psi)  2. Masonry Works  3. Doors and Windows  4. Steel Works  5. Rebar Works  6. Earthworks  7. Roofing Works  8. Ceiling and Carpentry Works  9. Electrical Works  10. Plumbing Works with Rain Water Collector  11. Formworks  12. Painting Works  13. Tile Works  14. Sanitary Works  15. Waterproofing Works
7.1	Subcontracting is not allowed.
10.1	Bidder's Statement of all its ongoing government and private contracts, including contracts awarded but not yet started; and Bidder's Single Largest Completed Contract (SLCC) should be supported by, but not limited to: (a) Notice of Award; (b) Notice to Proceed; or (c) Project Owner's Certificate of Final Acceptance issued by the owner other than the contractor.  Furthermore, bidder/s shall also provide an electronic "soft" copy, in MS Excel file format of the above-mentioned Bidder's statement of all ongoing projects to aid post-qualification evaluation / verification. This soft copy shall be stored either on a compact disc (CD) or on a flash drive (USB) and must be included in the Technical Component Envelope.
	(Reference to Clause 16 of Section III. Instruction to Bidders and also to items (b)

	and (c) of Section IX. Checklis	t of Technical and Financial Documents.)
10.3	No further instructions.	
10.4	The key personnel must meet the required minimum years of experience so below:	
	KEY PERSONNEL	Number of Years of Relevant Experience
	1. Project Engineer	At least 1 year experience
	2. Materials Engineer	At least 1 year experience
	3. General Foreman	At least 1 year experience
	4. Welder	At least 1 year experience
	5. Carpenter	At least 1 year experience
	6. Mason	At least 1 year experience
	7. Painter	At least 1 year experience
	8. Electrician	At least 1 year experience
	9. Plumber	At least 1 year experience
	10. Helper	At least 1 year experience
10.5	1. Hand Tools 2. One Bagger Ceme 3. Welding Machine 4. Steel Bar Cutter	nuipment requirements are the following:
11.1	Interested bidder/s are provider with an electronic "soft" copy, MS Excel file format of the following, upon purchase of this bidding document:  1. Blank Program of Works – Bill of Quantities  2. Blank Program of Works – Detailed Cost Estimates  The above-mentioned blank Program of Works - Bill of Quantities and Detailed Cost Estimates must be filled-in and shall be stored (with the same MS Excel file	
	format) either on a compact disc (CD) or on a flash drive (USB). (with reference also to GCC Clause 11.1 of Section V. Special Condition of the Contract)	
	construction materials, labor rethe Bid and must be the same	the <u>summary sheet</u> indicating the unit prices of ates, and equipment rentals used in coming up with unit prices of construction materials, labor rates and their Program of Works – Detailed Cost Estimates.
	equipment rentals, etc. between	orices of construction materials, labor rates, and en Bidder's Summary Sheet and Program of Works grounds for disqualification. No Summary Sheet is on.

		. Instruction to Bidders and also to Items X. Checklist of Technical and Financial
12	No further instructions	
15.1	The bidder shall submit a Bid Securing Declaration, or any form of Bid Securing an amount not less than the required percentage of the ABC in accordance the following schedule:	
	Form of Bid Security	Amount of Bid Security (Not less than the required percentage of the ABC)
	a. Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Two percent (2%)
	b. Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, That it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank	Two percent (2%)
	c. Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security.	Five percent (5%)
	d. Any combination of items (a) to	Proportionate to share of form with
	(c) above.	respect to total amount of security
	e. Bid Securing Declaration	No percentage required
16	Bidders shall enclose their original eligibility and technical documents described in ITB Clause 10, in one sealed envelope marked "ORIGINAL - TECHNICAL COMPONENT," and the original of their financial component in another sealed envelope marked "ORIGINAL - FINANCIAL COMPONENT," sealing them all in an outer envelope marked "ORIGINAL BID."  Bidders are required to provide only a single copy of the Technical Component and the Financial Component envelopes shall be similarly sealed duly marking	
	"COPY NO. 1 – FINANCIAL COM	1 - TECHNICAL COMPONENT" and PONENT" respectively. These envelopes including CD/USB flash drive shall then

	be enclosed in one single envelope	
	The CD or USB Flash drive shall contain an electronic copy of the following:  1. Bidder's Statement of All On-going Projects in MS Excel File Format;  2. Bid Prices in the Bill of Quantities (Program of Works – Bill of Quantities) in MS Excel File Format;  3. Accomplished Detailed Estimates Form (Program of Works – Detailed Cost Estimates) in Excel File Format, including the summary sheet.	
	The original and the copy 1 of the bid shall be typed or written in ink and shall be signed by the Bidder or its duly authorized representative/s.	
	All envelopes shall:	
	(a) contain the name of the contract to be bid <b>in capital letters</b> ;	
	(b) bear the name and address of the Bidder in capital letters;	
	(c) be addressed to the Procuring Entity's Bids and Awards Committee BAC, as indicated in paragraph 11 of the IB.	
	(d) bear the specific identification of this bidding process indicated in the ITB Clause 1 and paragraph 1 & 2 of the IB; and	
	(e) bear a warning "DO NOT OPEN BEFORE" the date and time for the opening of bids, in accordance with ITB Clause 17 and paragraph 7 of the IB.	
	Unsealed or unmarked bid envelopes shall be rejected. However, bid envelopes that are not properly sealed and marked, as required in the Bidding Documents, shall be accepted, provided that the bidder or its duly authorized representative shall acknowledge such condition of the bid as submitted. The BAC shall assume no responsibility for the misplacement of the contents of the improperly sealed or marked bid, or for its premature opening. (Section 25.9 of the Revised 2016 IRR of RA 9184, 8th Edition)	
	An illustration for marking and sealing of Technical and Financial Envelopes can be found in ANNEX C.	
19.2	No partial bid is allowed.	
20	The BAC shall determine to its satisfaction whether the Bidder that is evaluated as having submitted the Lowest Calculated Bid complies with and is responsive to all the requirements and conditions specified in <b>ITB</b> Clauses 5, 10, and 11.	
	List of Licenses and permits relevant to the Project and the corresponding law or corresponding LGUs that may be required but not limited to:  1. Building Permit	

- 2. Fire Safety Inspection Certificate
- 3. Electrical Permit, etc.
- Additional contract documents relevant to the Project that are required by this Procuring Entity, among other documents, are the following:
  - a. construction schedule and S-curve,
  - b. manpower schedule,
  - c. construction methods,
  - d. equipment utilization schedule,
  - e. construction safety and health program approved by the DOLE,
  - f. and other acceptable tools of project scheduling.

Furthermore, all Department of Education implemented infrastructure projects are required to be covered by Contractor's All Risk Insurance (CARI) as per memorandum, OUA MEMO 00-0121-081. (*Please see ANNEX C*)

The following are insurance coverage clauses for this infrastructure project: (adopted from the Philippine Bidding Document (PBD) 5<sup>th</sup> Edition)

- a. The contractor shall under his name and at his own expense, obtain and maintain, for the duration of this Contract, the Contractor's All Risk Insurance (CARI);
- b. The contractor shall provide evidence to the Procuring Entity's Representative that the insurances required under this Contract have been effected and shall, within a reasonable time, provide copies of the insurance policies to the Procuring Entity's Representative. Such evidence and such policies shall be provided to the Procuring Entity's through the Procuring Entity's Representative. The Contractor shall notify the insurers of changes in the nature, extent, or program for the execution of the Works and ensure the adequacy of the insurances at all times in accordance with the terms of this Contract and shall produce to the Procuring Entity's Representative the insurance policies in force including the receipts for payment of the current premiums;
- c. The above insurance policies shall be obtained from any reputable insurance company approved by the Procuring Entity's Representative;
- d. If the Contractor fails to obtain and keep in force the insurances referred to herein or any other insurance which he may be required to obtain under the terms of this Contract, the Procuring Entity may obtain and keep in force any such insurances and pay such premiums as may be necessary for the purpose. From time to time, the Procuring Entity may deduct the amount it shall pay for said premiums including twenty-five percent (25%) therein from any monies due, or which may become due, to the Contractor, without prejudice to the Procuring Entity exercising its right to

impose other sanctions against the Contractor pursuant to the provisions of this Contract:

- e. In the event the Contractor fails to observe the above safeguards, the Procuring Entity may, at the Contractor's expense, take whatever measure is deemed necessary for its protection and that of the Contractor's personnel and third parties, and/or order the interruption of dangerous Works. In addition, the Procuring Entity may refuse to make the payments under GCC Clause 40 until the Contractor complies with this Clause;
- f. The Contractor shall immediately replace the insurance policy obtained as required in this Contract, without need of the Procuring Entity's demand, with a new policy issued by a new insurance company acceptable to the Procuring Entity for any of the following grounds:
  - (a) The issuer of the insurance policy to be replaced has:
    - (i) become bankrupt;
    - (ii) been placed under receivership or under a management committee;
    - (iii) been sued for suspension of payment; or
    - (iv) been suspended by the Insurance Commission and its license to engage in business or its authority to issue insurance policies cancelled; or
    - (v) Where reasonable grounds exist that the insurer may not be able, fully and promptly, to fulfill its obligation under the insurance policy.

# Section IV. General Conditions of Contract

### **Notes on the General Conditions of Contract**

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Contractor, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### 1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

#### 2. Sectional Completion of Works

If sectional completion is specified in the **Special Conditions of Contract** (SCC), references in the Conditions of Contract to the Works, the Completion Date, and the Intended Completion Date shall apply to any Section of the Works (other than references to the Completion Date and Intended Completion Date for the whole of the Works).

#### 3. Possession of Site

- 3.1 The Procuring Entity shall give possession of all or parts of the Site to the Contractor based on the schedule of delivery indicated in the SCC, which corresponds to the execution of the Works. If the Contractor suffers delay or incurs cost from failure on the part of the Procuring Entity to give possession in accordance with the terms of this clause, the Procuring Entity's Representative shall give the Contractor a Contract Time Extension and certify such sum as fair to cover the cost incurred, which sum shall be paid by Procuring Entity.
- 3.2 If possession of a portion is not given by the above date, the Procuring Entity will be deemed to have delayed the start of the relevant activities. The resulting adjustments in contract time to address such delay may be addressed through contract extension provided under Annex "E" of the 2016 revised IRR of RA No. 9184.

# 4. The Contractor's Obligations

The Contractor shall employ the key personnel named in the Schedule of Key Personnel indicating their designation, in accordance with **ITB** Clause 10.3 and specified in the **BDS**, to carry out the supervision of the Works.

The Procuring Entity will approve any proposed replacement of key personnel only if their relevant qualifications and abilities are equal to or better than those of the personnel listed in the Schedule.

#### 5. Performance Security

- 5.1. Within ten (10) calendar days from receipt of the Notice of Award from the Procuring Entity but in no case later than the signing of the contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR.
- 5.2. The Contractor, by entering into the Contract with the Procuring Entity, acknowledges the right of the Procuring Entity to institute action pursuant to RA No. 3688 against any subcontractor be they an individual, firm, partnership, corporation, or association supplying the Contractor with labor, materials and/or equipment for the performance of this Contract.

#### 6. Site Investigation Reports

The Contractor, in preparing the Bid, shall rely on any Site Investigation Reports referred to in the SCC supplemented by any information obtained by the Contractor.

#### 7. Warranty

- 7.1. In case the Contractor fails to undertake the repair works under Section 62.2.2 of the 2016 revised IRR, the Procuring Entity shall forfeit its performance security, subject its property(ies) to attachment or garnishment proceedings, and perpetually disqualify it from participating in any public bidding. All payables of the GOP in his favor shall be offset to recover the costs.
- 7.2. The warranty against Structural Defects/Failures, except that occasioned-on force majeure, shall cover the period from the date of issuance of the Certificate of Final Acceptance by the Procuring Entity. Specific duration of the warranty is found in the **SCC**.

# 8. Liability of the Contractor

Subject to additional provisions, if any, set forth in the **SCC**, the Contractor's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Contractor is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

#### 9. Termination for Other Causes

Contract termination shall be initiated in case it is determined *prima facie* by the Procuring Entity that the Contractor has engaged, before, or during the implementation of the contract, in unlawful deeds and behaviors relative to contract acquisition and implementation, such as, but not limited to corrupt, fraudulent, collusive, coercive, and obstructive practices as stated in **ITB** Clause 4.

#### 10. Dayworks

Subject to the guidelines on Variation Order in Annex "E" of the 2016 revised IRR of RA No. 9184, and if applicable as indicated in the SCC, the Dayworks rates in the Contractor's Bid shall be used for small additional amounts of work only when the Procuring Entity's Representative has given written instructions in advance for additional work to be paid for in that way.

#### 11. Program of Work

- 11.1. The Contractor shall submit to the Procuring Entity's Representative for approval the said Program of Work showing the general methods, arrangements, order, and timing for all the activities in the Works. The submissions of the Program of Work are indicated in the **SCC**.
- 11.2. The Contractor shall submit to the Procuring Entity's Representative for approval an updated Program of Work at intervals no longer than the period stated in the SCC. If the Contractor does not submit an updated Program of Work within this period, the Procuring Entity's Representative may withhold the amount stated in the SCC from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue Program of Work has been submitted.

# 12. Instructions, Inspections and Audits

The Contractor shall permit the GOP or the Procuring Entity to inspect the Contractor's accounts and records relating to the performance of the Contractor and to have them audited by auditors of the GOP or the Procuring Entity, as may be required.

# 13. Advance Payment

The Procuring Entity shall, upon a written request of the Contractor which shall be submitted as a Contract document, make an advance payment to the Contractor in an amount not exceeding fifteen percent (15%) of the total contract price, to be made in lump sum, or at the most two installments according to a schedule specified in the

**SCC**, subject to the requirements in Annex "E" of the 2016 revised IRR of RA No. 9184.

### 14. Progress Payments

The Contractor may submit a request for payment for Work accomplished. Such requests for payment shall be verified and certified by the Procuring Entity's Representative/Project Engineer. Except as otherwise stipulated in the SCC, materials and equipment delivered on the site but not completely put in place shall not be included for payment.

### 15. Operating and Maintenance Manual

- 15.1. If required, the Contractor will provide "as built" Drawings and/or operating and maintenance manuals as specified in the **SCC.**
- 15.2. If the Contractor does not provide the Drawings and/or manuals by the dates stated above, or they do not receive the Procuring Entity's Representative's approval, the Procuring Entity's Representative may withhold the amount stated in the SCC from payments due to the Contractor.

# Section V. Special Conditions of Contract

# **Notes on the Special Conditions of Contract**

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Works procured. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

# **Special Conditions of Contract**

GCC Clause	
2	No further instructions.
4.1	No further instructions.
6	No further instructions.
7.2	In case of permanent structures, such as buildings of types 4 and 5 as classified under the National Building Code of the Philippines and other structures made of steel, iron, or concrete which comply with relevant structural codes (e.g., DPWH Standard Specifications), such as, but not limited to, steel/concrete bridges, flyovers, aircraft movement areas, ports, dams, tunnels, filtration and treatment plants, sewerage systems, power plants, transmission and communication towers, railway system, and other similar permanent structures: Fifteen (15) years.
10	No dayworks are applicable to the contract.
11.1	The Contractor shall submit the Program of Work to the Procuring Entity's Representative within [insert number] days of delivery of the Notice of Award.  Blank Program of Works - Bill of Quantities and Detailed Cost Estimates for each school / item are provided herewith under Section VI, Specifications. To ensure completeness of the bid, any alterations or modifications made by a prospective bidder on: Item Description; Unit of Measure (UNIT); and Quantity (QTY) shall automatically disqualify them.  Bidder/s shall only fill-in their Unit Cost (Material & Labor); Total Cost (Material & Labor); and Grand Total.
	An electronic "soft" copy of the above-mentioned Blank Program of Works - Bill of Quantities and Detailed Cost Estimates for each school / item are provided for prospective bidder/s upon purchase of this bidding document. This is to aide bidders in its preparation of bid proposals and to facilitate bid evaluation.  (Reference also to Section 32.2.1(a) of the 2016 Revised Implementing Rules and Regulation of RA 9184)
11.2	The amount to be withheld for late submission of an updated Program of Work is [insert amount].
13	The amount of the advance payment is 15% of the total contract price and schedule of payment.

14	Materials and equipment delivered on the site but not completely put in place shall not be included for payment.
15.1	The date by which operating and maintenance manuals are required is [date].  The date by which "as built" drawings are required is [date].
15.2	The amount to be withheld for failing to produce "as built" drawings and/or operating and maintenance manuals by the date required is [amount in local currency].

# Section VI. Specifications

# **Notes on Specifications**

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying or conditioning their Bids. In the context of international competitive bidding, the specifications must be drafted to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of economy, efficiency, and fairness in procurement be realized, responsiveness of Bids be ensured, and the subsequent task of bid evaluation facilitated. The specifications should require that all goods and materials to be incorporated in the Works be new, unused, of the most recent or current models, and incorporate all recent improvements in design and materials unless provided otherwise in the Contract.

Samples of specifications from previous similar projects are useful in this respect. The use of metric units is mandatory. Most specifications are normally written specially by the Procuring Entity or its representative to suit the Works at hand. There is no standard set of Specifications for universal application in all sectors in all regions, but there are established principles and practices, which are reflected in these PBDs.

There are considerable advantages in standardizing General Specifications for repetitive Works in recognized public sectors, such as highways, ports, railways, urban housing, irrigation, and water supply, in the same country or region where similar conditions prevail. The General Specifications should cover all classes of workmanship, materials, and equipment commonly involved in construction, although not necessarily to be used in a particular Works Contract. Deletions or addenda should then adapt the General Specifications to the particular Works.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for goods, materials, and workmanship, recognized international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that goods, materials, and workmanship that meet other authoritative standards, and which ensure substantially equal or higher quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the SCC.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Contract to specific standards and codes to be met by the goods and materials to be furnished, and work performed or tested, the provisions of the latest current edition or revision of the relevant standards and codes in effect shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national, or relate to a particular country or region, other authoritative standards that

ensure a substantially equal or higher quality than the standards and codes specified will be accepted subject to the Procuring Entity's Representative's prior review and written consent. Differences between the standards specified and the proposed alternative standards shall be fully described in writing by the Contractor and submitted to the Procuring Entity's Representative at least twenty-eight (28) days prior to the date when the Contractor desires the Procuring Entity's Representative's consent. In the event the Procuring Entity's Representative determines that such proposed deviations do not ensure substantially equal or higher quality, the Contractor shall comply with the standards specified in the documents.

These notes are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final Bidding Documents.

Interested bidders will be provided an electronic soft copy (MS Excel file format) of the Blank Program of Works - Bill of Quantities & Detailed Estimates upon purchase of the bid document.

# BLANK PROGRAM OF WORKS BILL OF QUANTITIES & DETAILED COST ESTIMATES

# With instructions on the Quality Control Program (QCP)

(Adoption of the DPWH's Blue Book – Standard Specifications for Public Works Structures)

# MANJUYOD CENTRAL ELEMENTARY SCHOOL

MANJUYOD, NEGROS ORIENTAL

#### CONTRACTOR'S LOGO / HEADERS

#### **PROGRAM OF WORKS**

#### **BILL OF QUANTITIES**

QRF 2022 - R VII - NEGROS ORIENTAL - \_\_\_\_

School : I	MANJUYOD CENTRAL ELEM. S	CHOOL	Date:						
School I.I	D: 120395		Budget A	llocation:	Р	HP 11,766,399.62			
Region: \	VII - CENTRAL VISAYAS		Engineering and Admin. Overhead:PHP 0.00  Approved Budget for the Contract:PHP 11,766,399.62						
Division:	NEGROS ORIENTAL								
Project 1	Γitle:		Completion Period: 210 CALENDAR DAYS						
PROPOSE	ED CONSTRUCTION OF ONE (1) ST	OREY - TWO	Minimum	Minimum Required Manpower:					
(2) CLAS: TOILET) &	SROOMS SCHOOL BUILDING (WIT CONSTRUCTION OF ONE (1) STO SROOMS SCHOOL BUILDING (WIT TOILET)	H COMMON REY - THREE	General Helper			Carpenter Painter			
Location	ocation:			Required Equi	pment:				
MANJUYOD, NEGROS ORIENTAL			Hand To One-Ba		Velding Mach Bar Cutter	ine			
ITEM NO.	Item Description	% of Total	Unit	Quantity	Total Cost	Remarks			
	I. DIRECT COST								
	GENERAL REQUIREMENTS		lot	1.00					
	RUCTION OF ONE (1) STORE	EY - TWO (2	) CLASSR	DOMS SCHOO	DL BUILDIN	IG (WITH			
	N TOILET)	T	I	1 00					
1.0000	Earthworks Congreting Works (2000 poi)		lot	1.00 99.72					
2.0000 3.0000	Concreting Works (3000 psi) Rebar Works		cu m	15,735.67					
4.0000	Formworks		kg lot	1.00					
5.0000	Masonry Works		sq m	543.59					
6.0000	Doors and Windows		lot	1.00					
7.0000	Steel Works		lot	1.00					
8.0000	Roofing Works		Im	289.91					
9.0000	Ceiling and Carpentry Works		sq m	253.77					
10.0000	Electrical Works		lot	1.00					
11.0000	Plumbing Works		lot	1.00					
	Rain Water Collector		lot	1.00					
12.0000	Sanitary Works		lot	1.00					
13.0000	Painting Work		sq m	895.18					
15.0000	Waterproofing		lot	1.00					
14.0000	Tile Work		sq m	93.25					
MANJUY	OD CES - SPED CENTER								
	UCTION OF ONE (1) STOREY -	THREE (3) CL	ASSROOM	S SCHOOL BUI	LDING (WITI	н соммом			
TOILET)	Corthuarko		lat	1.00					
1.0000	Earthworks Congreting Works (2000 poi)		lot	1.00					
2.0000	Concreting Works (3000 psi)		cu m	=131.46					
3.0000	Rebar Works		kg	20,460.01					

4.0000	Formworks	lot	1.00	
5.0000	Masonry Works	sq m	703.17	
6.0000	Doors and Windows	lot	1.00	
7.0000	Steel Works	lot	1.00	
8.0000	Roofing Works	lm	393.45	
9.0000	Ceiling and Carpentry Works	sq m	345.03	
10.0000	Electrical Works	lot	1.00	
11.0000	Plumbing Works	lot	1.00	
	Rain Water Collector	lot	1.00	
12.0000	Sanitary Works	lot	1.00	
13.0000	Painting Works	sq m	1,144.22	
15.0000	Waterproofing	lot	1.00	
14.0000	Tile Works	sq m	93.25	
	Sub-Total			
	II. INDIRECT COST 17% of (I - Gen. Req)			
	Overhead Expenses (5%)			
	Contingencies (3%)			
	Miscellaneous (1%)			
	Contractor's Profit (8%)			
	Sub-Total			
	III. TAX 5% of (I+II)			
	Sub-Total			
	Sub-10tai			
	IV. TOTAL CONSTRUCTION COST (I + II + III)			

Prepared by:	
Contractor's Author	rized Representative Name & Signature

#### CONTRACTOR'S LOGO / HEADER

#### **PROGRAM OF WORKS**

#### **DETAILED COST ESTIMATE**

PROJECT: PROPOSED CONSTRUCTION OF ONE (1) STOREY - TWO (2) CLASSROOMS SCHOOL

BUILDING (WITH COMMON TOILET) & CONSTRUCTION OF ONE (1) STOREY -

THREE (3) CLASSROOMSCHOOL BUILDING (WITH COMMON TOILET)

SCHOOL: MANJUYOD CENTRAL ELEMENTARY SCHOOL

LOCATION: MANJUYOD, NEGROS ORIENTAL OWNER: DEPARTMENT OF EDUCATION

ITEM	DESCRIPTION	UNIT	QTY	UNIT C	OST	TOTAL (	COST	
NO.	DESCRIPTION	UNII	QIT	MATERIAL	LABOR	MATERIAL	LABOR	GRAND
	GENERAL REQUIREMENTS							TOTAL
	Mobilization/Temporary Structures, Utilities and Services/Demobilization	lot	1.00					
	Project Billboard	lot	1.00					
	Safety and Health	lot	1.00					
	Fire Clearance/ Permit Fee	lot	1.00					
	Other Permit Fee	lot	1.00					
	Sub-total							
	JCTION OF ONE (1) STOREY - DMMON TOILET)	TWO (2) (	CLASSROOI	MS SCHOOI	L BUILD	ING		
1.0000	Earthworks							
1.0100	Clearing and Grubbing	sq.m	242.25					
1.0200	Structural Excavation	cu.m	61.43					
1.0300	Backfilling and Compaction	cu.m	44.81					
1.0400	Gravel Bedding G-1	cu.m	32.50					
1.0500	Select Fill	cu.m	53.30					
1.0600	Soil Poisoning	sq m	266.48					
	Demolition	sq.m	118.75					
	Sub-total							
2.0000	Concreting Works (3000 psi)							
	Column Footing	cu.m	14.18					
2.0200	Portland Cement	bag	128.00					
2.0400	Crushed Gravel 1"	cu.m	14.25					
2.0500	Washed Sand	cu.m	7.25					
	Footing Tie Beam	cu.m	14.30					
2.0200	Portland Cement	bag	129.00					
2.0300	Crushed Gravel 3/4"	cu.m	14.50					
2.0500	Washed Sand	cu.m	7.25					
	Wall Footing	cu.m	1.03					
2.0200	Portland Cement	bag	10.00					
2.0300	Crushed Gravel 3/4"	cu.m	1.25					
2.0500	Washed Sand	cu.m	0.75					
	Columns/ Stiffener	cu.m	10.93					

2.0200	Portland Cement	bag	00.00		
2.0200	Crushed Gravel 3/4"	cu.m	99.00		
2.0300	Washed Sand	cu.m	11.00		
2.0500		+	5.50		
2.0200	Roof Beams/ LRB-1 Portland Cement	cu.m	15.90		
2.0200	Crushed Gravel 3/4"	bag	144.00	+	
2.0300	Washed Sand	cu.m	16.00		
2.0500		cu.m	8.00	+	
0.0000	CB-1/ GB-1	cu.m	5.76		
2.0200	Portland Cement Crushed Gravel 3/4"	bag	52.00		
2.0300		cu.m	6.00		
2.0500	Washed Sand R. C. Concrete Gutter/	cu.m	3.00		
	Parapet Wall	cu.m	10.59		
2.0200	Portland Cement	bag	96.00		
2.0300	Crushed Gravel 3/4"	cu.m	10.75		
2.0500	Washed Sand	cu.m	5.50		
	Stair	cu.m	1.28		
2.0200	Portland Cement	bag	12.00		
2.0300	Crushed Gravel 3/4"	cu.m	1.50		
2.0500	Washed Sand	cu.m	0.75		
2.0000	Concrete Bench	cu.m	0.31		
2.0200	Portland Cement	bag	3.00		
2.0300	Crushed Gravel 3/4"	cu.m	0.50		
2.0500	Washed Sand	cu.m	0.25		
2.0000	Slab on Fill	cu.m	22.80		
2.0200	Portland Cement	bag	206.00		
2.0300	Crushed Gravel 3/4"	cu.m	23.00		
2.0500	Washed Sand	cu.m	11.50		
	Ramp on Fill	cu.m	1.25		
2.0200	Portland Cement	bag	12.00		
2.0300	Crushed Gravel 3/4"	cu.m	1.25		
2.0500	Washed Sand	cu.m	0.75		
2.0000	Handwashing with Concrete	-	0.70		
	Platform	cu.m	1.41		
2.0200	Portland Cement	bag	13.00		
2.0300	Crushed Gravel 3/4"	cu.m	1.50		
2.0500	Washed Sand	cu.m	0.75		
	Sub-total				
3.0000	Rebar Works				
	Column Footing	kg	766.46		
	Footing Tie Beam	kg	1,913.56		
	Columns	kg	5,367.19		
	Roof Beams/ LRB-1	kg	2,336.61		
	CB-1/ GB-1	kg	692.51		
3.0500	Deformed Round Bars, Grade 40	kg	11,076.34		
	Footing Tie Beam	kg	812.70		
	Wall Footing	kg	37.82		
	Columns	kg	600.78		
	Stiffener	kg	103.18		
	Roof Beams/ LRB-1	kg	923.84		

	CB-1/ GB-1	kg	316.03			
	R. C. Concrete Gutter/	ka	642.75			
	Parapet Wall	kg	643.75			
	Stair	kg	78.07			
	Concrete Bench	kg	29.48			
	Slab on Fill	kg	972.66			
	Ramp on Fill Handwashing with	kg	46.19			
	Concrete Platform	kg	94.84			
3.0900	Deformed Round Bars, Grade 33	kg	4,659.33			
3.1200	G.I. Tie Wire	kg	315.00			
	Sub-total					
4.0000	Formworks					
	Footing Tie Beam	sq.m	150.15			
4.0100	Coco Lumber	bd.ft	765.90			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	26.00			
4.0400	CWN, Assorted	kg	11.00			
	Columns/ Stiffener	sq.m	148.86			
4.0100	Coco Lumber	bd.ft	759.30			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	26.00			
4.0400	CWN, Assorted	kg	11.00			
	Roof Beams/ LRB-1	sq.m	168.54			
4.0100	Coco Lumber	bd.ft	859.80			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	29.00			
4.0400	CWN, Assorted	kg	13.00			
	CB-1/ GB-1	sq.m	64.38			
4.0100	Coco Lumber	bd.ft	328.50			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	12.00			
4.0400	CWN, Assorted	kg	5.00			
	R. C. Concrete Gutter/ Parapet Wall	sq.m	163.20			
4.0100	Coco Lumber	bd.ft	832.50			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	28.00			
4.0400	CWN, Assorted	kg	12.00			
	Stair	sq.m	2.84			
4.0100	Coco Lumber	bd.ft	14.70			
4.0200	Plywood Ordinary, 1/4" x 4'	рс	1.00			
4.0400	x 8' CWN, Assorted	kg	1.00			
7.0400	,					
4.0100	Concrete Bench Coco Lumber	sq.m bd.ft	3.11 15.90			
4.0200	Plywood Ordinary, 1/4" x 4'	pc.it	1.00			
4.0400	x 8' CWN, Assorted	kg	1.00			
7.0400	·					
4.0100	Handwashing Coco Lumber	sq.m	6.40 32.70			
4.0100	Plywood Ordinary, 1/4" x 4'	bd.ft pc	2.00			
	x 8' CWN, Assorted	_				
4.0400	CVVIN, ASSORED	kg	1.00			

	Sub-total					
5.0000	Masonry Works					
0.000	Masonry Wall	sq.m	305.09			
5.0200	CHB 6" thk	рс	3,327.00			
5.0300	CHB 4" thk	рс	488.00			
2.0200	Portland Cement	bag	153.00			
2.0500	Washed Sand	cu.m	13.00			
5.0400	10mm x 6m RSB	kg	405.00			
3.1200	G.I. Tie Wire	kg	9.00			
	Plastering	sq.m	610.17			
2.0200	Portland Cement	bag	202.00			
2.0500	Washed Sand	cu.m	21.00			
	Floor Topping	sq.m	238.50			
2.0200	Portland Cement	bag	158.00			
2.0500	Washed Sand	cu.m	16.00			
	Sub-total					
6.0000	Doors and Windows					
6.0300	D-1, (0.90m x 2.10m) KD and Termite - treated Panel Door Type Hinged Door and Fixed Glass Transom on 50mm x 150mm Wood Jamb/ Frame and Lever - type Knob	set	4.00			
6.0490	D-2, (0.80m x 2.10m) Hollow Core Flush Type Swing Door in 50mm x 150mm Guijo/ Yakal Jamb with Marine Plywood (two face) with Hardware and Accessories and Cylindrical Door Knob.	set	2.00			
6.0501	D-3, (0.90m x 2.10m) KD and Termite - treated Panel Door Type Hinged Door and Fixed Glass Transom on 50mm x 150mm Wood Jamb/ Frame and Lever - type Knob (Provide S/S Kickplate)	set	1.00			
6.0601	D-4, (0.70m x 1.30m) Swing Door on 50mm x 150mm Guijo/ Yakal Jamb Frame with Marine Plywood (two face) complete with Hardware and Accessories with Door Bolt	set	4.00			
6.0701	W - 1, (2.60m x 1.60m) Jalousie Window with 6mm Clear Glass Blades on 50mm x 150mm KD Wood and Termite - Treated (Yakal/ Guijo) or Concrete Jamb	set	4.00			
6.4381	W - 2, (1.80m x 1.60m) Jalousie Window with 6mm Clear Glass Blades on 50mm x 150mm KD Wood and Termite - Treated (Yakal/ Guijo) or Concrete Jamb	set	4.00			

			•	T	1	•	ı	T
6.4480	W - 3, (1.2 x 0.6 m) Awning Window with 6mm Clear Glass Blades on Steel Jamb/ Framing	set	1.00					
6.4490	W - 4, (0.6 x 0.6 m) Awning Window with 6mm Clear Glass Blades on Steel Jamb/ Framing	set	4.00					
	Window Grille (WG - 1)	set	4.00					
	Window Grille (WG - 2)	set	4.00					
	Sub-total							
7.0000	Steel Works							
7.0200	LC 150 x 50 x 25 x 6.0mm	kg	7,287.39					
7.0800	L 90 x 90 x 6mm	kg	822.60					
7.0800	L 90 x 90 x 6mm	kg	782.15					
7.0900	L 50 x 50 x 6mm	kg	79.56					
7.0900	L 50 x 50 x 6mm	kg	887.89					
7.1000	L 50 x 50 x 5mm	kg	18.20					
7.0410	L 100 x 100 x 6.0mm	kg	183.40					
7.0300	L 125 x 125 x 6mm	kg	63.14					
7.0300	L 125 x 75 x 6mm	kg	20.09					
	Steel Plate 1.20m x 2.40m							
7.1400	x 16mm thk	рс	0.25					
7.1100	Steel Plate 1.20m x 2.40m x 6mm thk	рс	2.50					
7.1500	Anchor Bolt with Nuts and Washer, 20mmØ x 50mm x 300mm	рс	40.00					
7.1600	Anchor Bolt with Nuts and Washer, 12mmØ x 50mm x 150mm	рс	88.00					
7.1700	Anchor Bolt with Nuts and Washer, 10mmØ x 50mm x 125mm	рс	20.00					
7.1800	Machine Bolts ( 6 mm dia. )	рс	792.00					
7.1901	Plain Round Bar 12mmØ x 6m	рс	19.00					
7.2100	Turn Buckle 12 mmØ	рс	16.00					
7.2300	10mmØ Sag Rods with Standard Nuts and Washers	рс	21.00					
7.3500	50 mmØ Stainless Steel Pipe	рс	7.00					
7.3600	Welding Rod	kg	224.00					
	Sub-total							
8.0000	Roofing Works							
8.0600	G.I. Long-Span Roofing, Corrugated, Pre-Painted, 1220mm x 0.5mm BMT	lm	289.91					
8.0700	G.I. Ridge Roll, Preformed, Pre-Painted, 0.610m x 2.440m x 0.5mm BMT	рс	12.00					
8.0800	G.I. Flashing, Preformed, Pre-Painted, 0.610m x 2.440m x 0.5mm BMT	рс	10.00					
8.0900	J-Bolt (6mm dia.)	рс	3,696.00					
8.1000	Teckscrew 2-1/2"	рс	528.00					
8.1300	Roof Sealant	L	5.00					

	Sub-total			<del></del>			
0.0000	Ceiling and Carpentry Works						
9.0000	Interior Ceiling	sq.m	178.50				
7.0810	L 75 x 75 x 6mm	kg	901.74		<u> </u>		
7.0900	L 50 x 50 x 6mm	kg	563.55				
	6 mm Machine bolts with	-					
7.1800	nuts and washers	pc	95.00	<del> </del>			
	50 mm x 50 mm Ceiling Joist	bd.ft	714.71				
	50 mm x 50 mm Wooden Hanger	bd.ft	63.33	ı			
9.1700	Rough Lumber, Sun Dried, Tanguile	bd.ft	778.04				
9.0200	Plywood, Ordinary 1/4" x 4' x 8'	рс	62.00				
9.2100	Finishing Nails	kg	4.00	·			
4.0400	CWN, Assorted	kg	15.00				
9.2200	Concrete Nails	kg	4.00				
9.1900	Wood Preservative, Brown	L	6.00	i			
	Exterior Ceiling	sq.m	63.75				
7.0810	L 75 x 75 x 6mm	kg	322.05		1		
7.0900	L 50 x 50 x 6mm	kg	112.71				
	6 mm Machine bolts with	Ng					
7.1800	nuts and washers 50 mm x 50 mm Ceiling	рс	22.00	_			
	Joist	bd.ft	265.21	<del> </del>			
	50 mm x 50 mm Wooden Hanger	bd.ft	13.67	<u> </u>			
9.1700	Rough Lumber, Sun Dried, Tanguile	bd.ft	278.88	_			
9.0200	Plywood, Ordinary 1/4" x 4' x 8'	рс	23.00				
9.1400	25mm x 25mm x 300mm Wood slats @25mm clear spacing ceiling ventilation (provide stainless steel wire mesh inside)	рс	5.00				
9.2100	Finishing Nails	kg	2.00				
4.0400	CWN, Assorted	kg	6.00				
9.2200	Concrete Nails	kg	2.00				
9.1900	Wood Preservative, Brown	L	2.00				
	Blackboards (2 Set)	sq.m	11.52				
9.1800	S4S Lumber, Kiln Dried, Tanguile	bd.ft	74.00				
9.2000	Lawanit, 1/4" thk	рс	4.00		1		
9.2100	Finishing Nails	kg	1.00		1		
4.0400	CWN, Assorted	kg	2.00	<u> </u>	1		
9.2200	Concrete Nails	kg	1.00	<u> </u>	1		
5.2250	Sub-total	·a	1.00	<u> </u>	1		
10.0000	Electrical Works						
10.0000							
10.0200	Roughing-ins Electrical Conduit uPVC,	рс	128.00	<u> </u>			
	20mmØ				+	1	
40.4000	RSC 32mmØ	рс	35.00	<u> </u>	1		
10.1000	Entrance Cap 32mm dia.	рс	1.00		1		
10.1200	Junction Box, 4" x 4" G.I.	рс	21.00				

10.1300	Utility Box, 2" x 4" G.I.	рс	22.00			
	Grounding Rod, 2.4m x					
10.1400	16mm dia.	рс	1.00			
	Wires & Fixtures					
10.1600	3.5 mm² THHN Wire, Stranded	m	763.00			
10.1710	8.0 mm² THHN Wire, Stranded	m	206.00			
10.2200	3.5 mm <sup>2</sup> TW(G) Wire, Stranded	m	382.00			
10.2300	5.5 mm² TW(G) Wire, Stranded	m	103.00			
10.2700	Duplex Convenience Outlet, Grounding Type, 16A, 250V	set	4.00			
10.2800	Duplex Convenience Outlet, Grounding Type, 16A, 250V (WP)	set	2.00			
10.2900	1 Gang Wall Switches in One Switch Plate (16 AMP, 230V)	set	6.00			
10.3100	2 Gang Wall Switches in One Switch Plate (16 AMP, 230V)	set	2.00			
10.3300	Three Way Wall Switch (10 AMP, 230 V)	set	2.00			
10.3400	2 - 36W, 230V, 60Hz, T5 LED Lighting Fixture, (Box Type)	set	12.00			
10.3500	1 - 36W, 230V, 60Hz, T5 LED Lighting Fixture, (Box Type)	set	6.00			
10.5400	Orbit Fan with Fan Switch 1600 - 4500 CFM	set	8.00			
	Panel Box, Flush Type, 6 Branches	set	1.00			
10.4100	Circuit Breaker, 20A 2P	set	5.00			
10.4400	Circuit Breaker, 50A 2P	set	1.00			
10.4900	Vibrating Bell 8"	set	1.00			
10.5000	Push Button, 10A, 230V	set	1.00			
10.5500	Electrical Tape	рс	12.00			
	Sub-total					
11.0000	Plumbing Works					
11.0200	Water Closet 1.6gpf with Accessories	set	5.00			
11.0100	Water Closet Flange	set	5.00		1	
11.0300	Urinal 0.8gpf	set	2.00			
11.0400	Concrete Counter Sink Type, with Lever Type Faucet and Complete Accessories	set	2.00			
11.0600	Lavatory, Pedestal Type with Accessories	set	1.00			
11.0500	Faucet, Hose Bibb, Brass 1/2"Ø	рс	25.00			
11.4400	S.S. Grab Rail 1-1/2"Ø	set	5.00			
11.4410	S.S. Floor Drain 4" x 4"	set	16.00			
11.4300	Tissue Holder	рс	5.00			
11.4500	Mirror	sq.ft	24.00			

11.4200	Teflon Tape	roll	4.00		
11.0900	PP-R Pipe 1"Ø x 4.0m	рс	11.00		
11.1000	PP-R Pipe 3/4"Ø x 4.0m	†	18.00		
11.2000	PP-R Elbow 90° x 1"Ø	pc pc	6.00		
11.2100	PP-R Elbow 90° x 3/4"Ø	· ·	25.00		
11.2600	PP-R Tee, 3/4"Ø	pc pc	28.00		
11.2900	PP-R Tee Reducer, 1" x 3/4"Ø	рс	3.00		
11.3300	PP-R Plug, 3/4"Ø	рс	14.00		
11.1400	PP-R Coupling, 1"Ø	рс	6.00		
	PP-R Coupling Reducer,	-			
11.1700	1" x 3/4"Ø Check Valve, Horizontal,	pc	1.00		
11.3900	1"Ø	рс	1.00		
11.3700	Gate Valve, 1"Ø	рс	2.00		
11.3800	Gate Valve, 3/4"Ø	рс	5.00		
	Sub-total				
	Rain Water Collector				
	Filter Tank/Rain Water				
	Harvesting Tank 1.0m x 1.0m x 1.0m				
	Intermediate Bulk Container (IBC), 1000L Capacity with tube cage and pallet	рс	3.00		
2.0500	Washed Sand	cu.m	0.15		
	Pebbles, 5mm	cu.m	0.10		
	Pebbles, 10mm	cu.m	0.15		
	Granulated Carbon	cu.m	0.15		
2.0300	Crushed Gravel 3/4"	cu.m	0.15		
12.0500	PVC Sanitary Pipe 4"Ø x 3.0m	рс	10.00		
12.0700	PVC Sanitary Pipe 2"Ø x 3.0m	рс	1.00		
	CPVC Pipe 2" dia.	pcs	4.00		
	CPVC Pipe 1" dia.	pcs	4.00		
12.1600	PVC Sanitary Wye 4" x 4"	рс	6.00		
12.2110	PVC Sanitary Tee 4" x 4"	рс	1.00		
12.1300	PVC Sanitary Elbow 1/8 x 4"Ø	рс	6.00		
12.0900	PVC Sanitary Elbow 90° x 4"Ø	рс	10.00		
12.1100	PVC Sanitary Elbow 90° x 2"Ø	рс	7.00		
12.1110	PVC Sanitary Elbow 90° x 1"Ø	рс	2.00		
12.2400	Brass Cleanout 4" x 4"	рс	1.00		
	Gate Valve, 4" dia.	pcs	1.00		
11.3600	Gate Valve, 2"Ø	рс	2.00		
11.3700	Gate Valve, 1"Ø	рс	1.00		
11.3900	Check Valve, Horizontal, 1"Ø	рс	1.00		
12.3000	PVC Cement	can	2.00		
	50mm Vent Screen	pcs	3.00		
	Male adapter wit gasket and nuts	pcs	6.00		
	RWHT Support				
	•				

7.0410	L 100 x 100 x 6.0mm	kg	84.00				
7.0810	L 75 x 75 x 6mm	kg	311.69				
7.0710	L 65 x 65 x 6.0mm	kg	86.43				
7.07.10	Steel Plate 1.20m x 2.40m						
7.1100	x 6mm thk	рс	1.00				
7.3600	Welding Rod	kg	9.64				
13.1100	Primer, Zinc Chromate	gal	3.00				
	Pedestal/Footing	cu.m	0.09				
2.0200	Portland Cement	bag	1.00				
2.0500	Washed Sand	cu.m	0.25				
2.0300	Crushed Gravel 3/4"	cu.m	0.25				
3.1000	D10mm x 6.00 mts RSB	рс	2.00				
3.1100	D12mm x 6.00 mts RSB	рс	1.00				
3.0600	D16mm x 6.00 mts RSB	рс	1.00				
3.1200	G.I. Tie Wire	kg	0.45				
	Sub-Total						
12.0000	Sanitary Works						
12.0110	Three Chamber Septic	unit	1.00				
	Vault						
12.0100	Catch Basin	unit	16.00				
12.2800	Closet Bend, 4" Stainless Steel Vent	рс	5.00				
12.0300	Protection Screen, 2"	рс	1.00				
12.0400	PVC Sanitary Pipe 6"Ø x	no	3.00				
12.0400	3.0m	рс	3.00				
12.0500	PVC Sanitary Pipe 4"Ø x 3.0m	рс	55.00				
40.0700	PVC Sanitary Pipe 2"Ø x		04.00				
12.0700	3.0m	рс	21.00				
	PVC Sanitary Pipe 1-1/2"Ø	рс	6.00				
12.1600	PVC Sanitary Wye 4" x 4"	рс	33.00				
	PVC Sanitary Wye 4" x 1-1/2"	рс	7.00				
	PVC Sanitary Wye 1-1/2" x	рс	7.00				
	1-1/2"	рс	7.00				
12.1300	PVC Sanitary Elbow 1/8 x 4"Ø	рс	4.00				
	PVC Sanitary Elbow 1/8 x	•					
	1-1/2"Ø	рс	14.00				
12.0900	PVC Sanitary Elbow 90° x	рс	24.00				
12.3000	4"Ø PVC Sanitary Elbow 90° x	Ρ,	21.00				
12.1100	2"Ø	рс	12.00				
12.2100	PVC Sanitary Tee 6" x 6"	рс	3.00				
12.2110	PVC Sanitary Tee 4" x 4"	рс	2.00				
12.2200	PVC Sanitary Tee 2" x 2"	рс	19.00				
12.2600	PVC P-Trap 4"	рс	16.00				
	PVC P-Trap 1-1/2""	рс	7.00				
12.2400	Brass Cleanout 4" x 4"	рс	8.00				
12.2900	Roof Drain	рс	8.00				
12.3000	PVC Cement	can	4.00				
	Sub-total						
13.0000	Painting Works						
	Concrete surfaces	sq.m	610.17				
13.0100	Neutralizer	gal	8.00				
	1		0.00	l l	I	I	

13.0200	Latex, Flat	gal	25.00					
13.0300	Masonry Putty	gal	25.00					
13.0400	Latex, Semi Gloss	gal	25.00					
13.0500	Acri Color	qrt	7.00					
	Wood surfaces	sq.m	285.01					
13.0600	Enamel, Flatwall	gal	15.00					
13.0700	Glazing Putty	gal	15.00					
13.0800	Enamel, Semi Gloss	gal	15.00					
13.0900	Paint Thinner	gal	8.00					
	Steel Surfaces							
13.1100	Primer, Zinc Chromate	gal	1.00					
	Sub-total							
15.0000	Waterproofing							
15.0100	Waterproofing, Cementitious	gal	25.00					
	Sub-total							
14.0000	Tile Works							
	Toilet (Wall)	sq.m	45.53					
14.0110	Glazed Wall Tiles 20cm x 20cm	рс	1,196.00					
14.0300	Tile Adhesive 25 kg/bag	bag	9.00					
14.0400	Tile Trim 6mm	рс	17.00					
14.0500	Tile Grout 5 kg/bag	bag	4.00					
	Toilet (Flooring)	sq.m	22.64					
	Unglazed Floor Tiles 30cm x 30cm	рс	265.00					
14.0300	Tile Adhesive 25 kg/bag	bag	5.00					
14.0500	Tile Grout 5 kg/bag	bag	2.00					
	Handwashing Sink	sq.m	13.88					
14.0110	Glazed Wall Tiles 20cm x 20cm	рс	365.00					
14.0300	Tile Adhesive 25 kg/bag	bag	3.00					
14.0400	Tile Trim 6mm	рс	13.00					
14.0500	Tile Grout 5 kg/bag	bag	2.00					
	Concrete Platform	sq.m	11.20					
	Unglazed Floor Tiles 30cm x 30cm	рс	131.00					
14.0300	Tile Adhesive 25 kg/bag	bag	3.00					
14.0500	Tile Grout 5 kg/bag	bag	1.00					
	Sub-total							
	OD CES - SPED CENTER							
	CUCTION OF ONE (1) STOR OMMON TOILET)	EY - THR	REE (3) CLA	SSROOM	S SCHO	OOL BUILI	DING	
1.0000	Earthworks							
1.0100	Clearing and Grubbing	sq.m	327.75					
1.0200	Structural Excavation	cu.m	78.98					
1.0300	Backfilling and Compaction	cu.m	57.61					
1.0400	Gravel Bedding G-1	cu.m	43.55					
1.0500	Select Fill	cu.m	72.11					
1.0600	Soil Poisoning	sq m	360.53					
	Demolition	sq.m	135.00					
	1	i	1			1		1

Sub-total

2.0000	Concreting Works (3000 psi)					
	Column Footing	cu.m	18.23			
2.0200	Portland Cement	bag	165.00			
2.0400	Crushed Gravel 1"	cu.m	18.25			
2.0500	Washed Sand	cu.m	9.25			
0.0000	Footing Tie Beam	cu.m	18.90		1	
2.0200	Portland Cement	bag	171.00			
2.0300	Crushed Gravel 3/4"	cu.m	19.00			
2.0500	Washed Sand	cu.m	9.50			
	Wall Footing	cu.m	1.03			
2.0200	Portland Cement	bag	10.00			
2.0300	Crushed Gravel 3/4"	cu.m	1.25			
2.0500	Washed Sand	cu.m	0.75			
	Columns/ Stiffener	cu.m	14.43			
2.0200	Portland Cement	bag	130.00			
2.0300	Crushed Gravel 3/4"	cu.m	14.50			
2.0500	Washed Sand	cu.m	7.25			
	Roof Beams/ LRB-1	cu.m	20.50			
2.0200	Portland Cement	bag	185.00			
2.0300	Crushed Gravel 3/4"	cu.m	20.50			
2.0500	Washed Sand	cu.m	10.25			
	CB-1/ GB-1	cu.m	7.68			
2.0200	Portland Cement	bag	70.00			
2.0300	Crushed Gravel 3/4"	cu.m	7.75			
2.0500	Washed Sand	cu.m	4.00			
	R. C. Concrete Gutter/ Parapet Wall	cu.m	14.91			
2.0200	Portland Cement	bag	135.00			
2.0300	Crushed Gravel 3/4"	cu.m	15.00			
2.0500	Washed Sand	cu.m	7.50			
	Stair	cu.m	1.28			
2.0200	Portland Cement	bag	12.00			
2.0300	Crushed Gravel 3/4"	cu.m	1.50			
2.0500	Washed Sand	cu.m	0.75			
	Concrete Bench	cu.m	0.52			
2.0200	Portland Cement	bag	5.00			
2.0300	Crushed Gravel 3/4"	cu.m	0.75			
2.0500	Washed Sand	cu.m	0.50			
	Slab on Fill	cu.m	31.35			
2.0200	Portland Cement	bag	283.00			
2.0300	Crushed Gravel 3/4"	cu.m	31.50			
2.0500	Washed Sand	cu.m	15.75			
	Ramp on Fill	cu.m	1.25			
2.0200	Portland Cement	bag	12.00			
2.0300	Crushed Gravel 3/4"	cu.m	1.25			
2.0500	Washed Sand	cu.m	0.75			
	Handwashing with Concrete Platform	cu.m	1.41	 		
2.0200	Portland Cement	bag	13.00			
2.0300	Crushed Gravel 3/4"	cu.m	1.50			

2.0500	Washed Sand	cu.m	0.75			
	Sub-total					
3.0000	Rebar Works					
	Column Footing	kg	985.45			
	Footing Tie Beam	kg	2,514.93			
	Columns	kg	6,891.79			
	Roof Beams/ LRB-1	kg	3,018.38			
	CB-1/ GB-1	kg	922.88			
3.0500	Deformed Round Bars, Grade 40	kg	14,333.43			
	Footing Tie Beam	kg	1,067.71			
	Wall Footing	kg	37.82			
	Columns	kg	769.73			
	Stiffener	kg	133.11			
	Roof Beams/ LRB-1	kg	1,180.26			
	CB-1/ GB-1	kg	417.63			
	R. C. Concrete Gutter/	,	0.40.05			
	Parapet Wall	kg ,	912.25			
	Stair	kg	78.07			
	Concrete Bench	kg	49.14			
	Slab on Fill	kg	1,339.82			
	Ramp on Fill Handwashing with	kg	46.19			
	Concrete Platform	kg	94.84			
3.0900	Deformed Round Bars, Grade 33	kg	6,126.58			
3.1200	G.I. Tie Wire	kg	410.00			
	Sub-total					
4.0000	Formworks					
	Footing Tie Beam	sq.m	198.45			
4.0100	Coco Lumber	bd.ft	1,012.20			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	34.00			
4.0400	CWN, Assorted	kg	15.00			
	Columns/ Stiffener	sq.m	189.93			
4.0100	Coco Lumber	bd.ft	968.70			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	33.00			
4.0400	CWN, Assorted	kg	14.00	 1	1	
	Roof Beams/ LRB-1	sq.m	216.84			
4.0100	Coco Lumber	bd.ft	1,106.10			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	38.00			
4.0400	CWN, Assorted	kg	16.00			
	CB-1/ GB-1	sq.m	87.42			
4.0100	Coco Lumber Plywood Ordinary, 1/4" x 4'	bd.ft	446.10			
4.0200	x 8'	рс	15.00	 1	1	
4.0400	CWN, Assorted	kg	7.00			
	R. C. Concrete Gutter/	ea m	220.80			
4.0100	Parapet Wall Coco Lumber	sq.m bd.ft	1,126.20		1	
	Plywood Ordinary, 1/4" x 4'					
4.0200	x 8'	рс	38.00			

4.0400	CWN, Assorted	kg	16.00			
	Stair	sq.m	2.84			
4.0100	Coco Lumber	bd.ft	14.70			
	Plywood Ordinary, 1/4" x 4'		_			
4.0200	x 8'	рс	1.00			
4.0400	CWN, Assorted	kg	1.00			
	Concrete Bench	sq.m	5.19			
4.0100	Coco Lumber	bd.ft	26.70			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	1.00			
4.0400	CWN, Assorted	kg	1.00			
	Handwashing	sq.m	6.40			
4.0100	Coco Lumber	bd.ft	32.70			
4.0200	Plywood Ordinary, 1/4" x 4' x 8'	рс	2.00			
4.0400	CWN, Assorted	kg	1.00			
	Sub-total					
5.0000	Masonry Works					
	Masonry Wall	sq.m	379.17			
5.0200	CHB 6" thk	рс	4,191.00			
5.0300	CHB 4" thk	рс	550.00			
2.0200	Portland Cement	bag	190.00			
2.0500	Washed Sand	cu.m	17.00			
5.0400	10mm x 6m RSB	kg	503.00			
3.1200	G.I. Tie Wire	kg	11.00			
	Plastering	sq.m	758.35			
2.0200	Portland Cement	bag	251.00			
2.0500	Washed Sand	cu.m	26.00			
	Floor Topping	sq.m	324.00			
2.0200	Portland Cement	bag	214.00			
2.0500	Washed Sand	cu.m	22.00			
	Sub-total					
6.0000	Doors and Windows					
6.0300	D-1, (0.90m x 2.10m) KD and Termite - treated Panel Door Type Hinged Door and Fixed Glass Transom on 50mm x 150mm Wood Jamb/ Frame and Lever - type Knob	set	6.00			
6.0490	D-2, (0.80m x 2.10m) Hollow Core Flush Type Swing Door in 50mm x 150mm Guijo/ Yakal Jamb with Marine Plywood (two face) with Hardware and Accessories and Cylindrical Door Knob.	set	2.00			
6.0501	D-3, (0.90m x 2.10m) KD and Termite - treated Panel Door Type Hinged Door and Fixed Glass Transom on 50mm x 150mm Wood Jamb/ Frame and Lever - type Knob (Provide S/S Kickplate)	set	1.00			

	D-4, (0.70m x 1.30m) Swing Door on 50mm x					
6.0601	150mm Guijo/ Yakal Jamb Frame with Marine Plywood	set	4.00			
	(two face) complete with					
	Hardware and Accessories with Door Bolt					
	W - 1, (2.60m x 1.60m)					
	Jalousie Window with 6mm Clear Glass Blades on 50mm					
6.0701	x 150mm KD Wood and	set	6.00			
	Termite - Treated (Yakal/ Guijo) or Concrete Jamb					
	W - 2, (1.80m x 1.60m)					
	Jalousie Window with 6mm Clear Glass Blades on 50mm					
6.4381	x 150mm KD Wood and	set	6.00			
	Termite - Treated (Yakal/					
	Guijo) or Concrete Jamb W - 3, (1.2 x 0.6 m)				1	
6.4480	Awning Window with 6mm	set	1.00			
0.1100	Clear Glass Blades on Steel Jamb/ Framing	001	1.00			
	W - 4, (0.6 x 0.6 m)					
6.4490	Awning Window with 6mm Clear Glass Blades on Steel	set	4.00			
	Jamb/ Framing					
	Window Grille (WG - 1)	set	6.00			
	Window Grille (WG - 2)	set	6.00			
	Sub-total					
7.0000	Steel Works					
7.0200	LC 150 x 50 x 25 x 6.0mm	kg	9,859.41			
7.0800	L 90 x 90 x 6mm	kg	1,151.65			
7.0800	L 90 x 90 x 6mm	kg	1,095.00		-	
7.0900	L 50 x 50 x 6mm	kg	111.38			
7.0900 7.1000	L 50 x 50 x 6mm L 50 x 50 x 5mm	kg	1,243.05 25.48		+	
7.1000	L 100 x 100 x 6.0mm	kg kg	183.40			
7.0410	L 125 x 125 x 6mm	kg	88.40		1	
7.0300	L 125 x 75 x 6mm	kg	20.09			
7.1400	Steel Plate 1.20m x 2.40m	рс	0.50			
7.4400	x 16mm thk Steel Plate 1.20m x 2.40m		0.75		+	
7.1100	x 6mm thk	рс	3.75			
7.1500	Anchor Bolt with Nuts and Washer, 20mmØ x 50mm x	рс	56.00			
7.1000	300mm	Po	00.00			
7.1600	Anchor Bolt with Nuts and	20	99.00			
7.1000	Washer, 12mmØ x 50mm x 150mm	рс	88.00			
7 4700	Anchor Bolt with Nuts and		00.00			
7.1700	Washer, 10mmØ x 50mm x 125mm	рс	28.00			
7.1800	Machine Bolts ( 6 mm dia.	рс	1,144.00			
7.1901	Plain Round Bar 12mmØ x		27.00			
	6m	рс	27.00	 		
7.2100		pc pc	24.00			

	50 mmØ Stainless Steel					
7.3500	Pipe	рс	7.00			
7.3600	Welding Rod	kg	304.00			
	Sub-total					
8.0000	Roofing Works					
8.0600	G.I. Long-Span Roofing, Corrugated, Pre-Painted, 1220mm x 0.5mm BMT	lm	393.45			
8.0700	G.I. Ridge Roll, Preformed, Pre-Painted, 0.610m x 2.440m x 0.5mm BMT	рс	16.00			
8.0800	G.I. Flashing, Preformed, Pre-Painted, 0.610m x 2.440m x 0.5mm BMT	рс	10.00			
8.0900	J-Bolt (6mm dia.)	рс	4,994.00			
8.1000	Teckscrew 2-1/2"	рс	624.00			
8.1300	Roof Sealant	L	7.00			
	Sub-total					
9.0000	Ceiling and Carpentry Works					
0.000	Interior Ceiling	sq.m	241.50			
7.0810	L 75 x 75 x 6mm	kg	1,233.96			
7.0900	L 50 x 50 x 6mm	kg	762.45			
	6 mm Machine bolts with					
7.1800	nuts and washers	рс	130.00			
	50 mm x 50 mm Ceiling Joist	bd.ft	965.16			
	50 mm x 50 mm Wooden Hanger	bd.ft	86.67			
9.1700	Rough Lumber, Sun Dried, Tanguile	bd.ft	1,051.83			
9.0200	Plywood, Ordinary 1/4" x 4' x 8'	рс	84.00			
9.2100	Finishing Nails	kg	5.00			
4.0400	CWN, Assorted	kg	19.00			
9.2200	Concrete Nails	kg	5.00			
9.1900	Wood Preservative, Brown	L	8.00			
	Exterior Ceiling	sq.m	86.25			
7.0810	L 75 x 75 x 6mm	kg	440.70			
7.0900	L 50 x 50 x 6mm	kg	152.49			
7.1800	6 mm Machine bolts with nuts and washers	рс	29.00			
	50 mm x 50 mm Ceiling Joist	bd.ft	358.18			
	50 mm x 50 mm Wooden Hanger	bd.ft	18.33			
9.1700	Rough Lumber, Sun Dried, Tanguile	bd.ft	376.51			
9.0200	Plywood, Ordinary 1/4" x 4' x 8'	рс	30.00			
9.1400	25mm x 25mm x 300mm Wood slats @25mm clear spacing ceiling ventilation (provide stainless steel wire mesh inside)	рс	7.00			
9.2100	Finishing Nails	kg	2.00			
4.0400	CWN, Assorted	kg	7.00			
9.2200	Concrete Nails	kg	2.00			

9.1900	Wood Preservative, Brown	L	3.00			T
3.1300	Blackboards (3 Set)		17.28			
9.1800	S4S Lumber, Kiln Dried,	sq.m bd.ft	110.00			
	Tanguile	bu.it				
9.2000	Lawanit, 1/4" thk	рс	6.00			
9.2100	Finishing Nails	kg	1.00			
4.0400	CWN, Assorted	kg	2.00			
9.2200	Concrete Nails	kg	1.00			
	Sub-total					
10.0000	Electrical Works					
	Roughing-ins					
10.0200	Electrical Conduit uPVC, 20mmØ	рс	153.00			
	RSC 32mmØ	рс	60.00			
10.1000	Entrance Cap 32mm dia.	рс	1.00			
10.1200	Junction Box, 4" x 4" G.I.	рс	28.00			
10.1300	Utility Box, 2" x 4" G.I.	рс	28.00			
10.1400	Grounding Rod, 2.4m x 16mm dia.	рс	1.00			
	Wires & Fixtures					
10.1600	3.5 mm² THHN Wire, Stranded	m	913.00			
10.1710	8.0 mm² THHN Wire, Stranded	m	356.00			
10.2200	3.5 mm² TW(G) Wire, Stranded	m	457.00			
10.2300	5.5 mm² TW(G) Wire, Stranded	m	178.00			
10.2700	Duplex Convenience Outlet, Grounding Type, 16A, 250V	set	6.00			
10.2800	Duplex Convenience Outlet, Grounding Type, 16A, 250V (WP)	set	3.00			
10.2900	1 Gang Wall Switches in One Switch Plate (16 AMP, 230V)	set	7.00			
10.3100	2 Gang Wall Switches in One Switch Plate (16 AMP, 230V)	set	3.00			
10.3300	Three Way Wall Switch (10 AMP, 230 V)	set	3.00			
10.3400	2 - 36W, 230V, 60Hz, T5 LED Lighting Fixture, (Box Type)	set	18.00			
10.3500	1 - 36W, 230V, 60Hz, T5 LED Lighting Fixture, (Box Type)	set	8.00			
10.5400	Orbit Fan with Fan Switch 1600 - 4500 CFM	set	12.00			
10.3800	Panel Box, Flush Type, 8 Branches	set	1.00			
10.4100	Circuit Breaker, 20A 2P	set	7.00			
10.4400	Circuit Breaker, 50A 2P	set	1.00			
10.4900	Vibrating Bell 8"	set	1.00			
10.5000	Push Button, 10A, 230V	set	1.00			
10.5500	Electrical Tape	рс	14.00			
	Sub-total					

11.0000	Plumbing Works					
11.0200	Water Closet 1.6gpf with Accessories	set	5.00			
11.0100	Water Closet Flange	set	5.00			
11.0300	Urinal 0.8gpf	set	2.00			
11.0400	Concrete Counter Sink Type, with Lever Type Faucet and Complete Accessories	set	2.00			
11.0600	Lavatory, Pedestal Type with Accessories	set	1.00			
11.0500	Faucet, Hose Bibb, Brass 1/2"Ø	рс	25.00			
11.4400	S.S. Grab Rail 1-1/2"Ø	set	5.00			
11.4410	S.S. Floor Drain 4" x 4"	set	16.00			
11.4300	Tissue Holder	рс	5.00			
11.4500	Mirror	sq.ft	24.00			
11.4200	Teflon Tape	roll	6.00			
11.0900	PP-R Pipe 1"Ø x 4.0m	рс	14.00			
11.1000	PP-R Pipe 3/4"Ø x 4.0m	рс	18.00			
11.2000	PP-R Elbow 90° x 1"Ø	рс	6.00			
11.2100	PP-R Elbow 90° x 3/4"Ø	рс	25.00			
11.2600	PP-R Tee, 3/4"Ø	рс	28.00			
11.2900	PP-R Tee Reducer, 1" x 3/4"Ø	рс	3.00			
11.3300	PP-R Plug, 3/4"Ø	рс	14.00			
11.1400	PP-R Coupling, 1"Ø	рс	7.00			
11.1700	PP-R Coupling Reducer, 1" x 3/4"Ø	рс	1.00			
11.3900	Check Valve, Horizontal, 1"Ø	рс	1.00			
11.3700	Gate Valve, 1"Ø	рс	2.00			
11.3800	Gate Valve, 3/4"Ø	рс	5.00			
	Sub-total					
	Rain Water Collector					
	Filter Tank/Rain Water Harvesting Tank					
	1.0m x 1.0m x 1.0m Intermediate Bulk Container (IBC), 1000L Capacity with tube cage and pallet	рс	3.00			
2.0500	Washed Sand	cu.m	0.15			
	Pebbles, 5mm	cu.m	0.10			
	Pebbles, 10mm	cu.m	0.15			
	Granulated Carbon	cu.m	0.15			
2.0300	Crushed Gravel 3/4"	cu.m	0.15			
12.0500	PVC Sanitary Pipe 4"Ø x 3.0m	рс	10.00			
12.0700	PVC Sanitary Pipe 2"Ø x 3.0m	рс	1.00			
	CPVC Pipe 2" dia.	pcs	4.00			
	CPVC Pipe 1" dia.	pcs	4.00			
12.1600	PVC Sanitary Wye 4" x 4"	рс	6.00			
12.2110	PVC Sanitary Tee 4" x 4"	рс	1.00			
12.1300	PVC Sanitary Elbow 1/8 x 4"Ø	рс	6.00			

	PVC Sanitary Elbow 90° x					
12.0900	4"Ø	рс	10.00			
12.1100	PVC Sanitary Elbow 90° x 2"Ø	рс	7.00			
12.1110	PVC Sanitary Elbow 90° x 1"Ø	рс	2.00			
12.2400	Brass Cleanout 4" x 4"	рс	1.00			
	Gate Valve, 4" dia.	pcs	1.00			
11.3600	Gate Valve, 2"Ø	рс	2.00			
11.3700	Gate Valve, 1"Ø	рс	1.00			
11.3900	Check Valve, Horizontal, 1"Ø	рс	1.00			
12.3000	PVC Cement	can	2.00			
	50mm Vent Screen	pcs	3.00			
	Male adapter wit gasket and nuts	pcs	6.00			
	RWHT Support					
7.0410	L 100 x 100 x 6.0mm	kg	84.00			
7.0810	L 75 x 75 x 6mm	kg	311.69			
7.0710	L 65 x 65 x 6.0mm	kg	86.43			
7.1100	Steel Plate 1.20m x 2.40m x 6mm thk	рс	1.00			
7.3600	Welding Rod	kg	9.64			
13.1100	Primer, Zinc Chromate	gal	3.00			
	Pedestal/Footing	cu.m	0.09			
2.0200	Portland Cement	bag	1.00			
2.0500	Washed Sand	cu.m	0.25			
2.0300	Crushed Gravel 3/4"	cu.m	0.25			
3.1000	D10mm x 6.00 mts RSB	рс	2.00			
3.1100	D12mm x 6.00 mts RSB	рс	1.00			
3.0600	D16mm x 6.00 mts RSB	рс	1.00			
3.1200	G.I. Tie Wire	kg	0.45			
	Sub-Total					
12.0000	Sanitary Works					
12.0110	Three Chamber Septic Vault	unit	1.00			
12.0100	Catch Basin	unit	20.00			
12.2800	Closet Bend, 4"	рс	5.00			
12.0300	Stainless Steel Vent Protection Screen, 2"	рс	1.00			
12.0400	PVC Sanitary Pipe 6"Ø x 3.0m	рс	3.00			
12.0500	PVC Sanitary Pipe 4"Ø x 3.0m	рс	70.00			
12.0700	PVC Sanitary Pipe 2"Ø x 3.0m	рс	21.00			
	PVC Sanitary Pipe 1-1/2"Ø	рс	6.00			
12.1600	PVC Sanitary Wye 4" x 4"	рс	33.00			
	PVC Sanitary Wye 4" x 1-1/2"	рс	7.00			
	PVC Sanitary Wye 1-1/2" x 1-1/2"	рс	7.00			
12.1300	PVC Sanitary Elbow 1/8 x 4"Ø	рс	4.00			
	PVC Sanitary Elbow 1/8 x 1-1/2"Ø	рс	14.00			

	D (0.0 :   E   00°			ı	ı	1	ı
12.0900	PVC Sanitary Elbow 90° x 4"Ø	рс	36.00				
12.1100	PVC Sanitary Elbow 90° x 2"Ø	рс	12.00				
12.2100	PVC Sanitary Tee 6" x 6"	рс	3.00				
12.2110	PVC Sanitary Tee 4" x 4"	рс	2.00				
12.2200	PVC Sanitary Tee 2" x 2"	рс	19.00				
12.2600	PVC P-Trap 4"	рс	16.00				
	PVC P-Trap 1-1/2""	рс	7.00				
12.2400	Brass Cleanout 4" x 4"	рс	8.00				
12.2900	Roof Drain	рс	12.00				
12.3000	PVC Cement	can	6.00				
	Sub-total						
13.0000	Painting Works						
	Concrete surfaces	sq.m	758.35				
13.0100	Neutralizer	gal	10.00				
13.0200	Latex, Flat	gal	31.00				
13.0300	Masonry Putty	gal	31.00				
13.0400	Latex, Semi Gloss	gal	31.00				
13.0500	Acri Color	qrt	8.00				
	Wood surfaces	sq.m	385.87				
13.0600	Enamel, Flatwall	gal	20.00				
13.0700	Glazing Putty	gal	20.00				
13.0800	Enamel, Semi Gloss	gal	20.00				
13.0900	Paint Thinner	gal	10.00				
	Steel Surfaces						
13.1100	Primer, Zinc Chromate	gal	2.00				
	Sub-total						
15.0000	Waterproofing						
15.0100	Waterproofing, Cementitious	gal	35.00				
	Sub-total						
14.0000	Tile Works						
	Toilet (Wall)	sq.m	45.53				
14.0110	Glazed Wall Tiles 20cm x 20cm	рс	1,196.00				
14.0300	Tile Adhesive 25 kg/bag	bag	9.00				
14.0400	Tile Trim 6mm	рс	17.00				
14.0500	Tile Grout 5 kg/bag	bag	4.00				
	Toilet (Flooring)	sq.m	22.64				
	Unglazed Floor Tiles 30cm x 30cm	рс	265.00				
14.0300	Tile Adhesive 25 kg/bag	bag	5.00				
14.0500	Tile Grout 5 kg/bag	bag	2.00				
	Handwashing Sink	sq.m	13.88				
14.0110	Glazed Wall Tiles 20cm x 20cm	рс	365.00				
14.0300	Tile Adhesive 25 kg/bag	bag	3.00				
14.0400	Tile Trim 6mm	рс	13.00				
14.0500	Tile Grout 5 kg/bag	bag	2.00				
	Concrete Platform	sq.m	11.20				
	Unglazed Floor Tiles 30cm x 30cm	рс	131.00				

14.0300	Tile Adhesive 25 kg/bag	bag	3.00			
14.0500	Tile Grout 5 kg/bag	bag	1.00			
	Sub-total					
I.	DIRECT COST					
	INDIRECT COST 17% of (I -			*	•	
II.	General Req.)					
III.	TAX 5% of (I + II)					
	TOTAL CONSTRUCTION					
IV.	COST (I + II + III)					

Prepared by:
Contractor's Authorized Representative Name & Signature

This procuring entity (PE) will adopt to the Department of Public Works and Highways' (DPWH Blue Book) Standard Specifications for Public Works Structures. On this regard, PE is requiring the contractor's Materials Engineer to prepare detailed Quality Control Program (QCP) to wit:

ITEM NO.	DESCRIPTION	REQUIRED TEST		
	GENERAL REQUIREMENTS	IR		
CONSTRUCTI	ON OF ONE (1) STOREY - TW	O (2) CLASSROOMS		
SCHOOL BUIL	LDING (WITH COMMON TOILE)	T)		
1.0000	Earthworks	FDT		
		С		
		P		
		G		
		GCA		
- 0000		IR		
2.0000	Concreting Works (3000 psi)	CCS		
		DM		
		QT		
		GCA		
		GFA		
2 0000	D.1 W. 1	IR OT		
3.0000	Rebars Works	QT		
4.0000	P 1	IR TR		
4.0000	Formworks	IR OTT		
5.0000	Masonry Works	QT		
		GFA		
6,0000	D 1337' 1	IR IR		
6.0000	Doors and Windows	IR OT		
7.0000	Steel Works	QT IR		
8.0000	Roofing Works	QT		
9.0000	Ceiling and Carpentry Works	QT		
7.0000	coming and curponary worms	IR		
10.0000	Electrical Works	IR		
11.0000	Plumbing Works	QT		
		ÎR		
	Rain Water Collector	IR		
12.0000	Sanitary Works	QT		
		IR		
13.0000	Painting Works	QT		
	-	IR		
15.0000	Waterproofing	IR		
14.0000	Tile Works	IR		
MANJUYOD C	CES - SPED CENTER			
CONSTRUCTION OF ONE (1) STOREY - THREE (3) CLASSROOMS				
SCHOOL BUILDING (WITH COMMON TOILET)				
1.0000	Earthworks	FDT		
		C		
		P		
		G		
		GCA		

		IR
2.0000	Concreting Works (3000 psi)	CCS
		DM
		QT
		GCA
		GFA
		IR
3.0000	Rebars Works	QT
		IR
4.0000	Formworks	IR
5.0000	Masonry Works	QT
		GFA
		IR
6.0000	Doors and Windows	IR
7.0000	Steel Works	QT
		IR
8.0000	Roofing Works	QT
9.0000	Ceiling and Carpentry Works	QT
		IR
10.0000	Electrical Works	IR
11.0000	Plumbing Works	QT
		IR
	Rain Water Collector	IR
12.0000	Sanitary Works	QT
		IR
13.0000	Painting Works	QT
		IR
15.0000	Waterproofing	IR
14.0000	Tile Works	IR

LEGEND:

IR	Inspection Report	GCA	Grading on Coarse Aggregates
FDT	Field Density Test	GFA	Grading on Fine Aggregates
C	Compaction	CCS	Concrete Cylinder Sample
P	Plasticity	DM	Design Mix
G	Grading	QT	Quality Test

The minimum number of test to be performed must be based on the DPWH Blue Book - Standard Specifications for Public Works Structures (the latest volume). All test must yield passing result.

The detailed Quality Control Program (QCP) must be:

- 1. Signed as Prepared by the contractor's Materials Engineer;
- 2. Signed as conforme by the contractor;
- 3. Signed as reviewed by the DepEd, Division Engineer;
- 4. Signed for recommending approval by DepEd, SGOD Chief;
- 5. Signed as approved by the DepEd, Schools Division of Negros Oriental.

Furthermore, QCP must be typed or written in ink, and shall bear the following:

- 1. Contractor's Logo / Header;
- 2. Contract Identification Number;

- 3. Name of the Project;4. Location of the Project;
- 5. Contract Price;
- 6. Date received of NTP;
- 7. Contract Duration (in Calendar Days); and8. Test Results / Certificates as supporting documents.

## Section VII. Drawings

Prospective bidders with be provided with a electronic copy of the plans upon purchase of this bidding document.


## ARCHITECTURAL PLAN


(One (1) Storey Two (2) Classrooms School Building with Toilet)





DESCRIPTION OF STREET A-1 DEPARTMENT OF EDUCATION DAPED MODELLI STOREY, TWO ZA CLASSROOM SCHOOL BUILDING (WHI COMMON TOLETS II) ONE SEG. ALAN DO, D. PICOLA ANNORES & PARCH Defiel


0















## STRUCTURAL PLAN


(One (1) Storey Two (2) Classrooms School Building with Toilet)














# CONSTRUCTION NOTES GENERAL

## GENERAL NOTES

1.0 STANDARDS AND RESISTANCES
THE FOLIANCE BIRLY COMES THE SHAPPER MACE STAY OLD. SERVICE THE PRODUCT
TO MACHINE BIRLY COMES THE SHAPPER MACE STAY OLD. SERVICE THE TOP

s	
田田	20
MAN	900
8300	27
19	

A parallely colored	
ONCHES	
CMC:DMD	
ONCRETE	23.08 Httm <sup>2</sup>
TER	NAMES
R no tec De Aus.	271 460
TO HE THE CHEATE	2.11 Mg.
WEIDAD	
500	400.00
1A89900A8	100 150
CALETS	130 PM
CONSTITUTE STATE	3,00 974
Committee As Charles	

CECHTLE RETAY OF SECURITY AND SECURITY OF SECURITY OF

(36393 AND PESSONS) Physical grad







WHENE WE THE GRAD LOAD

TO MATCHE WHENE CONTROL CONTROL

TO A STANCE WAS TO SHE THE STANCE OF THE ST NEWS TOURISE TACTOR (\$ km; No

### 2+4004-11-6-1-4-20-6-4 2.2 DESIGN STRESSES

V=200 MPs (85,000 pd) Service Management E HIDROCK POLITIE DATA

A TOTAL SERVICE AND OPERATION TO TAKE DEVOKATO BATT

A TOTAL SERVICE AND OPERATION TO TAKE DEPOKATION TO TAKE THE AND OPERATION TO TAKE THE AND OPERAT A CONDENT COUNTRY SEAMS AND SEASONS AS SOUTH SEASONS AS FOOTHWIS COLUMNS SEAMS AND SEASONS AS AS ON TRU

in delivery delivery

Nr. e 3.43 HPb (2011) pill. 6 - 9000 EL ECTRODE 8. Pr. e 86 HB (2011) pill. 5. Pr. 8400 HPb (13, 00) pill. F, WRIDS G, STRUCTURM, BOLTS ASTM-ASST

LIGHT THE RETERFERANCE OF THE DRIVING HOST STEED CONSTRUCTIONS PLANT CONSTRUCTIONS PLANT STEED BY SCHOOL TO BE SCHOOL TO BE CONSTRUCTIONS PLANT STEED BY SCHOOL SCHOO

4.0 in effective to check control, 26 ± 4 (central Act, the effective control act, the effective and the effective that the effective that the effective the effective control act, the effective that the

SOAL CORPORTS WORS AND CONSIDER REPORTMENTS SOAL OR TONG MACHINIAGES WHO HE ALCOHOLOGY TO CONSIDER WHO HE STACKNESS STITES WORS AND SOAD WITH THE STACKNESS SOAD WAS TO CONSIDER SOAD WITH THE LOCAL BEST SOAD WORS AND WHO WAS THE OWNER THE LOCAL BEST SOAD WAS THE STACKNESS WHO WAS THE WAS TO SO WHITH THE LOCAL BEST SOAD WAS THE STACKNESS WHO WAS THE CONTRACTOR NO AREADON CONCRETE NOTATIVE, MICHELES TO MERCAN METRALE OF STREET CONTRACTOR NO ACTIVITIES TO AREADON SOCIETY FOR TEXTING MATERIAL.

4.0 CONTINUED NOTES AND THICK DEPAIR APPLY TO ALL DIVINIOS DALESS OF BRINDE SYCHION NOTES, MODEN THICK DEPAIRS AS DIRECTED TO MEET SPECIAL CONDITIONS.

# NOTES ON CONCRETE MIXES & PLACING

LOCATION BILDNIS STRENGTH MASSET WAS BLUNG ALL THE BENCHMAN STRENGTH MASSET TO THE STRENGTH	CB) DAPS W CORRESPOND	INC MACHINE SIZE ADDRESS	ATT & TOURSE NO FOLL	DMS.
FACURES SOUS DAT WELL SO SOUS DAT WELL SOUS SOUS DAT WELL SO SOUS DAT WELL SO SOUS DAT WELL SO SOUS SOUS DAT WELL SOUS SOUS SOUS SOUS SOUS SOUS SOUS SO	LOCATION	28 DAYS STRENGTH	AGGNEGATE	WAX SLUMP
25 00.1 Mg 25 00.7 Mg	ALL UTHERS DICLICIBED	-	1 8	1EDans
#	COLUMNS SEARS SLASS SLASS OWTHL	PPP	151	100m 100m
F   1	2 MARCHAN ASSESSED CONCE RESPONDED BLAND SLAG ON CRACE	ETE COVER POR RESPONSE	NO STEEL AS FOLLOW	11
8 3	MALLS ABOVE THE GRACE REAM STREAMS AND COLL	ANTES		100
	WHENE CONCRETE E DON TAKNING TO DOUBTE ACAP SHOTE CONCRETE IN DOM	01 0340 01 10346 01110		11

NO OFFICE ALL ON ALLOWED EXCEPT TO SMOOTHS COLOURS FROM ACRESO TO MADDRES IN MEDI BROOKEN IS HANDLY IN MEDI COLE THEY HALL HAT DOZED (M. M. METERS IN MEDITALIE LINGHE.) CONCRETE BALL IN DRIVINGS IN THE PAUL POSITION WHICH RESIDENCE REVAILED (IN PLACES SALL IN 2006 PREPRINGS) WHILE SOME REPRESENT WITH BLOOMS. BLOOM'S ON WHEELEMISTORS.

A concretion of colorum and a suit of authority and a suit of a su

A FIRE PLANE, IN THE SECURITY MOST FOR A WARREN OF SHARL CONSECURTS DAYS INSTEAD.
AFFIRE PLANE, IN THE SIZE OF STREET, A FIG SPEKING, CLANE CONFIDENCIAL SHORTH.
APPROXIMATION.

CEST MACA	
M.3	Eriobine Eriobine

I the contribution shall states the screbula of Poisson Alo the contribution of the colestitution cannot some the structure, because at Least Albeit Highes major to the incursal colestitution.

A, the Coambachos was interest and sawfare absolute Poleto and Shepeudo safe, the coambach sebasers was annual these worked as coadition and sheepful.

## NOTES ON FOOTINGS

IN CONTRACT AND CENTERED TO THE EXECUTED IN THE INTERFACE PROCESSOR. OF INCIDENT CONTRACTOR SHALL REPORT TO THE EXECUTED IN SHIPPING THE ACTION SITE. CONCETTED ACCOUNTS OF INCIDENT OF THE MATCHING SHALL RESET OF THE MATCHING S

# NOTES ON REINFORCEMENT

CALLES OF FERRES VOTES IN FLARE. HE YELD BITGRITH OF REPRODUCED BARR SHALL BE
A STOCKNOOR OF THIS RECEIVED AND DETERMINED TO THE A STOCKNOOR OF TH

PARABELE ALCOHOLING THE TENN OF LANGER BANL, IN DISTORDE, ON A SELECTION OF A SEL

# NOTES ON CONCRETE SLABS


LALENA REPRODUZARATE SIALI DE ZINA CIENTARATE ROMACTOR ACTOR ACTOR TOP DE SALE. L'UNESO D'ERPRES SIONN RENY DECEMBRI IN CONTRADUS ELECTES SIAS SIALI SE CUT AS YOUR DE



TO THE WAY THE CHART HE SHOUTH STAN SHALL BE TAKED MANY AT THE CHARGE SHALL FOR THE CHARGE SHALL FOR SHAPE SHALL FOR THE SHALL FOR THE CHARM STREET AND SHALL FOR THE SHAL	S INNELL BE GENERALLY PLACED NEAR THE PACE IN TERRITORIAND ON A GROOM SECTIONAL AREA ING OF THE BLAS.	E OF NAMED AND SLAB REINFORCEMENT	AMMARIN TENEFORTLOS DARS	YANY SANDER SASTANDAY SANDAY S
ALCHE ALE PERPUSICIO EL BLOH THOSE ALCHE THE LOS SPETISCONG BARS NEAR THE DALL NOT BE REVIET THEALCH	BAPESOTAE BASE FOR BAN BALL NOT FF LESS TANCOR SET SONDLLE IR ON	30/60/1		100
-	*			

SALE OF MARKING SLAG PERFORMANCE	SENSECTIVE SOUTH TELESCOPPING SINCE	YANY SASSESSE BASKIN	White Billion BACHWAY	Specifi & Sime EACH WAY	Manual & State Exchiter	Water of Gallery College
ř		i	ě	í	10	l

Le Alleson Originate de l'Estat et au les estats que sont autre transfer de l'acception de l'acc




## NOTES ON COLUMNS

PROVIDE EXTRA BITS OF TEB AT 440 OC TOS WID) (CULAM POR POSCERÉNT MOVE AND RECOVER REMACCIOLAN COMECTIONS FOR A INSTRUCE PROVI FALE OF CORRECTION FOUR AT OF INSTRUCTOR THE OPERAL THICHMOS OF COLUMN, 19 THE DURAN HEBBOT OF COLUMN OF SOME


Location and content and conte

CHOSEATE



# NOTES ON BEAMS AND GIRDERS

I FURSIAN OFFICIAL SERVICE OF THE ACCORDANCE AND ACCORDANCE TO THE ACCORDANCE TO THE ACCORDANCE TO THE ACCORDANCE AND ACCORDANCE



-	-
PROGET THE	
	NE (1) STOREY, TWO (2) CLASSHOOM SCHOOL BUILDING



sherefor P. colino

CONTR. COM

INTO KINDA A


AND DEST SOUTH


ALAN DEL EL PASCIA.

paths connects togaths grown sons

DEPARTMENT OF EDUCATION Depth

### NOTES ON STRUPS 1.4. REPROPOSATION THE SHACK SHAREN 2.4. SCHAN, THE STRUP CONDESSES THE STRUPP STRUP STRUPP STRUPP THE STRUPP STRUPP STRUPP THE STRUPP STRUPP STRUPP STRUPP THE STRUPP STRUPP STRUPP STRUPP THE STRUPP STRUPP STRUPP STRUPP STRUPP THE STRUPP 1111111 FIRECISES STEEL TO BE GROUP OF PARACETER AND INSCITATION OF THE STRUCTURE OF STRUCTURE OF THE STRUCTURE OF STRUCTURE. 4 JULEOS CRESTINES SPECINED AL INCLINIO ROOS SAUL, CONCINENT PER BLOCKSOXOS. 1. ALL AZ. TILLIED UNE SPECINED AND SPECINED SAUL, BE ADDREAD. AL SHRENDE PERSION OF THE TRES FTO THAT HAD SHALL BRANDS SHALL MOT DESCRIPTION OF THE CANADATE OF THE SHALL MOT THE PERSON OF THE SHALL MOT SHALL MAKE A THROUGH A WATERN SHALL BE STRUCKTON, BRANDED AND THE STRUCKTON, BRANDED AND THE MOST SHALL BRANDED TO HAVE BEING THE THE TREATMENT. URE ENJA ELECTROCKET FOR ALL MEMBERS WOUTD. MELSO BHALL DEPARTURE FIRE ALL STREAMS HOW MONERO JONES JAMESS OTHER RESERVED BY DETAILED IN THE DRIVINGS. A ALY WILDON CONNECTION BY ALL DIVILLOP THE PALL STRENGTHOF THE MOMERNE CONNECTED. NOTES ON CONSTRUCTION JOINTS IN CONCRETE TYPICAL CONNECTION DETAIL OF R.C. WALL AT CORNERS NOTES ON STRUCTURAL STEEL NOTES ON ENBBED PIPES NOTES ON WELDS And the state of t ENERAL CONSTRUCTION NOTES Section and part of the Color. TYPICAL CHB FOOTING DETAILS (WHERE APPLICABLE) 0.00 TO MILES indindinda . PLE SOAM OF WALL STANKS AND STANKS DESTRUCTIONS ATT SATTEMENT OF SHENGLIME SHENC PAGE WITH BAT STOOMSSHEET majorajanjani OPENING OR END WALL REINFORCING CONCRETE LINTEL BEAMS IN LINTELS IN BLOCK WALLS CONCRETE BLOCK WALLS STATE OF THE PARTY AND REPORT OF County on Annual 1 TOTAL SECURITY THE CHICAGO 111 111 CORNER WALL (19M00) TOXOUT, G A FTE ERUI REPURCIOLO SANS BEST MA MALL, THE CLIENT DOWNESS FROM THE FAMILHES FACE OF THE INSULE BATT TO THE COMPLEXE HE DESIDENCE AND THE COMPLEXE BOOM BAT THE IT AT THE THROUGH BACK MOTHELT FOR COMPRESSION BASIS NEEDS IN ESS SPECIES FOR THE MAY THE SANS PAIL OF THE SPECIES WITHIN THE COLOMBIO THROUGH SINCE SHALL IN FRUINCE FALL THE THROUGH SHALL SHALL THE of their act the officer with the set that other backs settle have not settled the settled to all the for either and holds well. The EEE AF White of (BENARTOR) BEINEN LORSE AFARE. I when an expert recovering the position of settle backs of settle the California and a settle and a settle of the settle and a settle of the settle and a settle and a settle and a settle of the settle and a se S THE STREET STREET TYP, DET, FOR SLBEVES THRU CONCRETE BEAM PROSESS LESS COMMUNICATIONS CONTROL CO TYP. DET. FOR SLEEVES THRU CONCRETE BEAM





100

A ALL WILLS BALL BE RENEWED ACCORDED TO THE POLITIMES SCHOOLE OF BALL SERVICE SERVICE OF THE RUMB.


NOTES ON CONCRETE WALLS

v. Mad Sill Christics Scholler fin Aufri All, Colculor Scholler (COPA), Tang Ostamir, Scholler fin Scholler Scholler Scholler (COPA), Tang Ostamir Scholler Scholler Scholler (COPA), Tang Ostamir Scholler Sch

NOTES ON CONCRETE HOLLOW BLDCKS WALLS

NOTES ON CONCRETE HOLLOW BLOCKS WALLS REINFORCEMENTS

A Men Asked Coccopies A copies in lear Table of the deposits switch speak stream that is the second coccopies of the Combine of the Combine





SCANOR IN		
*	14	1
*		_

A MED MADA.

11111

COST. NOTE OF STREET

TYP. EXTERIOR WOW, & DOOR OPENING Consideration (EST), and the second consideration and consideration and consideration of the consideration of the

	MODEL TOTAL	-
Y TWD (2) CLASSROOM		×
OWTORATES (I) ONE URD.		9

ONE (1) STOREY SCHOOL

Defet 0

sheeps r. olitico

MCONAL BARRA

LIE, of Farman, A.

APPLIES TOWNERS


ALW DEVE. PASSIA METROPO FA CAMPROS

EPARTMENT OF EDUCATION DepED CHEMISTRA CHEMISTRANIA

8-2


INTERSECTION WALL

### ELECTRICAL PLAN



### E-2 2 1 2-3.5mm\* THHN +1-3.5mm\* TWIGLA 20mm® PVC 1 2-3.5mm\* THHN +1-3.5mm\* TWIGLA 20mm® PVC 1 2-3.5mm\* THHN +1-3.5mm\* TWIGLA 20mm® PVC 2-8-Driven\* THHM 45-Smin\* TWIGS in 25-min@ RSC AMIN BEBACKER PROTECTION. TSET 34X/F304. 20. 2007, 60te MCB NEWL FORCIOSJIRE TYPENEMA.1 with GROUND TERMINAL DEPARTMENT OF EDUCATION DEPET WIRE AND CONDUIT SIZE A CONTRACTOR OF THE PROPERTY AND PROPERTY AN SUMPACED CES, NO MOUNTED SCHEDULE OF LIGHTING FIXTURES AND LAMPS: THE ACAD CAR. NOTE: At all concept design entrance and to an older the payment and control of the Michigan Account with the Account Account with the Account Account and Account Acc 4 x 20AT/StorF, 2P, LOKATC, 230V, SUHENCH THE CAPACITY OF A STANDARD AND A STA ONE, THE PAY 25W, 48Hz 4C, JCD BOLD GID+TING FXFURE BITH MEDIN WASH REPLY 250 TYPE PORODICAM RECEPTABLE. WIRE SIZE FOR MAIN BRANCH NAME OF 2-8.0mm\* (1)HN 45.5mm\* TWIG) :n 25mm® RSC 1.5Er. 30AT/SOAF, 20, 2004, 60Ht MCB 80LT-0M PROTECTION ( CIRCUIT BREAKER ) H BRANCHER ONE (1) STOREY, TWO IS CLASSROOM SCHOOL BUILDING SOFT COMMENTAL IF DE BITS 12E 1355 8888 33 AT SCHEDULE OF LOADS AND COMPUTATIONS: 8 COMNECTED LOAD ( AMPERE ) AUR DEL A PASCO MAJN: TYPE 20.59 5 13 Chemeno service pressure 2011/18 28 6841, A.S. WTH Zennil TYPE P. CONDULET WEATHERNEAD ¥ ELECTRICAL RISER DIAGRAM 3 - Hanger TriebM+1 - 8.8mm The Michin Zimma RSC CONCRETE PEDESTAL POLE: 245 AS PEDARED 0.25 AB FLUSH TYPE NEDAN-1 with GROUND TERMINAL 230 Y, J. Phase, 3 Wire, 60Hz ASSESSED IN PROCESSED OF THE PROCESSED O AMPERE 20.59 3.11 6.26 6.52 20.59 VOLTS 0.00 2222 (8) ANPERE VOLT-à UR S. MESH. R. TOTAL IPHASE CONNECTED LOAD: HIGHEST MOTOR LOAD: FOTAL SPHASE CONNECTED LOAD: TOTAL CONNECTED LOAD: 1 LIGHTING DUTLET 2 CELLING FAN OUTLET 3 CONVENIENCE OUTLET 4 SPARE DESCRIPTION FOR TOTAL CLARRENT: TOTAL PANEL BOARD: DP MOUNTING: ENCLOSURE: SYSTEM PLE STORMEN WITH THE SHIP IN-FERROR REQUESTS WITH MICRONAL MICE ON TAKETS MICHORAGE AS MICHORAGE STATES CONSERVED AND MICHORAGE AS A MICH KANNA, OLIVETI BHILL BE HELDON THE POLICY NO HEATHER HERE THE VEHICLE IN DEPOSITION. A EXPORTMENT SPECIFIED THE SHALLAND OF THE AND EACH MACE HIGHER SPECIFIED SPECIFIED BY COLD DIFFER. BY COLD COLD SPECIFIED AND I DESCRIPTION AND INTERPRETARE AND INTERPRE ALCOHOLOGIC CHORTES NO A SHITTON ALCOHOL BALLIA POPULA STORAGE IN ACCOUNTS IN THE SECOND IN ACCOUNTS IN THE SECOND IN ACCOUNTS OF THE PROPERTY IN ACCOUNTS. aus activistas comercians, de sone aucompanera en 19 en mendados prima partera por 19 en presentados de presentados en presentados por present CKT. NO PLATE BRALL BE VINEZ HER SOFT JULI TRAVILLINE 1: 1008. PACKAD THEOR ACCORDING WILDON DOCUM TOWARD ONE AND OTHER APPORTUNITION DEPOPMENT OF THE PERFORMANCE WILDON. TACHER SHASHOWS MINISTER BRITISH IN MICHAEL SHICKLEY SHICKLY is also associated as those region to be activated to the activate of the period. In add, contributed to order. In add, contributed to order. In add, contributed to order. REFER TO SCHOOLS OF DANDS CONTRIBUTE OF LEGISLING THE DAY DONALD WE DESCRIPT WE DESCRIPT WAS DESCRIPTED BY THE SERVICE OF THE THE PARTY OF THE JAHATHAR MOLL DUTLET, JOHN DIGMETTR, 250V, MING TO BE METHALED & JOHN SELOW COLLING LINE APPLE STORY SHATCHES IN ONE SAVICHMATE SHALLS CONVENED COUNTY, CROUNDING TYPE THE CONCINCTION CONVENTION AND 120 MILES INDEPRESENTATION OF LADARS AND STORY OF STATE AND AUGHBUTTON 10 A 20V NORma AROVE FMENDS CROSP (INC.) the operators before several and present the Actual 400 eyage contract of the South 400. CALIFOLISM, SEWOTE 23Y, SAL CHERO FAN CONTROL BRITCH BURETHS SERVICE BUTMACE ELECTRICAL SYMBOLS: SUSPENSE SEPONDS METERS ALE SICHALL MEND BAT, BY STAFFEN BENCHMENT BY STAFFEN GLINILIGHT OUTET CEUSBORN CONTEN GENERAL NOTES: DenED B<sub>EF</sub> ì (1) Ø Φ Ŋ.

### PLUMBING PLAN




### P-2 CHARGE COLD A March 18 + 18 March 1 DEPARTMENT OF EDUCATION Depth DESIGNATIONS OF TAXABLE PARTY AND ADDRESS OF CATCH BASIN DETAILS 5 E C T I O N CROSS SECTION DET."8 CUTLET FLASTERS «/AMERICOPING CONFOLING OR APPLY ONE FACE SITUAREN TAR est, riberoktbion Greek VPI, it sick bir dollere Ot bir 150rer Tek Sala 4/ Yomes Riberos 6 Störm Kitteros Stillner for other stud syndrome offsets dozens or lifest as 3 out of 3 of use recall field appears incheses. ONE (1) STOREY TWO (2) CLASSROOMS SCHOOL BULDING (1) PRICONS (1) CLASSROOMS (1) C MISCELLANEOUS DETAILS The second VENT STACK THRU ROOF LONGITUDINAL SECTION DET."A" DETAIL OF FLOOR CLEAN OUT SEPTIC TANK DETAILS \* 1.00 ALAN OR, B. PASCIA ADDRESSA AN AMERICA C-16 littless the + Fin Suit sy 100mms MIRKS 6300mm oc EDE of 2 Gut of 3 64/4 FROM FACE SUPPORT SOTIMANS AIR CHAMBER ANNUALE K PANSAN Description -S NETTER OF MISHIOCON LEVEL FLOOR DRAIN DETAILS PLAN DET. OF SEPTIC TANK LUE C'AUTON, R. Moson C Motors STORMER UNIT STORMER Of creative and of creative He was con To the control of To the control of He was the tour He was the control of He was the He w OV DEDUVESE OV X acts work TOWN THESE W. LAMETON AMERICA P. CALLACO ALL PLEVEDES WORS INCLEED HABIN SAVI, ME CRICUITO ACCIOUNCED THE MALE HABING TOOK, AND THE WALLS HABING COOK, AND THE WALLS HABING TOOK, GAVERNADAY MITHORITYS CONCESSAGE. ARE CHARGE, ALL MEMBAL, DANIOLES TO FORTHERS DISCUSS OF TOTALISM AND OR EQUEPRENTS SHALL RE-PLOYED WITH JUST CHARGE OF CAPPED BITTICAL ME SITCHALDS TO DIFFERENCE AS SHOWN IN THE DISCUSS. ALL SPATE UNITS GABLE BE PAY GREEKS 1800, "HELTER", "SAARWEED ESTEAM ON APPROACH DISSAY." ALL RET JREAS SHALL BE WATERWOOTHED THEN SEUL, INTERFACE STATEMENTS FOLDS TO FUCKS TAPPRICE. ALL PRIS SHALL BE INSTALLED AS INTECTED ON FLANS, AND BILLOCATIONS SURGEST OF MICH. PRICE PRICES SHALL BE WITH PRICE APPROVAL OF THE AND STATE OF DECISION. PREVIOUS CALOSIDE PAGE PRES SENTE JOIN, WIC CLASS TO SPAZAR TO DEBALLI OR IES APPRIATE ROUS. POLYNOMERINE (PRIC) INTES BY "VESO" DE APPORTO EQUAL ROPOSED WILLIES SAUL CONTORN TO THE ACTUAL LOCKTON. DEPTH AND EVENT SEARCHEN OF ALL EXCETNG FRES AND STRICTIAES AS ASSESSED OF THE CONTRACTOR. ALCOLO WATELLINES SYALL SE TESTED JOR PSI 108 A PERIOD OF TWO JZ: FOLES BEYOUT OFFICIAL ALL SEMESTURES LIMIS, VISIT AND WATER LIMIS SHALL IN PROJECTO WITH AURIGIDATE STREAMS FOR MANICH SUPPORT. ACCHREDITATE PROJURES IN VISION OR APPARED DOUG WITH WATER ENTERSTITION LINE SHALL BE FOLVED PROJECT PHYSICAL ALL OTHER PRICE TO DE LISID SHALLE AS FOR PLANKING SPECIFICATIONS. ALL SUPPLY FOR HONDONIA, DIAMMEN SHALL MANDARITY, NO PRINTING PLANTING MONTHLY NO PRINTING. WACTLURES SWILL BE PRODUCTATE, TESTED AT LOGIT 100-52 MUSE TO TAMPORE. COORDANT THE CHANNING WITH CITHER RELATED DISABILISES AND SPECIFICATIONS. THE CESTORIS SHALL BE NOTITED PRINCIPALL OF ANY DISCUSTRACY POLACE HORSE. FOUR VIEW, CHURIDE PMC, PIPES SCRIES JOBS, WILLIDY, "SARPHO, DISTRIF OR APPROVED SQUAL. MARKACTURED BY WITHAY BRAID ON APPROVED EGOL. HAMPHOTORES BY YOT'S SAMO OR APPLOAD EQUAL. ZHYY SERVICES, ES KANG DENGEY, WITH FACTORY APPLED SERVICE VAPOR BARRED MORT SAMPLE STACK AND HERE SHALL BE PACK FIRE SENSES 1800, "MELTER", "SAMPLE STACK ALL FORTARIS SHALL BE VINITED, UNLISS CIT-BORRIET MORCATED. TESTANE GOODALS STABLESS CYLMEN THR. PROVIDE FIRE SLITVES, NS NEEDED IN WALL POLICINATIONS. IS. ALL HOT WATER LINES SPALL RE PROPERTY INSULATED ALL SENSEN, MAGTE SHALL BE TREVIEW AT 1.3M HEAD. Sheer THK RUBBER SHIZLATION DepED GENERAL NOTES: DRUM, UNGTER ... COLD WATER LINE SCHOOL MENT HELT WATER LINE. BIR DESIGNATION NO. DESMATOR LOCK DRAINS


MATESTAMS.


0


ARCHITECTURA	$\mathbf{J}_{i}$ PI	AN
--------------	---------------------	----

















CTDI	IID	A T	DI	ANT
STRU	UK	AL	PL	AIN

# GENERAL CONSTRUCTION NOTES

LESTANDANDS AND REFERENCES THE POLIDING SHALL SCHOOL T

ATONA, STRUCTURA, DODG OF THE PHILIPPINES (NS.C.P.SHS)/YOL. 1 SPS	SIGN CHITTISA CACINGS	Security	SACRETE STATEMENT	STEEL	Shwitter, Cristolau 277 (Pa	Scorn THIC CHRISALL 1111 Wh.	ME LOAD	40 Miles	2.45300045 (10 sHz	180 (5)
1114/1004	23 DESIGNO 2.1 CADES	A OSSOLD	0.000	STEE	(Sherr)	120 mm	BLUNC UDA	1000	C.ASSIII.	TOBETS

OXECOS WORST START SUB-OXECOS WORST START SUB-OXECOS CONTINUES SUB-OXECOS CONTINUES SUB-MARKAT WITH SUB-OXECOS SUB-MARKATA WITH SUB-OXECOS SUB-MARKATA WITH SUB-OXECOS SUB-OXECOS SUB-MARKATA WITH SUB-OXECOS SUB-OXE

(DESON IMPROSON) Methodology (DESOMMEN Methodology (DESOMMEN SCAP STEERING PRESSOR (DESOM SCAP MESON, PRESSOR (DESOM



\$4.360.004.4 2000.004. NEAR SOURCE FACTOR (3 km) N

## A CORCEE & COLLEME STREET BY BOTH A PODTING COLLEME ROMS MED BARB IN SUM ON FILE. 2.2 DESIGN STRESSES

1-77 MP (0.00)49 5×24 IPs 26,000 pd 1 = 20.7 MPs (2001 m) 1 = 17.5 MPs (2501 m) 

Terr 4 3.45 LP24 (000 pp)
F - 424 CA (11/CTP000)
A. Thr 954 01/01 rP32 (34, 200 pa)
b. Thr 950 01 reflu (14, 201 pp) \$ - 244 MAY 29 20 DOM A STRUCTURAL BOLTS ATTA-ASET

IN THE INTERPOSE A TOM OF THE SHARMS. MICATED CIRCUMS SHALL GOODING ON THE SHARMS IN THE SHARMS ON THE CONTRACTOR SHALL GOODING.

LEAT REQUESTED TO THOSE TRANSPELLE OF ACCUSATION OF OUR MEDICAL TO THOSE TRANSPELLE OF THE SECURITY OF THE VEHICLE OF THE VEHI

A CLOSE WITHOUT AND ALL CONTRIBUTION OF A CLOSE WAS RECORDED WITH THE ALCOSE WITH ALL CONTRIBUTION OF A CLOSE WAS RECORDED FOR ALL THEORY AND ALL CONTRIBUTION OF A CLOSE WAS RECORDED FOR THE ALT THEORY AND ALL CONTRIBUTION OF A CLOSE WAS RECORDED FOR THE WAS RECORDED FOR THE WAS RECORDED FOR ALL CONTRIBUTION OF A CLOSE WAS RECORDED FOR A CLOSE

SELECTION RECEIVED HER SHALL SET MAS APPLY TO ALL DRAWNES LINESS CITIEDWISE SECHNOLY WITTO HIGH PRESENCE SECHNOLY SET ALL SHOWN TO WILL SPECIAL CONDITIONS.

AS SECTIONARIA INTERECTION ARRA LENG SULPHIALS OF ALL ENGINE IN TELL MISCELLARICO POR RECOGNISTICA CONTRACTOR SULPHIAL ARRANGES CONTRACTOR SULPHIAL RECOGNISTICA CONTRACTOR CONT

# NOTES ON CONCRETE MIXES & PLACING

SECOND INCOMESPON	With trouble the NEE Arthress	ATE & BURN AR AD	OWS.
LOCATION	28 DAYS ETHENOTH	ADOREGATE	1900 \$1,040
ALL CHETS HOLDING	544/05 BH 600	Men	itte
COLUMN COLUMN RANGS SAME RANGOSTIL	2008 F53 007 18Fts 2008 F53 007 18Fts 700 F53 F75 18Fts	E E E	100ms 100ms 100ms
SUSPENSION OF SU	CHOMEN TON ELEMONE	WOTION TOTAL BE	The Real
MALLS AGONE THE CHOISE MALLS AGONE THE CHOISE MALES COMPOSED TO COMP	MM 269		1 1
EARTH BUT POURED ADAR	61 FCPads		in the same of

NO CHATES WILL BE ALLOYED EXCEPT TO THANKYTH CONCINTE THOSE YEARYS TO BASIGES. THE ELEMENT OF THE SOURCE TO WHEN CHEEK WHEN SHALL NOT EXCELLED IN HIS SHEEK.

4. In practicipation concepts there is a limited out to a limited out to a release that all a limited by many that the concepts and out of the concepts and a limited by many that the concepts and the concepts a 2 00.00 4 00.00 2 00.000 2 00.

CONTRACTOR SHALL FURBLE HAT STARTS WHICH A PERMIT FOR MAIN SHORT THE CONTRACTOR SHALL STREET THE WHICH WHICH SHOWS STREET THE STREET SHALL STREET THE WHICH SHOWS STREET S The Confidencing Select summary of Schools of Pounds and The Location of the Confidencing Selection of the Schools of the Schools property on the Schools property of the Schools property of the Schools property of the Confidence of the Schools property of the Schools pr

## NOTES ON FOOTINGS


I CONTINUE, MICHAEL MONTH TO THE CHARLES AND CHARLES STREAM PROPERTY OF BROWNING CONTINUE AND CONTINUES. THE CHARLES STREAM TO THE CHARLES AND CHARLES STREAM TO THE CHARLES AND CHARLES A

# NOTES ON REINFORCEMENT

Of the Office representation of the Company of the

2. But intercorded swint state or of detect should go that on the Additional Inter the Additional should be associated in the the Additional should be considered to the additional should be additional and additional should be added to the additional should be add

# NOTES ON CONCRETE SLABS



# It if a less of a reward record process passes around the condition should wait. It is a support to the condition of the cond

-	MANUAL SLAD RESPUNÇUESAN
20,000	Town 8 & Sthen EACHWAY
Smil	Stem 8 (8 250mm SACH WAY
90,000	Town II - IB 250 km EACH VIVY
Mare .	TOWN OF GROOM CACH VAN
100 000	form B & 20sm LADHWW


is, setting of the present who the inter-over all motion galdes seed, as ready entailed with relating At 300 mm of 2, but by New To capatify of the set were conference from a paint's follower and setting Not the ties to the dust an entire America.

The second of th

A HONES GETSA REPORTEMENT HIS LODGER BLANT INTO MILKOLD BROOMBACKS SCICER.
AS SHOWN ISO.
AS SHOWN ISO.
AS SHOWN ISO.
AS SHOWN INTO THE WAS A MARKEN WAS PROPERTY OF THE CHAIR CHAIR CONTRACTOR OFFICE AND THE CHAIR CHAI

TYPICAL COLLINN ELEY, SHOWING

DOMELS AND TIES SPACING




N.C.IM

## NOTES ON COLUMNS.

A WORLD ECHAN SETS OF TENANT 100 CLAN RED CO. LOAN RESPONSEMENT BOOK OF COMMENTS TO MAKE THIS PROPERTY OF A LIBERARY THIS PROPERTY OF COMMENTS TO MAKE THIS PROPERTY OF THE CONTRACT THIS PROPERTY OF THE CONTRACT THIS PROPERTY OF THE CONTRACT THIS PROPERTY OF CONTRACT THIS PROPERTY OF THE CONTRACT THIS PROPERTY.

TYP, DETAIL OF COL. LAP SPLICE & EXT. GIRDER TO COL. CONNECT

NOTES ON BEAMS AND GIRDERS



1 15 15 15 15 15 15 15 15 15 15 15 15 15
T
5 5
3 3
1 1
· II.
→ <b>1</b>

Deed:	MUSTED D. ALABOON
1.0 1990	openio a posibere

	2 1
	uns or Spean, a.
1	200

	_
ABONELE R. PHILIPE	and o' he cat, flow

0.4	W DD 8/1	MICHIGAN FOR AD
	3	1000
Lundan	S. Fawdan	87. Short

OVE (1) STO	Name of the last	l
3	-	NOT FOR ASSESSMENT

ONE (1) STOREY, PARABLE DI CLASSROOM SCHOOL SIR, DING JEHOOL SIR, DING JEHOOL SIR, DING	

S-1

DEPARTMENT OF EDUCATION Depth

SERVICE DISCOVERS SERVICE SERV

# ENERAL CONSTRUCTION NOTES G

NOTES ON STIRUPS


1, ALL 45 MORS BENT SHALL REST COLUMN SHEETS

OTHER PRESENTS IN THE STRUCTURAL PRESENCE.

SCHOOL STATE OF

1.48 SHOMEON THE DESIGN DRAWNED ON FORMITTED BY THE STRACTING DISHEDER. 3. TICK A CLOSE STREAD'S MALE BE AT 18.

TYPICAL CONNECTION DETAIL OF R.C. WALL AT CORNERS



L P. FOR DEAL MEDIT CHANGE BARRELLO FINE CLORE DISTANCE FOR THE DAY OF THE PARTIES FOR A PARTIES OF THE PRODUCE OF THE THANKEL IS A PARTIES FOR THE STANDARD OF THE THANKEL IS A PARTIES FOR THE STANDARD OF THE THANKEL IS A PARTIES FOR THANKEL IN THE PARTIES FOR THANKEL IS A PARTIES FOR THANKEL IN THANKEL IS A PARTIES FOR THANKEL IN THA

funit.

MERCANDON DE PROPECTORIO DE PROPECTORIO DE PROPECTORIO DE PARTO DI PARTO DI PARTO DE LA PROMERENTE SE LA PROMENENTE DE LA PROPERTORIO DEL LA PROPERTORIO DE LA PROPERTORIO DE LA PROPERTORIO DE LA PROPERTORIO DEL LA PROPERTORIO DE LA PROPERTORIO DEL LA PORTORIO DEL LA PROPERTORIO DEL LA PORTORIO DEL LA PROPERTORIO DEL A FTHE ARE THO OR HOME LONGS OF REPIRENCE DARK LIGHT THAN BANKEDARD DRIVEN OF CONTINUES BETWEEN CARDS CARES.





- WARMA INVESTIGATION OF CHILDREN REST BANK OF TO CRESHINKS FAME REPORTED AND SHALL IS SYMMETRICAL ABOUT THE CONTINUE INFORMED POSSIOLS.

# NOTES ON CONCRETE HOLLOW BLOCKS WALLS

u. out not otherwise a private which are considered with considered and considered and otherwise and are also asserting the considered of the record with considered and considered and otherwise and are also assert the subject of the record and considered and cons

REPORTABLE MOTES	CHIRL LATES A SMILLIUM AT STATE LOS M	or MOLENTE, there is grammed to a Properties age to Macua Standard and Macua
NO MARCHE	HOMEOWIAL	Designation South
BLOCK THEORESIS	Section Sectin Section Section Section Section Section Section Section Section	# 1 # 1 # 15 # 1





CANALAND PAGE

trical .

INTERSECTION WALL

OTHER DOMESTICS OF

H C H H H H H H

HIS SAIN

LISTRUCTURE STELL TORE USED FOR ANNICOTOR ARE ENCORATED FOR STRUCTURE SHALL CORP. WITH ALL THE POTTING PROPARATION AND PRECEDIATION FOR THE STRUCTURE AND PRECEDING STRUCTURE STRUCTURE FOR PRECINCE CORD.

1 JOSEPH STREET PROCESS FOR ALL MARKETS WILLIAMS AND DESCRIPTION OF THE FIRST STREET, THE MARKET STREET, THE STREET, THE STREET, STREE

NOTES ON WELDS

MOTES ON STRUCTURAL STEEL

HEFTER

A ALL SORUCIDAS, STRES SHARES BHILD, OTAMORRE TO ARTILAND STRUCTURES STEEL UNE DISCORMERNISE MODIFIED.

LAL RELIED CORRECTORS SHALL DEVELOP THE PLLL STREAGTH OF THE NECESSION CONNECTED.

A OF LEG OF HERMIN SPECIFIC ALL WILDRE HOST SALL AL ARTHA ALZ BOXTS.

4. ALL HILL SHEED HALES OF HARMEL SPECIFIC SHALL AL ARTHA ALZ BOXTS.

NOTES ON EMBRED PIPES










1 st., VALLS SHALL SE REPEONING ACCORDAG TO THE FOLLOWING SCHOOL OF SHALL RESPONDED THE PLANS.

N S S S	HONDONTAL Tillers & 250-rs G.C. Tillers & 250-rs G.C.	MERCAL MERCA Ellung Membli. Ditung Membli. Downg Membli.	HOSEOWA 8466 AT CENTRY VENCA BARR STAGGE OV	ECTON SCTON SCTON SCTON
---------	---	--	---	----------------------------------

2 LORDON VERTICAL BARRA AT LIAKE TIME AND RESCRIPTION. TO PROVE THE TOTAL PULCES WERN MELTINGLE BARRA AT THE WASHINGTON TO THE TOTAL BARRA AND RESCRIPTION. THE WASHINGTON RESPONDING SHEEK SHALL, HAME SHOLD CARRY CITE COURSE TO COME SHEEK OF WALL DOCKET FOR HALLE HE COURTED FOR THE COURSE WHENEX A MEMBER OF BOARD WAS EMPORED AND FOR FORCESTS SHEEK OF PERSONS FIVELY WHISE THE MEMBER SHALL IN SOME CLARK.





	H	Ī	
		966DT 00E	
ALES CHEDWICE NOTES			


200 LOSS		
	MICHAEL THREE CHICLESSOOM SCHOOL BUILDING 9CHOOL BUILDING WITE COMMER TOLITE & DREED	





74.19%















### ELECTRICAL PLAN






ΡI	III	/IR	ING	ΡI	AN
----	-----	-----	-----	----	----







WIESE SELECTIONS


CARL MARRA


PELBSLAND TOOK SAME

MUN

PATER TANK

# RAIN WATER COLLECTOR PLAN





# Section VIII. Bill of Quantities

### **Notes on the Bill of Quantities**

### **Objectives**

The objectives of the Bill of Quantities are:

- a. to provide sufficient information on the quantities of Works to be performed to enable Bids to be prepared efficiently and accurately; and
- b. when a Contract has been entered into, to provide a priced Bill of Quantities for use in the periodic valuation of Works executed.

In order to attain these objectives, Works should be itemized in the Bill of Quantities in sufficient detail to distinguish between the different classes of Works, or between Works of the same nature carried out in different locations or in other circumstances which may give rise to different considerations of cost. Consistent with these requirements, the layout and content of the Bill of Quantities should be as simple and brief as possible.

### **Daywork Schedule**

A Daywork Schedule should be included only if the probability of unforeseen work, outside the items included in the Bill of Quantities, is high. To facilitate checking by the Entity of the realism of rates quoted by the Bidders, the Daywork Schedule should normally comprise the following:

- a. A list of the various classes of labor, materials, and Constructional Plant for which basic daywork rates or prices are to be inserted by the Bidder, together with a statement of the conditions under which the Contractor will be paid for work executed on a daywork basis.
- b. Nominal quantities for each item of Daywork, to be priced by each Bidder at Daywork rates as Bid. The rate to be entered by the Bidder against each basic Daywork item should include the Contractor's profit, overheads, supervision, and other charges.

### **Provisional Sums**

A general provision for physical contingencies (quantity overruns) may be made by including a provisional sum in the Summary Bill of Quantities. Similarly, a contingency allowance for possible price increases should be provided as a provisional sum in the Summary Bill of Quantities. The inclusion of such provisional sums often facilitates budgetary approval by avoiding the need to request periodic supplementary approvals as the future need arises. Where such provisional sums or contingency allowances are used, the SCC should state the manner in which they will be used, and under whose authority (usually the Procuring Entity's Representative's).

The estimated cost of specialized work to be carried out, or of special goods to be supplied, by other contractors should be indicated in the relevant part of the Bill of Quantities as a particular provisional sum with an appropriate brief description. A separate procurement procedure is normally carried out by the Procuring Entity to select such specialized contractors. To provide an element of competition among the Bidders in respect of any facilities, amenities, attendance, etc., to be provided by the successful Bidder as prime Contractor for the use and convenience of the specialist contractors, each related provisional sum should be followed by an item in the Bill of Quantities inviting the Bidder to quote a sum for such amenities, facilities, attendance, etc.

### **Signature Box**

A signature box shall be added at the bottom of each page of the Bill of Quantities where the authorized representative of the Bidder shall affix his signature. Failure of the authorized representative to sign each and every page of the Bill of Quantities shall be a cause for rejection of his bid.

These Notes for Preparing a Bill of Quantities are intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They should not be included in the final documents.

FOR BILL OF QUANTTES PLEASE REFER TO THE PROGRAM OF WORKS - BILL OF QUANTITIES FOUND IN SECTION VI - SPECIFICATIONS

# Section IX. Checklist of Technical and Financial Documents

### **Notes on the Checklist of Technical and Financial Documents**

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary "pass/fail" criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

# **Checklist of Technical and Financial Documents**

(Revised Checklist with reference to GPPB Resolution no. 15 - 2021)

### I. TECHNICAL COMPONENT ENVELOPE

		Class "A" Documents
Legal Do	cument	<u>'S</u>
(a)		PhilGEPS Registration Certificate (Platinum Membership) (all pages) ordance with Section 8.5.2 of the IRR;
Technica	l Docu	monts
(b)	State	ment of the prospective bidder of all its ongoing government and the contracts, including contracts awarded but not yet started, if any, there similar or not similar in nature and complexity to the contract to be
(c)	to the (State limite Certif	ment of the bidder's Single Largest Completed Contract (SLCC) similar contract to be bid, except under conditions provided under the rules ment of On-going Contracts and SLCC should be supported by, but not d to: Notice of Award; or Notice to Proceed; or Project Owner's ficate of Final Acceptance issued by the owner other than the actor) (ITB Clause 10.1 of Section III. Bid Data Sheet);
	and	
(d)	-	al PCAB License in case of Joint Ventures; egistration for the type and cost of the contract to be bid; and
(e)	certifi	nal copy of Bid Security. If in the form of a Surety Bond, submit also a cation issued by the Insurance Commission;
	<u>or</u> Origii	nal copy of Notarized Bid Securing Declaration; and
(f)	Projec	et Requirements, which shall include the following:
	a.	Organizational chart for the contract to be bid;
	b.	List of contractor's key personnel (e.g., Project Manager, Project Engineers, Materials Engineers, and Foremen), to be assigned to the contract to be bid, with their complete qualification and experience data;
	c.	List of contractor's major equipment units, which are owned, leased, and/or under purchase agreements, supported by proof of ownership or certification of availability of equipment from the equipment

	lessor/vendor for the duration of the project, as the case may be; and
(g)	Original duly signed Omnibus Sworn Statement (OSS); <a href="mailto:and">and</a> if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.
Financial (h)	<u>New Properties</u> The prospective bidder's computation of Net Financial Contracting Capacity (NFCC).
	Class "B" Documents
[] (i)	If applicable, duly signed joint venture agreement (JVA) in accordance with RA No. 4566 and its IRR in case the joint venture is already in existence; <a href="https://example.com/orange-nc/ag/">orange-nc/ag/<a (itb="" b"="" be="" bid="" clause="" ction="" data="" evaluation.="" excel="" facilitate="" file="" format="" href="https&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;/td&gt;&lt;td&gt;duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Other doo&lt;/td&gt;&lt;td&gt;Affidavit of Site Inspection duly notarized and&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;(k)&lt;/td&gt;&lt;td&gt;Certificate of Site Inspection duly signed by the School Head or its Representative.  Clause 3 of Section III. Bid Data Sheet)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;&lt;ul&gt;&lt;li&gt;☑ One&lt;/li&gt;&lt;li&gt;☑ One&lt;/li&gt;&lt;li&gt;☑ One&lt;/li&gt;&lt;/ul&gt;&lt;/td&gt;&lt;td&gt;ER OF COPIES OF ELIGIBILITY+TECHNICAL COMPONENT MENTS IN SEPARATE ENVELOPE (1) Original Copy (1) Additional Copy (Copy 1) (1) Copy in compact disc (CD) or Flash Drive (USB) ause 16 of Section III. Bid Data Sheet)&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;in Microso&lt;/td&gt;&lt;td&gt;py or CD/Flash Drive copy of the Technical Component for Item " iii.="" oft="" post-qualification="" shall="" sheet)<="" td="" to=""></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a></a>
FINANCI (l)	AL COMPONENT ENVELOPE Original of duly signed and accomplished Financial Bid Form; and
Other doc	cumentary requirements under RA No. 9184 Original of duly signed Bid Prices in the Bill of Quantities; and

II.

(n)	Duly accomplished Detailed Estimates Form, including a
	summary sheet indicating the unit prices of construction materials, labor
	rates, and equipment rentals used in coming up with the Bid; and
(ITE	B Clause 11.1 and 16 of Section III. Bid Data Sheet and also $G\overline{CC}$ Clause 11.1.
of S	Section V. Special Condition of the Contract )
-	
(o)	Cash Flow by Quarter.
	• •
	SER OF COPIES OF FINANCIAL COMPONENT DOCUMENTS IN RATE ENVELOPE
⊠ One	e (1) Original Copy
⊠ One	e (1) Additional Copy (Copy 1)
	e (1) Copy in compact disc (CD) or Flash Drive (USB)
	lause 16 of Section III. Bid Data Sheet)

The softcopy or CD/Flash Drive copy of the Financial Component for Items "m" and "n" must be in Microsoft Excel File format to facilitate Bid Evaluation. (ITB Clause 11.1 of Section III. Bid Data Sheet)

# **BIDDING FORMS**

- a. Bid Securing Declaration Form
- b. Bid Form
- c. Contract Agreement Form
- d. Omnibus Sworn Statement Form
- e. Performance Securing Declaration Form

### **Bid Securing Declaration Form**

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)		
CITY OF	_) S.S.	

# **BID SECURING DECLARATION Project Identification No.:** [Insert number]

To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
- 2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f),of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
- 3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
  - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
  - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
  - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this \_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

### **Bid Form for the Procurement of Infrastructure Projects**

[shall be submitted with the Bid]


DID	$\mathbf{T}$	T .	<b>A</b>
BID	L'4	וטו	. /
	11		<b>7</b> .

	Date :	
Project Identification No.:		

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, declare that:

- a. We have no reservation to the PBDs, including the Supplemental or Bid Bulletins, for the Procurement Project: [insert name of contract];
- b. We offer to execute the Works for this Contract in accordance with the PBDs;
- c. The total price of our Bid in words and figures, excluding any discounts offered below is: [insert information];
- d. The discounts offered and the methodology for their application are: [insert information];
- e. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein and reflected in the detailed estimates.
- f. Our Bid shall be valid within the a period stated in the PBDs, and it shall remain binding upon us at any time before the expiration of that period;
- g. If our Bid is accepted, we commit to obtain a Performance Security in the amount of *[insert percentage amount]* percent of the Contract Price for the due performance of the Contract, or a Performance Securing Declaration in lieu of the the allowable forms of Performance Security, subject to the terms and conditions of issued GPPB guidelines<sup>2</sup> for this purpose;

<sup>&</sup>lt;sup>2</sup> currently based on GPPB Resolution No. 09-2020

- h. We are not participating, as Bidders, in more than one Bid in this bidding process, other than alternative offers in accordance with the Bidding Documents;
- i. We understand that this Bid, together with your written acceptance thereof included in your notification of award, shall constitute a binding contract between us, until a formal Contract is prepared and executed; and
- j. We understand that you are not bound to accept the Lowest Calculated Bid or any other Bid that you may receive.
- k. We likewise certify/confirm that the undersigned, is the duly authorized representative of the bidder, and granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for the [Name of Project] of the [Name of the Procuring Entity].
- 1. We acknowledge that failure to sign each and every page of this Bid Form, including the Bill of Quantities, shall be a ground for the rejection of our bid.

Name:	
Legal Capacity:	
Signature:	
Duly authorized to sign the Bid for and behalf of:	
Date:	

# Contract Agreement Form for the Procurement of Infrastructure Projects (Revised)

[not required to be submitted with the Bid, but it shall be submitted within ten (10) days after receiving the Notice of Award]

### CONTRACT AGREEMENT

THIS AGREEMENT, made this [insert date] day of [insert month], [insert year] between [name and address of PROCURING ENTITY] (hereinafter called the "Entity") and [name and address of Contractor] (hereinafter called the "Contractor").

WHEREAS, the Entity is desirous that the Contractor execute [name and identification number of contract] (hereinafter called "the Works") and the Entity has accepted the Bid for [contract price in words and figures in specified currency] by the Contractor for the execution and completion of such Works and the remedying of any defects therein.

### NOW THIS AGREEMENT WITNESSETH AS FOLLOWS:

- 1. In this Agreement, words and expressions shall have the same meanings as are respectively assigned to them in the Conditions of Contract hereinafter referred to.
- 2. The following documents as required by the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184 shall be deemed to form and be read and construed as part of this Agreement, *viz*.:
  - a. Philippine Bidding Documents (PBDs);
    - i. Drawings/Plans;
    - ii. Specifications;
    - iii. Bill of Quantities;
    - iv. General and Special Conditions of Contract;
    - v. Supplemental or Bid Bulletins, if any;
  - b. Winning bidder's bid, including the Eligibility requirements, Technical and Financial Proposals, and all other documents or statements submitted;

Bid form, including all the documents/statements contained in the Bidder's bidding envelopes, as annexes, and all other documents submitted (*e.g.*, Bidder's response to request for clarifications on the bid), including corrections to the bid, if any, resulting from the Procuring Entity's bid evaluation;

c. Performance Security;

- d. Notice of Award of Contract and the Bidder's conforme thereto; and
- e. Other contract documents that may be required by existing laws and/or the Procuring Entity concerned in the PBDs. Winning bidder agrees that additional contract documents or information prescribed by the GPPB that are subsequently required for submission after the contract execution, such as the Notice to Proceed, Variation Orders, and Warranty Security, shall likewise form part of the Contract.
- 3. In consideration for the sum of [total contract price in words and figures] or such other sums as may be ascertained, [Named of the bidder] agrees to [state the object of the contract] in accordance with his/her/its Bid.
- 4. The [Name of the procuring entity] agrees to pay the above-mentioned sum in accordance with the terms of the Bidding.

IN WITNESS whereof the parties thereto have caused this Agreement to be executed the day and year first before written.

[Insert Name and Signature]
[Insert Signatory's Legal Capacity]

[Insert Name and Signature]
[Insert Signatory's Legal Capacity]

for:

for:

[Insert Name of Supplier]

[Insert Procuring Entity]

### Acknowledgment

[Format shall be based on the latest Rules on Notarial Practice]

### **Omnibus Sworn Statement (Revised)**

[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES )	
CITY/MUNICIPALITY OF ) S.S.	

### **AFFIDAVIT**

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

- 1. [Select one, delete the other:]
  - [If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];
  - [If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];
- 2. [Select one, delete the other:]
  - [If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;
  - [If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];
- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct:

- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of [Name of Bidder] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. [Name of Bidder] is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract:
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. [Name of Bidder] did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.

RIZED

[Jurat]
[Format shall be based on the latest Rules on Notarial Practice]

### **Performance Securing Declaration (Revised)**

[if used as an alternative performance security but it is not required to be submitted with the Bid, as it shall be submitted within ten (10) days after receiving the Notice of Award]

REPUBLIC OF THE PHILIPPINI	EC)	
KEFOBLIC OF THE FILLEFILM	LO)	
CITY OF	766	
CITT OF	/ 3.3.	

### PERFORMANCE SECURING DECLARATION

Invitation to Bid: [Insert Reference Number indicated in the Bidding Documents] To: [Insert name and address of the Procuring Entity]

I/We, the undersigned, declare that:

- 1. I/We understand that, according to your conditions, to guarantee the faithful performance by the supplier/distributor/manufacturer/contractor/consultant of its obligations under the Contract, I/we shall submit a Performance Securing Declaration within a maximum period of ten (10) calendar days from the receipt of the Notice of Award prior to the signing of the Contract.
- 2. I/We accept that: I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of one (1) year for the first offense, or two (2) years **for the second offense**, upon receipt of your Blacklisting Order if I/We have violated my/our obligations under the Contract;
- 3. I/We understand that this Performance Securing Declaration shall cease to be valid upon:
  - a. issuance by the Procuring Entity of the Certificate of Final Acceptance, subject to the following conditions:
    - i. Procuring Entity has no claims filed against the contract awardee;
    - ii. It has no claims for labor and materials filed against the contractor; and
    - iii. Other terms of the contract; or
  - b. replacement by the winning bidder of the submitted PSD with a performance security in any of the prescribed forms under Section 39.2 of the 2016 revised IRR of RA No. 9184 as required by the end-user.

**IN WITNESS WHEREOF,** I/We have hereunto set my/our hand/s this \_\_\_\_\_ day of [month] [year] at [place of execution].

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]
[Insert signatory's legal capacity]
Affiant

### [Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

### **ANNEXES**

- ANNEX A. Certificate of Site Inspection and Affidavit of Site Inspection
- ANNEX B. Memorandum on Contractor's All Risk Insurance (CARI)
- ANNEX C. Sealing and Marking of Bids
- ANNEX D. Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started
- ANNEX E. Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid
- ANNEX F. Revised PhilGEPS Certificate of Platinum Registration and Membership (*First Page*)



### Republic of the Philippines

## Department of Education

# REGION VII – central visayas SCHOOLS DIVISION OF NEGROS ORIENTAL

### CERTIFICATE OF SITE INSPECTION

DATE:	
MARCELO K. PALISPIS, JD, EdD OIC - Assist. Schools Division Superintendent Chair, Bids and Awards Committee DepEd, Schools Division of Negros Oriental Dumaguete City	
This is to certify that:	
1	
2	
having represented themselves that he/she/they is/are the duly aut	horized
representative/s of	_ with
office address at ha	as/have
inspected the actual site for the proposed infrastructure project: CY 2022 Quick Re	sponse
Fund (QRF) New Construction of School Buildings for Schools Affected by Cala	mities,
Epidemics, Crises, & Catastrophes - Lot 2 (Manjuyod Central Elementary S	School,
Negros Oriental).	
This certification is issued to the above named contractor / representative	ve/s as
required in the Bid Data Sheet - ITB Clause 3.	
Issued by:	
School Head / Represent	tative

	the Philippines ) ) s.s.
	AFFIDAVIT OF SITE INSPECTION
Filipino and	Complete Name of Affiant]} of legal age, {[single/married/widower]}, describing at {
nam	I am the {[State your company position / rank]} of {[State your company position / rank]} of the state your company state company's complete the state of the state your company is completed that is a state of the state your company is completed that is a state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state of the state your company is a state of the state
CY Build Cata	I / our representative/s have inspected the actual site for the project 2022 Quick Response Fund (QRF) New Construction of School dings for Schools Affected by Calamities, Epidemics, Crises, & strophes - Lot 2 (Manjuyod Central Elementary School, Negros ntal);
Depa <b>CY</b> <b>Buil</b> <b>Cata</b>	I am making this statement as part of the bidding requirements of the artment of Education, Schools Division of Negros Oriental for the project, 2022 Quick Response Fund (QRF) New Construction of School dings for Schools Affected by Calamities, Epidemics, Crises, & strophes - Lot 2 (Manjuyod Central Elementary School, Negros ntal);
	SS WHEREOF, I have hereunto set my signature this day of, 20 at
	{[Complete Name of Affiant & Signature]} Affiant
SUB 20 at Governmen	SCRIBE AND SWORN to before me this day of,, affiant having exhibited to me his/her {[Validate of the content of the cont
	{[Notary Public]}
Doc. No Page No Book No Series of 20	







### Republika ng Pilipinas

### Kagawaran ng Edukasyon

Tanggapan ng Pangalawang Kalihim

### OUA MEMO 00-0121-0081 MEMORANDUM

22 January 2021

For: Regional Directors

Schools Division Superintendents

Regional Engineers Division Engineers All Others Concerned

Subject: CONTRACTOR'S ALL RISK INSURANCE (CARI) FOR

INFRASTRUCTURE PROJECTS

The Office of the Undersecretary for Administration (OUA) requires all DepEd-implemented infrastructure projects to be covered by Contractor's All Risk Insurance (CARI) policy.

In line with this, Division and Project Engineers are hereby directed to ensure that the bidding documents include the CARI policy prior to the awarding of contract

For all future correspondence and queries on the above-mentioned subject, please contact Ms. Czarina Suzette D. Santiago, Administrative Assistant II of EFD, through +63 917 676 0559 and email at czarina.santiago@deped.gov.ph

For compliance of all concerned.

Under secretary







[Administrative Service (AS), Information and Communications Technology Service (ICTS), Disaster Risk Reduction and Management Service (DRMMS), Bureau of Learner Support Services (BLSS), Baguio Teachers Camp (BTC), Central Security & Safety Office (CSSO)

Department of Education, Central Office, Meralco Avenue, Pasig City Rm 519, Mabini Bldg; Mobile: +639260320762; Tel: (+632) 86337203, (+632) 86376207 Email: usec.admin@deped.gov.ph; Facebook/Twitter @depedtayo

# **SEALING AND MARKING OF BIDS**





Unsealed or unmarked bid envelopes shall be rejected.



# Statement of all Ongoing Government & Private Construction Contracts including contracts awarded but not yet started

S S S S S S S S S S S S S S S S S S S	Business Name:  Business Address:  Name of Contract / Location  Project Cost / Contract Price  Government  Private	a. Owner's Name b. Address c. Contact No.	Nature of Work	Contractor's Role Description	9le %	a. Date Awarded b. Date Started c. Date of Completion	% of Accom	% of Accomplishment Planned Actual	Value of Unperformed Works

Note: The bidder shall be able to support this statement with:

Acceptance Reports Issued by the owner / representative, duly signed CPES rating sheets and/or Certificate of Completion / Acceptance Duly signed Contracts, Agreements, Pos, Job Orders, Notice of Award, Notice of Proceed and/or Inspection and

(Print Name and Signature) Submitted by: Designation: Date: This is one of the technical documents required to be in the Technical Component Envelope of a prospective bidder.

# Statement of Single Largest Completed Goevernment & Private Construction Contracts

Business Name:

Government
Private   </td
<u>ate</u>

Note: The bidder shall be able to support this statement with:

Duly signed Contracts, Agreements, Pos, Job Orders, Notice of Award, Notice of Proceed and/or Inspection and

Acceptance Reports Issued by the owner / representative, duly signed CPES rating sheets and/or Certificate of Completion / Acceptance

	(Print Name and Signature)		
Submitted by:		Designation:	Date:

This is one of the technical documents required to be in the Technical Component Envelope of a prospective bidder.

# REVISED PhilGEPS CERTIFICATE OF PLATINUM REGISTRATION AND MEMBERSHIP (First Page Only) ANNEX F

Republic of the Philippines
Department of Budget and Management
PROCUREMENT SERVICE

# CERTIFICATE OF PHILGEPS REGISTRATION (Platinum Membership)

THIS IS TO CERTIFY THAT

(NAME OF BIDDER) Address

is registered in the Philippine Government Electronic Procurement System (PhilGEPS) on (date of registration) pursuant to Section 8.5.2 of the Revised Implementing Rules and Regulations of Republic Act No. 9184, otherwise known as the Government Procurement Reform Act.

This further certifies that (name of the prospective bidder) has submitted the required eligibility documents in the PhilGEPS Supplier Registry as listed in Annex A which document is attached hereto and made an integral part hereof.

For the purpose of updating this Certificate, all Class "A" eligibility documents covered by Section 8.5.2 of the Revised Implementing Rules and Regulations of Republic Act No. 9184 supporting the veracity, authenticity and validity of this Certificate shall remain current and updated. The failure by the prospective bidder to update this Certificate with the current and updated Class "A" eligibility documents shall result in the automatic suspension of its validity until such time that all of the expired Class "A" eligibility documents has been updated.

### By submitting this Certificate, the Bidder certifies:

- the authenticity, genuineness, validity, and completeness of the copy of the original eligibility documents submitted;
- 2. the veracity of the statements and information contained therein;
- that the Certificate is not a guaranty that the named registrant will be declared eligible without first being determined to be such for that particular bidding, nor is it evidence that the Bidder has passed the post-qualification stage; and
- 4. that any finding of concealment, falsification, or misrepresentation of any of the eligibility documents submitted, or the contents thereof shall be a ground for disqualification from further participation in the bidding process, without prejudice to the imposition of appropriate administrative, civil and criminal penalty in accordance with the laws.

This Certificate is valid until (date of expiration).

Issued this (date) day of (month), year. This is a system-generated certificate. No signature is required.

Documentary Stamp Tax Paid 30.00 Certificate Reference No: (QR Code)

Page 1 of 3

