



Republic of the Philippines
Department of Education
REGION VII – Central Visayas
SCHOOLS DIVISION OF NEGROS ORIENTAL

PHILIPPINE BIDDING DOCUMENTS

Provision of Technical-Vocational- Livelihood Learning Tools and Equipment (LTE)

TOTAL ABC = Php 6,009,098.00

LOT 1: Computer Systems Servicing NCII LTE – Php 2,006,110.00

LOT 2: Landscaping & Agricultural Crop Production NCII– Php 2,088,553.00

LOT 3: Artificial Insemination NCII LTE – Php 194,250.00

LOT 4: Housekeeping LTE – Php 1,301,524.00

LOT 5: Bread & Pastry Production LTE – Php 244,096.00

LOT 6: Caregiving LTE – Php 76,975.00

LOT 7: Beauty Care LTE – Php 97,590.00

Government of the Republic of the Philippines

**Sixth Edition
July 2020**

Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the “*name of the Procuring Entity*” and “*address for bid submission*,” should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

Table of Contents

Glossary of Acronyms, Terms, and Abbreviations	3
Section I. Invitation to Bid.....	7
Section II. Instructions to Bidders.....	11
1. Scope of Bid	12
2. Funding Information.....	12
3. Bidding Requirements	12
4. Corrupt, Fraudulent, Collusive, and Coercive Practices.....	12
5. Eligible Bidders.....	12
6. Origin of Goods	13
7. Subcontracts	13
8. Pre-Bid Conference	13
9. Clarification and Amendment of Bidding Documents	13
10. Documents comprising the Bid: Eligibility and Technical Components	14
11. Documents comprising the Bid: Financial Component	14
12. Bid Prices	14
13. Bid and Payment Currencies	15
14. Bid Security	15
15. Sealing and Marking of Bids	15
16. Deadline for Submission of Bids	16
17. Opening and Preliminary Examination of Bids	16
18. Domestic Preference	16
19. Detailed Evaluation and Comparison of Bids	16
20. Post-Qualification	17
21. Signing of the Contract	17
Section III. Bid Data Sheet	18
Section IV. General Conditions of Contract	21
1. Scope of Contract	22
2. Advance Payment and Terms of Payment	22
3. Performance Security	22
4. Inspection and Tests	22
5. Warranty	23
6. Liability of the Supplier	23
Section V. Special Conditions of Contract	24
Section VI. Schedule of Requirements	29
Section VII. Technical Specifications	30
Section VIII. Checklist of Technical and Financial Documents	

Glossary of Acronyms, Terms, and Abbreviations

ABC – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

Bid – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

Bidder – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

Bidding Documents – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

BIR – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

Consulting Services – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

Contract – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

CIF – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

CPI – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means “delivered duty paid.”

DTI – Department of Trade and Industry.

EXW – Ex works.

FCA – “Free Carrier” shipping point.

FOB – “Free on Board” shipping point.

Foreign-funded Procurement or Foreign-Assisted Project– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

Framework Agreement – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as “Call-Offs,” are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

GFI – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

Goods – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term “related” or “analogous services” shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

GOP – Government of the Philippines.

GPPB – Government Procurement Policy Board.

INCOTERMS – International Commercial Terms.

Infrastructure Projects – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

LGUs – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

PhilGEPS - Philippine Government Electronic Procurement System.

Procurement Project – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

PSA – Philippine Statistics Authority.

SEC – Securities and Exchange Commission.

SLCC – Single Largest Completed Contract.

Supplier – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

Section I. Invitation to Bid

Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



Republic of the Philippines
Department of Education
REGION VII – Central Visayas
SCHOOLS DIVISION OF NEGROS ORIENTAL

INVITATION TO BID FOR
Provision of Technical-Vocational-Livelihood Learning
Tools and Equipment (LTE)
LOTS 1, 2, 3, 4, 5, 6, 7

1. The **Department of Education – Schools Division of Negros Oriental**, through the **OSEC-7-22-0316** intends to apply the sum of **Php 6,009,098.00 (Six Million Nine Thousand Ninety-Eight Pesos)** being the ABC to payments under the contract for the **Provision of Technical-Vocational-Livelihood Learning Tools and Equipment (LTE)** details as shown below;

LOT	Project Description	Approved Budget for Contract (ABC)
1	Computer Systems Servicing NCII LTE	Php 2,006,110.00
2	Landscaping & Agricultural Crop Production NCII	Php 2,088,553.00
3	Artificial Insemination NCII LTE	Php 194,250.00
4	Housekeeping LTE	Php 1,301,524.00
5	Bread & Pastry Production LTE	Php 244,096.00
6	Caregiving LTE	Php 76,975.00
7	Beauty Care LTE	Php 97,590.00

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **Department of Education - Schools Division of Negros Oriental** now invites bids for the above Procurement Project. Delivery of the Goods is required within **60 calendar days** upon receipt of the **Notice to Proceed**.

Bidders should have completed, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

3. Bidding will be conducted through open competitive bidding procedures using a non-discretionary “*pass/fail*” criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
 - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

4. Prospective Bidders may obtain further information from **Department of Education - Schools Division of Negros Oriental** and inspect the Bidding Documents at the address given below during **8:00 AM to 5:00 PM (Monday to Friday)**.
5. A complete set of Bidding Documents may be acquired by interested Bidders on **October 12, 2022 and until the opening of bids** from the given address below and upon payment of the applicable fees for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of;

LOT	Project Description	Bid Documents Fee
1	Computer Systems Servicing NCII LTE	Php 5,000
2	Landscaping & Agricultural Crop Production NCII	Php 5,000
3	Artificial Insemination NCII LTE	Php 500
4	Housekeeping LTE	Php 5,000
5	Bread & Pastry Production LTE	Php 500
6	Caregiving LTE	Php 500
7	Beauty Care LTE	Php 500

Interested bidders may pay the applicable fees in person or deposit their payment for the Bidding Documents to our Development Bank of the Philippines (DBP) account, details as follows:

Account Name: DepEd, Division of Negros Oriental
Account Number: 0-00160-740-1

The bidder must present its proof of payment for the fees in person or email its proof of payment to this email address: **negros.oriental@deped.gov.ph**. After verification from the bank, the bidding documents will be sent through email provided that the bidder shall print the bid documents and submit them to the procuring entity as a requirement among others before the awarding of contract.

6. The **Department of Education - Schools Division of Negros Oriental** will hold a Pre-Bid Conference on **October 20, 2022, 9:00 AM** at 3rd Floor Division Conference Room, Division of Negros Oriental, Kagawasan Avenue, Capitol Area, Daro, Dumaguete City, which shall be open to prospective bidders.
7. Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before **November 2, 2022 at 9:00 AM**.
Late bids shall not be accepted.
8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
9. Bid opening shall be on **November 2, 2022 at 9:00 AM (Lots 1-7)**;

10. The **Department of Education - Schools Division of Negros Oriental** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
11. For further information, please refer to:

MARCELO K. PALISPIS, JD EdD
BAC Chairperson, OIC - ASDS
Schools Division of Negros Oriental
Kagawasan Avenue, Capitol Area, Daro
Dumaguete City, Negros Oriental 6200
(035) 225 1623 / www.depednegor.net

MARCELO K. PALISPIS, JD EdD
OIC - Asst. Schools Division of Negros Oriental
Chairperson, Bids & Awards Committee

Section II. Instructions to Bidders

Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

1. Scope of Bid

The Procuring Entity, **Department of Education - Schools Division of Negros Oriental** wishes to receive Bids for the **Provision of Technical-Vocational-Livelihood Learning Tools and Equipment (LTE)**

The Procurement Project (referred to herein as “Project”) is for **7 LOTS** the details of which are described in Section VII (Technical Specifications).

2. Funding Information

2.1 The GOP through the source of funding as indicated below for Calendar Year 2022 in the amount of **Php 6,009,098.00 (Six Million Nine Thousand Ninety Eight Pesos)**

2.2 The source of funding is NGA, the General Appropriations Act or Special Appropriations.

3. Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex “I” of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.

- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
- a. For the procurement of Non-Expendable Supplies: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least Fifty percent (50%) of the ABC.
 - b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
 - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent of least fifty percent (50%) of the ABC for this Project.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

7. Subcontracts

- 7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is allowed:

8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the **IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

10. Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within 3 years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in **Section VIII (Checklist of Technical and Financial Documents)**.
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
 - a. For Goods offered from within the Procuring Entity's country:
 - i. The price of the Goods quoted EXW (ex-works, ex-factory, ex-warehouse, ex-showroom, or off-the-shelf, as applicable);
 - ii. The cost of all customs duties and sales and other taxes already paid or payable;

- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
 - iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
- i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
 - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until Sixty (60) Calendar Days from the opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

16. Deadline for Submission of Bids

- 16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

17. Opening and Preliminary Examination of Bids

- 17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

- 17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

18. Domestic Preference

- 18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

19. Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in **Section VII (Technical Specifications)**, although the ABCs of these lots or items are indicated in the **BDS** for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.
- 19.4. The Project shall be awarded as one Project having several items that shall be awarded as one contract.

- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

20. Post-Qualification

- 20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

21. Signing of the Contract

- 21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

Section III. Bid Data Sheet

Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

Bid Data Sheet

ITB Clause		
5.3	For this purpose, contracts similar to the Project shall be those described in the BDS , and completed within the relevant period stated in the Invitation to Bid and ITB .	
7.1	No further instructions	
12	The price of the Goods shall be quoted DDP with the place of destination in the Philippines as specified in the BDS or the applicable International Commercial Terms (INCOTERMS) for this Project.	
14.1	The bid security shall be in the form of a Bid Securing Declaration, or any of the following forms and amounts:	
	Form of Bid Security	Amount of Bid Security (Equal to Percentage of the ABC)
	a. Cash or cashier's/manager's check issued by a Universal or Commercial Bank.	Two percent (2%)
	b. Bank draft/guarantee or irrevocable letter of credit issued by a Universal or Commercial Bank: Provided, however, that it shall be confirmed or authenticated by a Universal or Commercial Bank, if issued by a foreign bank.	
	c. Surety bond callable upon demand issued by a surety or insurance company duly certified by the Insurance Commission as authorized to issue such security; and/or	Five percent (5%)
	d. Any combination of the foregoing.	Proportionate to share of form with respect to total amount of security
	e. Bid Securing Declaration	No Percentage required
19.3	Project Description	Approved Budget for Contract (ABC)
	Provision of Technical-Vocational-Livelihood Learning Tools and Equipment (LTE) LOT 1: Computer Systems Servicing NCH LTE – Php 2,006,110.00 LOT 2: Landscaping & Agricultural Crop Production NCII– Php 2,088,553.00 LOT 3: Artificial Insemination NCII LTE – Php 194,250.00 LOT 4: Housekeeping LTE – Php 1,301,524.00 LOT 5: Bread & Pastry Production LTE – Php 244,096.00 LOT 6: Caregiving LTE – Php 76,975.00	Php 6,009,098.00

20.2	<p>The lowest calculated bid shall present Original Copy of the following for Post Qualification evaluation;</p> <ol style="list-style-type: none"> 1. PhilGEPS Certificate of Registration (Platinum) 2. DTI/SEC Registration Certification 3. Business/Mayor's Permit 4. Tax Clearance 5. Audited Financial Statement <p style="text-align: center;">Latest Income and Business Tax Returns, Filed and Paid through Electronic Filing and Payments System (eFPS)</p>
21.2	No Further Instructions

Section IV. General Conditions of Contract

Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

1. Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC)**.

2. Advance Payment and Terms of Payment

2.1. Advance payment of the contract amount is provided under Annex “D” of the revised 2016 IRR of RA No. 9184.

2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

3. Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC, Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

Section V. Special Conditions of Contract

Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

Special Conditions of Contract

GCC Clause	
	<p>Delivery and Documents –</p> <p>For purposes of the Contract, “EXW,” “FOB,” “FCA,” “CIF,” “CIP,” “DDP” and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:</p> <p>For Goods supplied from abroad, state: The delivery terms applicable to the Contract are DDP delivered as indicated on Paragraph 11 of Section I IB. In accordance with INCOTERMS.”</p> <p>The delivery terms applicable to this Contract are as indicated on Paragraph 11 of Section I IB. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination.”</p> <p>Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).</p> <p>For purposes of this Clause the Procuring Entity’s Representative at the Project Site is Ms. Ruby Jean Estrellita M. Bidaure AO-IV Supply Officer.</p> <p>Incidental Services –</p> <p>The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:</p> <ol style="list-style-type: none"> a. performance or supervision of on-site assembly and/or start-up of the supplied Goods; b. furnishing of tools required for assembly and/or maintenance of the supplied Goods; c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods; d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and e. training of the Procuring Entity’s personnel, at the Supplier’s plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.

	<p>The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.</p> <p>Spare Parts –</p> <p>The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:</p> <ol style="list-style-type: none"> 1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and 2. in the event of termination of production of the spare parts: <ol style="list-style-type: none"> i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested. <p>The spare parts and other components required are listed in Section VI (Schedule of Requirements) and the costs thereof are included in the contract price.</p> <p>The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of _____.</p> <p>Spare parts or components shall be supplied as promptly as possible, but in any case, within _____ months of placing the order.</p>
	<p>Packaging –</p> <p>The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods’ final destination and the absence of heavy handling facilities at all points in transit.</p>

	<p>The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity.</p> <p>The outer packaging must be clearly marked on at least four (4) sides as follows:</p> <p>Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any special handling instructions Any relevant HAZCHEM classifications</p>
	<p>A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.</p> <p>Transportation –</p> <p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.</p> <p>Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.</p>
	<p>Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine consulate to the port of dispatch. In the event that carriers of Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.</p>
	<p>The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic</p>

	Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.
	<p>Intellectual Property Rights –</p> <p>The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.</p>
2.2	The terms of payment shall be full payment upon completion of the project and all documentary requirements have been complied with.
4	The inspections and tests that will be conducted will be on-site inspection.

Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Project Description	Approved Budget for Contract (ABC)	Delivered Weeks/Month
Provision of Technical-Vocational-Livelihood Learning Tools and Equipment (LTE)		Within 60 Calendar Days from the receipt of Notice to Proceed
LOT 1: Computer Systems Servicing NCII LTE	Php 2,006,110.00	
LOT 2: Landscaping & Agricultural Crop Production NCII	Php 2,088,553.00	
LOT 3: Artificial Insemination NCII LTE	Php 194,250.00	
LOT 4: Housekeeping LTE	Php 1,301,524.00	
LOT 5: Bread & Pastry Production LTE	Php 244,096.00	
LOT 6: Caregiving LTE	Php 76,975.00	
LOT 7: Beauty Care LTE	Php 97,590.00	

Section VII. Technical Specifications

Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent.*" References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

Technical Specifications

LOT 1: Computer Systems Servicing NCII LTE – Php 2,006,110.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	Allen wrench	80	640.00	51,200.00
	<ol style="list-style-type: none"> 1. Material: chrome vanadium steel, HRC 38 to 60; 2. Set of 10 pieces: 15 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 5.5 mm, 6 mm, 8 mm, 10 mm; 3. With holder/ring to keep the set intact 4. Label of sizes engraved in each Allen wrench; 5. Smooth surfaces and no sharp edges 6. Plastic pack by set 			
unit	Anti-Static Device (Anti-static Wrist Strap)	80	180.00	14,400.00
	<p>Consists of:</p> <ol style="list-style-type: none"> a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor, b) banana plug with alligator clip for connecting to ground (or equivalent), c) at least 59" long coiled cord; d) non toxic material e) Carton box or plastic pouch packaging 			
unit	Combination Pliers, 8"	80	980.00	78,400.00
	<p>Type: Combination pliers;</p> <p>Body shape: Square nose</p> <p>Material: Chrome vanadium/forged steel</p> <p>Length: 9 inches (minimum)</p> <p>Insulation range: 1000 volts (etched on the handle) Design: Square nose with serrated jaw</p> <p>Comes with nickel plated finish, side cutter and insula Must be branded (Brand must etched either in the handle)</p>			
unit	Crimping Tools (RJ11/45)	80	630	50,400.00
	<ol style="list-style-type: none"> 1. Ratchet Crimp Tool 2. ALL-IN-ONE tool that can strip, cut, and crimp 3. lightweight steel frame 4. RJ-11/45 Compatible 5. Positions for 8P/8C, 6P/6C and 4C Connectors 6. Lightweight, compact, and durable 7. Smooth surface and no sharp edges except cutting 8. Carton box packaging 			
unit	Desoldering pump	80	350	28,000.00
	<ol style="list-style-type: none"> 1. Material: Plastic or aluminum housing; 2. Replaceable heat-resistant plastic tip; 3. Length: Minimum of 6 inches; 4. Effective in removing solder; 5. Smooth surface and no sharp edges 6. Carton or plastic packaging 			
unit	Electric Drill, Portable	10	502	5,020.00
	<p>Type: Electric power</p> <p>Material: Hard plastic</p> <p>Rated voltage: 220/240 volts, AC 60 Hz</p> <p>Power in watts: 550 to 650 watts Speed: Variable</p> <p>Chuck capacity: 2 to 13 mm</p> <p>Power cord must have flat blade attachment plug (Type A plug)</p> <p>Comes with HSS Drill bits: 2mm 4pcs. 4 mm 4pcs. 6 mm 4pcs. 8 mm 4pcs. 10 mm 4pcs. 12 mm 4pcs. 12.5 mm 4pcs. Total-(28 pcs) Masonry drill bits; 4</p>			

	<p>mm 2pcs.6 mm 2pcs. 8 mm 2pcs. 10 mm 2pcs. 12 mm 2pcs. Total-(10 pcs.) With hammer function for concrete drilling Comes with English user's manual Includes of the following: a. a diagram of the parts with label; b. assembly instructions; c. operating procedures d. safety precautions when using the equipment; e. basic troubleshooting and maintenance procedures. Warranty period of parts and service: 1 year</p>			
unit	External Optical Drive	70	420	29,400.00
	<p>1. Interface: USB 3.0 or better; 2. Compatibility: Windows 2000, XP, Vista, 7, 8, 10, Apple better; 3. Read Speed: at least 8x DVD, at least 24x CD; 4. Write Speed: at least 4x DVD, at least 16x CD; 5. Package includes: a) 1 x External optical drive, b) 1 x USB Power Cable, c) 1 x USB Data Cable, 6. Item size: 5.4"x 5.51"x0.63"(L x W x H) approximate 7. Metal or hard plastic casing 8. Smooth surface and no sharp edges 9. Carton box packaging 10. With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures 11. With Service centers located in major cities in the Philippines.</p>			
unit	Flash Drive	80	320	25,600.00
	<p>1. Capacity: 32 GB: 2. Connectivity: USB 3.0, Backward-Compatible with USB 2.0, Plug and Play: 3. Device/OS compatibility: Windows Vista, Windows 7, 8, 10, Mac OS 10.6+ or later versions, 4. Form: Swivel type or with cover 5. Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67 mm) approximate 6. Metal or hard plastic casing 7. Smooth surface and no sharp edges 8. Carton and/or plastic packaging 9. User's Guide on name of parts, connection guide, maintenance safety precautions.</p>			
unit	Flashlight, Head-mounted	30	150	4,500.00
	<p>1. Type: Rechargeable, Head mounted LED flashlight; 2. Minimum of 160 lumens; 3. Beam Distance: minimum of 150 meters; 4. Includes 220 V AC Charger/Power Adaptor (or equivalent); 5. Charging time: 3-6 hours; 6. Provides up to 30 hours (minimum) of constant light on a single full charge 7. Approximate Size: 60x 30mm 8. Smooth surface and no sharp edges 9. Carton box or plastic pouch packaging. 10. With User's Manual In English which includes: a. a diagram of the parts with their names, b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures.</p>			
unit	hub/Switch	80	523	41,840.00
	<p>1. Standards and Protocols: IEEE 802.3, IEEE802.3u, IEEE802.3X CSMA 2. Interface: 8 10/100Mbps Ports, Auto-Negotiation, Auto-MDI/MDIX</p>			

	<p>3. External Power Supply Adapter: 100-240VAC, 50/60Hz 4. Fanless 5. Data Rates: 10/100Mbps at Half Duplex; 20/200Mbps at Full Duplex 6.LED indicator: Power, 1, 2, 3, 4, 5, 6, 7, 8 7. Dimensions: 5.3 x 3.1 x 0.9 in. (134.5 x 79 x 22.5mm) (Approx.) 8. Transfer Method: Store and Forward 9. Advance Functions: Green Technology, saving power up to 73% ; 8C Flow Control, Back Pressure; Auto-Uplink Every Port 10. Certification: FCC, CE, RoHS 11. Package Contents: 8-Port 10/100Mbps Desktop Switch, Power Adapter, User Guide 12. System Requirements: Microsoft Windows 98SE, NT, 2000, XP, or Windows 7, Windows 8, Mac OS, Netware, Unix or Linux. 13. Operating Temperature: 0°C-40°C (32°F-104°F) 14. Storage Temperature: -40°C-70°C (-40°F-158°F) 15. Operating Humidity: 10%-90% non-condensing 16. Storage Humidity: 5%-90% non-condensing 17. Dimension: 141.5 x 78.5 x 23.8 mm (5.57 x 3.09 x 0.94 inches)approximate 18. Metal or hard plastic casing 19 Smooth surface and no sharp edges</p>			
unit	Lan Cable tester	30	231	6,930.00
	<p>1 Cable Tester with LED indication for RI12, RJ11, RJ45, CatSe, Cats,10/100 Base-T, 2 Main tester: 1-2-3-4-5-6-7-8-G; 3 Remote tester: 1-4-3-2-5-6-7-8-G; 4 Power supply: 9V battery (included); a. a diagram of the parts with their names, d. basic troubleshooting and maintenance procedures. 10. Size: 103x100x30mm/4.06x0.39x1.18in approximate 11. Smooth surface and no sharp edges 5 Capable of testing crossover, straight-through, and rollover cables; 6 Includes plastic case or pouch; 7 With User's Manual in English which includes: a. a diagram of the parts with their names b. operating procedures c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures. 9. Material: ABS 10. Size: 103x100x30mm/4.06x0.39x1.18in approximate 11. Smooth surface and no sharp edges</p>			
Unit	Long nose pliers, 8"	80	204	16,320.00
	<p>1 Material: chrome vanadium steel, HRC 38 to 60; 2 Length: 7 inches (minimum); 3 Handle type: curved handle with rubber cushion for easy grip: 4 Jaws type: knurled and long tempered; 5 Comes with hardened cutting edges and chrome-nickel finish. 6. Smooth surface and no sharp edges 7. Carton or plastic packaging</p>			
unit	Multimeter, digital	90	521	46,890.00
	<p>Material: Plastic casing Main functions: Auto Range/Data hold/Back light/ LED lamp/Diode test/Triode test/Continuity/ Over load protection/Low Battery Indication/Auto Power Off/Short-circuit protection. Display: True RMS, 6000 counts, 3 5/6 digits Overload Display: Display OL DC Voltage 600mV/6V/60V/600V(0.5%+3), 1000V (0.5%+3) AC Voltage 600mV/6V/60V/600V/750V (0.8%+5) DC Current</p>			

	600A/6000A/60mA/600mA/10A (1.2%+3) AC Current 600A/6000A/60mA/600mA/10A (1.5%+3) Resistance 600/6K/60K/600K/(1.0%+3) 6M/60M (1.5%+3) Capacitance 10nf/100nf/1000nf/10uf/100uf/1000uf (4.0%+5),10MF/100MF(5.0%+5) Frequency/Duty 10Hz/100Hz/1000Hz/10kHz/100kHz/1000kHz (1.0%+3), 10MHz/ (3.0%+3) Package Content (a) 1 x Digital Multimeter, (b.) 1 x Test Leads, (c) 2x1 5V (AA or AAA) Battery, (d) 1 x User manual in English, operating procedures, safety precautions when using the equipment, basic troubleshooting and maintenance procedures, (e.) 1 x Temperature Probe (Thermocouple) With Safety Level/Certification: IEC, CE or equivalent With carton box			
unit	Patch panel (48 ports)	130	3689	479,570.00
	1. Network Patch Panel Patch Panel 3. CAT6 Cable 4. Material: ABS Plastic 5. Application UTP(Unshielded) 6. Certification: ROHS, ISO, CE 7. RJ45 Connector: two rows (1-24 ports & 25-48 ports) 8. Transport package: 1PCS/Box 9. Smooth surface and no sharp edges	2. 48 port		
unit	Video Camera	5	440	2,200.00
	1) 5.0 Mega Pixel Web Camera, USB-type; Microphone for Laptop and Desktop PC use, 3) Resolution: at least 640 x 480; 4) Support Windows XP/7/8/equivalent Mac OS or later versions; 5) With User's Manual in English which includes: a) a diagram of the parts with their names, b) operating procedures c) basic troubleshooting and maintenance procedures. 6) Hard or metal casing 7) Smooth surface and no sharp edges 8) Carton or plastic packaging	2) With		
set	Philip's screwdriver 8" insulated	80	241	19,280.00
	1. Shank Material: chrome vanadium steel, HRC 38 to 60; 2. Handle Material Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000VAC/1500VDC, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging			
set	Precision Screwdriver set	30	280	8,400.00
	1. Material: Hardened and tempered steel, 2. 1 set comes with the following. a) 3 x Phillips tip No. 00, 0, and 1, b) 6 x Standard tip No. 1, 12, 14, 18, 2.4, and 3.0; c) 1 x Awl; d) 1 x Magnet, e) plastic storage case, 3. Non-slip design handle			
unit	Soldering Iron, 60 w	80	324	25,920.00
	1. Type: Iron rod 2 Voltage: 220/240VAC, 60Hz, Single phase; Power: 60W (minimum) 4. Body Length: 8.3 inches (21 cm) approximate 5. Cord Length: 1.5 meters (minimum) 6. Handle: Plastic; (non slip handle) 7. With user's manual written in English that contains user's guide, operating procedure, parts with description, safety procedure, and maintenance; 8. Interchangeable copper tip: 9. Should	3.		

	have available spare parts nationwide for a minimum period of 5 years; 10. Carton and/or plastic packaging			
unit	Standard screwdriver (flat) 8" insulated	80	205	16,400.00
	1. Shank Material: chrome vanadium steel, HRC 38 to 60; 2. Handle Material: Molded Plastic 3. Overall length: 8 inches (minimum) 4. Insulation protection (including shank): 1000v, VDE Certified (or its equivalent) 5. Non slip handle design 6. Carton or plastic packaging			
unit	Unalterable power supply	80	4578	366,240.00
	The item shall have the following specifications: 1. Type: Battery (included): Lithium ion battery or Maintenance-free sealed Lead Acid battery with suspended electrolyte: leakproof 2. Voltage: Nominal Input Voltage: 230V, 50/60 Hz 3. Output Power Capacity: 600VA (minimum) 4. Output Connections 2 Universal Receptacle (minimum) 5. Cord Length: 1 meter (minimum) 6. Maximum Input Current: 5A 7. Protection: Overload, Short Circuit, Over Discharge & Over Charge 8. Transfer Time: 10ms maximum 9. Size (Approx.): (H) 223mm x (W) 143mm x (D) 347mm 10. Metal and/or hard plastic casing 11. Smooth surface and no sharp edges 12. Carton box packaging 13. With User's Manual in English which includes: a. a diagram of the parts with their names, b. operating procedures/ wire connections c. safety precautions when using the equipment, d. basic troubleshooting and maintenance procedures.			
unit	USB External HD	5	6012	30,060.00
	1) 1TB Portable/External Hard Drive t 2) Application: Laptop / Desktop PC 3) Interface Type: SATAI 4) Installation: Mobile 5) Capacity: 1000GB(Windows Display about 298GB) 6) Size(mm): 14.29 x 80.01 x 17.60 (Approx.) 7) Metal Casing 8) Comes with USB 3.0 cable (18 inch minimum) 9) User's manual (English) on name of parts, user's guide, wiring connection, safety precautions and maintenance 10) Smooth surface and no sharp edges 11) Optional Colors: Black 12) Carton box or plastic pouch packaging			
unit	Wire Stripper	30	278	8,340.00
	Type: Spring-loaded self opening. Body shape: Long jaw with slot Blade material: Hardened alloy steel (sharp edges to strip and cut the wires) Wires to be stripped: 10 AWG to 24 AWG Length: 7 inches (minimum) Comes with automatic self-adjusting spring, crimping slot, and hard plastic handle Must be branded			
unit	Wireless Access Point	80	2234	178,720.00
	Type: Wireless access point Dual band WIFI Band/Data Transfer Rate 867 Mbps at 5 GHz and 300 Mbps at 2.4GHz band Operating Modes: Access Point (AP), Bridge, Wireless Client, Repeater Interface: One 10/100M Ethernet Port(RJ45), Support Passive			

	PoE Power On/Off Button and Reset Button Comes with External Power Supply SVDC 12VDC/0.5A-1.0A Dimensions (LxWxD): (76-191 x47-125 x30-68mm) Comes with at least 2 Antenna (External detachable) Operating Temperature: 0°C~40°C Storage Temperature: -40°C~60°C Operating Humidity: 10%~90% non-condensing Storage Humidity: non-condensing System Requirements: Microsoft Windows 98SE, NT, 2000, XP, Vista™ or Windows 7, 10, MAC OS, NetWare, UNIX or Linux. Wireless Security (any): 64/128/152-bit WEP/WPA/WPA2 WPA-PSK/WPA2-PSK Protocols: Supports IPv4 and/or IPv6 Plastic or metal casing The item must be branded. With User's Manual in English which includes: <ul style="list-style-type: none"> a. operating procedures, b. safety precautions when using the equipment, c. basic troubleshooting and maintenance procedures. Carton box packaging 			
unit	Working Tables	80	5901	472,080.00
	Type: Wood Top Table Shape: Rectangle Legs material: Heavy duty steel frame Wood top thickness: 1.5" thick (minimum) with flat surface Dimensions (L x W): 48" x 24" (minimum), Adjustable steel legs 2:42" (adjustable at least 7" height difference) Load capacity: 500 lbs. (minimum) No sharp edges			
		TOTAL ABC		2,006,110.00

To be delivered to Division of Negros Oriental

I hereby certify to comply with all the above Technical Specifications.

Name of Company/Bidder

Signature over Printed Name

Date

LOT 2: Landscaping & Agricultural Crop Production NCII– Php 2,088,553.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
pair	Bolo	100	260.00	26,000.00
	<i>Type: Garden Bolo Material: Forged Steel, Carbon steel Overall length: 17 inches (minimum) Blade length: 12 inches (minimum) Thickness: 1/8inch. (minimum) Width: 2 1/4inches widest (minimum) 1 3/4inches narrowest (m Handle: hardwood with metal bolster Head weight: 1 kg. (minimum) Length handle: 24 inches (minimum) Comes with hardwood handle Comes with carton box Rust free</i>			
unit	Container, 15 liters cap.	40	234.00	9,360.00
	<i>Type: Container Body shape: Material: Polypropylene Dimensions: Length: 40 cm (minimum) Width: 28 cm (minimum) Height: 19 cm (minimum) Capacity: 15 liters (minimum) Non toxic</i>			
unit	Hoe light (Digging tool)	60	823.00	49,380.00
	<i>Hoe Material: Carbon Steel, 1/16 inch thick (minimum) Draw hoe type Hoe Length: 6 1/2 inch (minimum) Hoe Width: 4 1/2 inch (minimum) Length at least 48 inches Handle: Hard Wood Branded"</i>			
unit	knife, budding (cutting tool)	100	376	37,600.00
	<i>Type: Budding Body shape: Material Blade: Stainless steel Thickness: 1 mm (minimum) Blade Length: 6 cm (minimum) Overall length: 17 cm (minimum) With a folding brass lifter and plastichandle No sharp edges except the blade Packaging optional</i>			
unit	Knife, Picking (cutting tool)	20	702.00	14,040.00
	<i>Type: Vegetable Body shape: Material: High Carbon steel Overall length: 8.5 inches (minimum) Handle material: with soft grip handle cover Handle comes with open/close clip for easy and safe storage Comes with carton box No sharp edges except the blade Packaging optional Must be branded</i>			
unit	Mask dust	50	364	18,200.00
	<i>Type: Mask for dusts Material: Surgical dust/face mask, non woven fabric, with elastic straps Dimension: (approximate): L 6.7 inches x W 3.7 inches No loose fibers and sharp edges Comes with plastic pouch</i>			
unit	Petri dish	50	345.00	17,250.00
	<i>Type: Plastic Body shape: Circular</i>			

	<p><i>Material: Polypropylene plastic</i> <i>Inside Diameter: 150 mm (minimum)</i> <i>Depth: 17 mm (minimum)</i> <i>Thickness: 1.5 mm (minimum)</i> <i>Comes with optically clear and flat bottom Comes with carton box</i> <i>Must be branded</i></p>			
unit	Pick Mattock (digging tool)	20	2915.00	58,300.00
	<p><i>Material: Forged Carbon steel Blade-2 inches(minimum)</i> <i>Pick axe length=6 inches (minimum) Head capacity(Permanently etch on the head): 2.0 pounds</i> <i>With wooden handle</i> <i>Handle length: 20 inches (minimum)</i> <i>The head must be press fitted for maximum safety Branded</i></p>			
unit	Rake	25	554	13,850.00
	<p><i>Tine material:Forged Carbon steel</i> <i>Tine number: 10 to 12 tines Handle length: 4 ft (minimum)</i> <i>Tine height: 2 3/4 inches (minimum)</i> <i>Comes with hard wood handle</i> <i>Design with welded blade socket Garden rake type</i></p>			
unit	Scissors	100	207.00	20,700.00
	<p><i>Type: Scissors</i> <i>Body Shape: Standard Shape Material: Stainless stell with soft grip handle</i> <i>Length: 8 inches (minimum)</i> <i>and sharp for cutting paper and fabric Comes with carton box</i> <i>No sharp edges except on the blade</i> <i>The itern must be branded and have good quality</i></p>			
unit	Shears, Pruning	100	702.00	70,200.00
	<p><i>Blade material: Forged steel Cutting capacity:1 inch(minimum)</i> <i>Total length 7 inches minimum</i> <i>With non slip grip handle</i> <i>Multifunctional labor type Packed with shipping carton box</i></p>			
pairs	Shovel	30	1806.00	54,180.00
	<p><i>Type: Round nose</i> <i>Body shape:</i> <i>Material: High carbon steel plate</i> <i>Blade thickness: 1.9 mm (minimum)</i> <i>Handle type and material: D-type, Hardwood</i> <i>Width blade: 8.5 inches (minimum)</i> <i>Handle length: 29 inches (minimum) Overall length: 40 inches (minimum)</i> <i>No sharp edges</i> <i>Must be branded</i></p>			
unit	Sprayer, knapsack	40	2803.00	112,120.00
	<p><i>Material: Stainless Steel</i> <i>Capacity: 4 gallons to 5 gallons</i> <i>Back pack type</i> <i>Operating/workingpressure range: 2-4 bars(15-60 psi)</i> <i>Comes with complete accessories including the nozzle,rubber hose connectors pumping lever and shoulder straps.</i> <i>With User's Manual in English which includes:</i> <i>a parts manual with labels, b. assembly Instructions,</i> <i>c. operating procedures,</i> <i>d. safety precautions when using the equipment,</i> <i>Warranty period of parts and service: 1 year</i> <i>Packed with shipping carton box</i> <i>Branded</i></p>			
unit	Sprinkler	50	2413.00	120,650.00
	<p><i>Material: Hard plastic, 1.5 mm thick (minimum)</i> <i>Capacity: 12 liters(minimum) Comes with handle and spout</i></p>			

	Non toxic Branded"			
unit	Step Ladder	20	7517.00	150,340.00
	Material aluminum U channel Capacity 250 lbs (minimum) Type: Flatform type Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum) Width 15 inches minimum Spread 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes a parts manual with labels, b. assembly instructions, Branded			
unit	Transplanting tools	200	1615.00	323,000.00
	Type: Transplantly Body shape: Material: Carbon steel Size 5.5 cm bottom diameter x 23 cm Height (minimum) Thickness: 3 mm (minimum) Total length: 23 cm With serrated end Comes with plastic handle No sharp edges Comes with carton box			
unit	Tray, Seeding	50	65.00	3,250.00
	Type: Plastic Body shape: Rectangular Material: Hard plastic Lenght 24 inches (minimum) Width 12 inches (minimum) Depth 1.5 inches (minimum) Capacity 100 seedlings (minimum) Hole diameter 1.5 inches (minimum) No damage Packing optional Must be painted			
unit	Trowel, hand	200	506.00	101,200.00
	Type: Garden trowel Material: Carbon Steel Thickness: 0.80 mm (minimum) Blade width 8 cm(minimum) Blade length: 13 cm(minimum) Length including the handle: 30 cm (minimum) Branded			
unit	Garden Hoe	50	442.00	22,100.00
	Hoe Material: Carbon Steel 1/16 inch thick(minimum) Draw hoe type Hoe Length: 6 1/2 inch (minimum) Hoe Width: 4 1/2 inch (minimum) Length at least 48 inches Handle Hard Wood Branded			
unit	Hand Sprayer	50	376.00	18,800.00
	Material Plastic Capacity: 1 liter(minimum) Thickness 1mm(minimum) With hand pump handle Trigger type Packed with shipping carton box			
unit	Harvesting pole	130	559.00	72,670.00
	Pole material Fiberglass Pole diameter 1 Inch(minimum) Length of the extendable pole: 12 feet(minimum) Fruit basket dimension+C48 Diameter-5 inch (minimum) Height 10 inches(minimum) Fruit basket material Heavy gauge vinyl coated wire basket			

	Can pick fruit by grab and pull action Manual type			
unit	Hedge shear	50	1159.00	57,950.00
	Blade material: Carbon steel Blade size Length-225 mm (minimum) Width-45mm(minimum) Thick-4mm (minimum) Overall length: 700mm Wooden handle with ferrule Non corrosive Packed with protective carton box Must be branded"			
unit	hole digger	50	844.00	42,200.00
	Blade Material: Carbon steel 1/16 inch thick (minimum) Handle Material: Hardwood Handle length: 4 feet (minimum) jaw digger/Blade width dimension: 4 inches (minimum) Blade length: 8 inches (minimum) Blade spread: 5 inches (minimum) Manual post hole digger type			
unit	knapsack sprayer	15	4511	67,665.00
	Material: Stainless Steel Capacity: 4 gallons to 5 gallons Back pack type Operating/working pressure range 2 4 bars(15-60 psi) Comes with complete accessories including the nozzle, rubber hose, connectors pumping lever and shoulder straps. With User's Manual in English which includes a parts manual with labels, b. assembly instructions, c. operating procedures, d. safety precautions when using the equipment, Warranty period of parts and service: 1 year Packed with shipping carton box branded			
	Measuring cup	20	197	3,940.00
	Material: Translucent Plastic Capacity: 250ml Graduation 25ml Inner Dimension: 7cm (minimum)			
	Ph meter	60	315	18,900.00
	Portable digital pen type, with retractable electrode: waterproof With one bottle of pH 7.0 buffer solution Features a bold LCD display of pH Supplied with protective cap, calibration screwdriver portable hard carry case and battery Operation manual (instruction and lab manual) Measures the pH of a substance or solution indicating its acidity or alkalinity			
	Pick Mattock	50	1199	59,950.00
	Material Forged Carbon steel Blade-2 Inches(minimum) Pick ane length-6 Inches(minimum) Head capacity(Permanently etch on the head): 2.0 pounds With wooden handle Handle length: 20 Inches(minimum) The head must be press fitted for maximum safety			
	Container, 15 liters cap.	150	714	107,100.00
	Blade material: Forged steel Cutting capacity:1 inch(minimum) Total length 7 inches minimum With non slip grip handle Multifunctional labor type Packed with shipping carton box			
	Rake	20	627	12,540.00

	Tine material Forged Carbon steel Tine number: 10 to 12 tines Handle length: 4 ft (minimum) Tine height: 2 3/4 inches (minimum) Comes with hard wood handle Design with welded blade socket Garden rake type			
	Scissors	100	299	29,900.00
	Type Scissors Body Shape Standard Shape Material Stainless steel with soft grip handle Length 8 inches (minimum) Well-polished and sharp for cutting paper and fabric Comes with carton box No sharp edges except on the blade The item must be branded and have good quality			
	Shovel	20	273	5,460.00
	Type: Round nose Body shape: Material High carbon steel plate Blade thickness: 1.9 mm (minimum) Handle type and material: D-type, Hardwood Width blade: 8.5 inches (minimum) Handle length 29 inches (minimum) Overall length: 40 inches (minimum) No sharp edges Must be branded			
	Soil Auger	10	1979	19,790.00
	Auger blade material Carbon steel Auger Blade diameter 23/4 inch (minimum) Length of the blade 10 inches(minimum) Overall length including the handle 4 feet(minimum) Hand auger type Packed with protective carton box			
	Soil Moisture meter	10	2266.5	22,665.00
	Body material Hard plastic Probe length: 9 cm minimum With pH,Light and Moisture readout scale pH meter value ranges from 3.5 to 8 Moisture humidity value ranges from 1 to 10 Comes with storage box With User's Manual in English which includes: a parts manual with labels, b. Operating procedure on how to use the equipment C. Safety precaution when using the equipment d. Basic troubleshooting and maintenance procedure.			
	Steel tape	15	1200	18,000.00
	Body material Hard plastic Probe length: 9 cm minimum With pH,Light and Moisture readout scale pH meter value ranges from 3.5 to 8 Moisture humidity value ranges from 1 to 10 Comes with storage box With User's Manual in English which includes: a parts manual with labels, b. Operating procedure on how to use the equipment Safety precaution when using the equipment d. Basic troubleshooting and maintenance procedure.			

Landscaping

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
------	------------------	----------	---------------------	------------

pcs	Blower	1	3,194.00	3,194.00
	Type Handheld Engine: Two stroke single cylinder Gasoline engine Engine power: 25 cc (minimum), Pull start Air volume up to 410 cfm Air speed up to 180 mph Must be branded			
pcs	Bow saw	5	737	3,685.00
	Tubular painted steel frame Size: 24 inches blade Comes with Comfortable ergonomic handle include tensioning mechanism Must be branded			
pcs	Claw hammer 16oz	15	621.00	9,315.00
	Type: Claw Head Material: Drop forged Carbon steel Handle material: Hard wood Size: 16oz head, 12 inches Handle (minimum) Must be branded			
pcs	Fork	10	741	7,410.00
	Type: Fork Head material: Carbon steel Handle material: Hardwood Four Tines head, D grip handle Size: Overall length: 100 cm (minimum) Must be branded			
unit	Gun tacker	5	503.00	2,515.00
	Material: Chrome plated steel Staple size: 10 mm Comes with spring loaded adjustable mechanism Must be branded			
unit	Hand trowel	10	361.00	3,610.00
	Material: Carbon steel Ergonomic Rubber grip Size: Length;13.5 inches x Width; 3.5 inches (minimum) Must be branded			
unit	Hedge trimmer	10	1658	16,580.00
	Blade material: Carbon steel Handle material: Wood Handle length: 260 mm (minimum) Total length: 580 mm (minimum) Must be branded			
unit	Hole digger	5	1115	5,575.00
	Type: Manual Head material: Steel Handle material: Fiberglass with cushion grips handle Head size: 1.12 inches x W 6 inches (minimum) Handle size: 48 inches (minimum) Must be branded			
unit	Knapack Sprayer	5	3429.00	17,145.00
	Material: Stainless Steel Capacity: 4 gallons to 5 gallons Back pack type Operating/working pressure range: 2-4 bars(15-60 psi) Comes with complete accessories Including the nozzle, rubber, hose, connectors pumping lever and shoulder straps. With User's Manual in English which includes: a. parts manual with labels,			

	<i>b. assembly instructions, c. operating procedures, d. safety precautions when using the equipment, Warranty period of parts and service: 1 year Packed with shipping carton box Branded</i>			
pairs	Ladder	5	19081.00	95,405.00
	Type: Extension Ladder Material: Aluminum Size: 24 ft extension 21 ft. (minimum) Load Capacity: 225 lb (minimum) Bottom width: 17 1/2 inches (minimum) Close height: 24 ft (minimum) Section Length: 8 ft Shoe design: Swivel Rung shape: D-rung Step spacing: 12 inches Adjustable spacing: 12 inches Must be branded			
unit	Leaf rake	15	757.00	11,355.00
	Type: Rake Head material: Painted Carbon steel Handle material: Fiberglass with non Slip end grip Handle length: 50 inches long (minimum) Head width: 24 inches (minimum) Comes with 26 tines (minimum) Must be branded			
unit	Loping shear	5	1586.00	7,930.00
	Material Steel With cushion grip handle overall Overall length: 25 inches (minimum) Must be branded			
pcs	Mallet	10	403.00	4,030.00
	Type: Hammer Head material: Hard black rubber Handle material: Fiberglass with rubber coated handle Head size: 16 oz/ 450g Length: 13 inches (minimum) Must be branded			
pcs	Meter tape (5 meter)	10	387.00	3,870.00
	Materials: Rubber, Plastic, Steel tape Steel tape length: 5 meters Dual graduations: Metric and Inches Comes with Self retracting steel tape, Magnetic hook, Lock and go function and with belt clip Must be branded			
pcs	Meter tape (50 meters)	5	993.00	4,965.00
	Casing Material: High impact ABS plastic Blade material: Fiberglass Blade length: 50 meters/165 ft. (minimum) Blade width: 12.5 mm (minimum) Comes with Retractable folded handle Must be branded			
pcs	Ordinary rake	8	465.00	3,720.00
	Type: Rake Head material: Carbon steel Handle material: Hard wood Number of tines: 16 (minimum) Handle Length: 60 inches (minimum) Must be branded			
pcs	Pick Mattock	5	1274.00	6,370.00
	Hoe Material: Carbon Steel 1/16 inch thick(minimum) Draw hoe type Hoe Length: 6 1/2 inch (minimum) Hoe Width: 4 1/2 inch (minimum)			

	Length at least 48 inches Handle Hard Wood Branded			
pcs	Pruning saw	10	909.00	9,090.00
	Type: Saw Material: Hardened chrome plated steel Ergonomic handle Saw length: 400 mm (minimum) Overall length: 530 mm Blade width: 45 mm (minimum) Blade thickness: 1.2 mm (minimum) Must be branded			
pcs	Pruning Shears	10	655.00	6,550.00
	Blade material: Forged steel Cutting capacity: 1 inch (minimum) Total length 7 inches minimum With non slip grip handle Multifunctional labor type Packed with shipping carton box			
pcs	Roller	5	5062.00	25,310.00
	Type: Lawn roller Material: Painted metal Roller size: Width 50 cm x Dia. 42 cm (minimum) Comes with drain plug, scraper bar and Soft grip folded handle Must be branded			
pcs	Shovel	10	246.00	2,460.00
	Type: Round nose Body shape: Material: High carbon steel plate Blade thickness: 1.9 mm (minimum) Handle type and material: D-type, Hardwood Width blade: 8.5 inches (minimum) Handle length: 29 inches (minimum) Overall length: 40 inches (minimum) No sharp edge Must be branded			
pcs	Soil drencher accessories and fittings	2	4682	9,364.00
	Material: PVC, Polyester fiber Size: 12 mm x 30 meters Includes 1. Spray jet nozzle, 2. Female connector, 3. Threaded tap connector Must be branded			
pcs	Spade	10	1275	12,750.00
	Head material: Tempered steel Handle material: Hard wood Blade size: L 11 x W 7 inches (minimum) Handle size: 30 inches (minimum) Square point blade and D grip handle Must be branded			
pcs	Stone rake	10	1224	12,240.00
	Portable digital pen type, with retractable electrode: waterproof With one bottle of pH 7.0 buffer solution Features a bold LCD display of pH Supplied with protective cap, calibration screwdriver portable hard carry case and battery Operation manual (instruction and lab manual) Measures the pH of a substance or solution indicating its acidity or alkalinity			
unit	Wheel barrow	5	4973	24,865.00
	Material: Painted metal Load capacity: 200 kgs (minimum) Tire thickness: 12 mm (minimum) Comes with Pneumatic wheel and rubber grip handle Must be branded			
			TOTAL ABC	309,303.00

To be delivered to Division of Negros Oriental.

I hereby certify to comply with all the above Technical Specifications.

Name of Company/Bidder

Signature over Printed Name

Date

LOT 3: Artificial Insemination NCII LTE – Php 194,250.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
kit	Ai kit	16	3900	62,400.00
	Material: Plastic Type: Ai kit Ai kit Includes 1 Durable plastic case Dimensions: Length:18 inches (minimum) Wide 8 inches (minimum) Deep:8 3/4 inches (minimum) 1 Glass lined thermos with thermometer (Celsius) 50 French sheaths (split w/green insert) 1 Straw tweezer (plastic) 2 Lubricating jelly 5oz tubes 200 Super Sensitive Insemination gloves 1 Standard A.I. Gun (B6-3200) for-50cc straws Comes with carton box			
pcs	Apron	15	513.00	7,695.00
	Type: Bib apron Materials: Polyester-cotton fabric Length: 28 inches minimum Width: 24 inches minimum With 2 pockets Color: Any color			
pcs	Bull lead	6	1,600.00	9,600.00
	Material: steel Bull lead with chain 13 1/2 inches minimum Handle heavy duty: 13 1/2 inches chain Nose piece 2 1/2 inches x 1 inch. Across center Usage: for leading, controlling bulls			
pcs	Catheter	25	208.00	5,200.00
	Material: Plastic, PE Tip head diameter: 6.5 mm, minimum Thickness 1 mm, minimum Length: 500 mm, minimum Tube diameter: 6 mm, minimum			
unit	Fire Extinguisher (with contents)	4	2,080.00	8,320.00
	1.For Type A, B, C Fire Dry Chemicals (Monoammonium Phosphate) 2.Portable type 3.Capacity 5-6 kgs 4.Rechargeable Cylinder Metal 5 Working pressure of Cylinder 400 psi 6. Brass Valve with Pressure Gage 7 With Rubberized Hose and Aluminum Nozzle Attached 8.With Squeeze lever to discharge and safety pin 10 Painted with Metal Primer and Red Enamel Paint 11.Includes with User's Guide in English that contains: a. Operating procedure on how to use the equipment b. Safety precaution when using the equipment 12 1 year warranty parts and service 13. The item must be branded and have good quality			
kit	First aid kit	8	4,500.00	36,000.00
	Type Emergency case: Body shape: Standard, First Aid Quick Reference Guide, 1pc Sterile Gauge Swab(4 x4 x12 ply) 100 pcs./pack, 1 pack Adhesive strips/Band-Aid, 50 pcs/pack, 2packs Gloves disposable medium size 2 pairs Hypo Allergenic adhesive tape, 5cm x 5cm, 2 rolls Triangular bandage/arm sling, min 90cm x 90cmx 120cm, 2pcs Safety pins, 1 1/4 inches (12 pcs), 13/4 inches (12 pcs)			

	<p>Stainless steel bandage scissors, 2pcs Betadine, 60ml, 2 3 years expiration, 2 bottles Dust mask, 2pcs Hand towels or face towels, white color, 6 pcs Gauze bandage, minimum 5cm x 4cm, 2 rolls Antiseptic handwash/germicidal soap, 60 gms, 2pcs Torniquet, 2 pcs Spirit of ammonia, 30ml, 2-3 years expiration, 1 bottle Burn cream ointment, 20g to 30g, 2-3years expiration, 1 tube Medical tweezers min. 8cm, plastic 2pcs Plastic bags, releasable, minimum of 24pcs,100mmx180mm,24pcs, 150mmx230mm Cotton balls 50 balls in a sealed package, 2 packs Hot and Cold pack, reusable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items All items shall be branded and have quality Control markings(local/international)</p>			
unit	microscope	2	18,828.00	37,656.00
	<p>Material: Aluminum die casted Type: Compound Eyepiece: Glass lens locked-wide field, 10X with pointer, and with own separate plastic storage case includes an extra 15X eyepiece Nosepiece: Quadruple with accurate centering and click stops Objectives: Achromatic objectives are par focal, parcentered, color coded, with own separate plastic storage case Stage Built in graduated mechanical stage with stage clips and knobs of 120 x 120mm (minimum size) for easy and smooth scan of specimen slide over range of 30 x 60mm (minimum size) Condenser: 400x lens with iris diaphragm Focus Dual coarse controls with slip clutch and adjustable tensioning, dual lever type line focus controls adjustable safety stops Give sharp, clear, well-lighted images Mirror: 50mm, 2 sided, plan- concave with halogen lamp, switch on/off, safety device and cable for 220VAC rated voltage with wooden storage case, Includes with User's Guide in English that contain a. Diagram of the parts with their names b. Operating procedure on how to use the equipment Comes with wooden box w/lock No sharp edges</p>			
pcs	plastic gloves (surgical and shoulder length	10	578	5,780.00
	<p>Material Polyethylene chemical resistant Type Hand glove Total shoulder length:600mm (minimum) Thickness 1mm (minimum) Comes with plastic pouch Non toxic</p>			
pair	Rubber boots	10	685.00	6,850.00
	<p>Material: Rubber Type: Rubber boots Upper material: Elastic PVC Sizes 6 inches 2 pairs, 7inches-3 pairs, 8inches: 3 pairs, 9inches-2 pairs, 10inches-2 pairs Comes with carton box</p>			
pcs	Shovel	2	649.00	1,298.00
	<p>Type: Round nose Body shape Material: High carbon steel plate Blade thickness: 1.9 mm (minimum) Handle type and material: D-type, Width blade: 8.5 inches (minimum) Hardwood Handle length: 29 inches (minimum)</p>			

	Overall length: 40 inches (minimum) No sharp edges Must be branded			
unit	wheel barrow	2	3,350.00	6,700.00
	Material: Painted metal Load capacity 200 kgs (minimum) Try thickness: 1.2 mm (minimum) Comes with Pneumatic wheel and rubber grip handle Must be branded			
unit	white board	2	3375.5	6,751.00
	White board, floor standing, rolling Board: White Formica Laminated, plane will not deform. Board Size: Rectangular 1800mm W x 1000 to 1200mm H, Board Edges secured with Aluminum Clip Edging 17 mm (minimum) wih plastic corner caps Comes with Metal Tray for Marker and Eraser The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble With 4 lockable hard plastic caster wheels Overall Height from floor 210 to 214cm Smooth surface, no sharp edges			
		TOTAL ABC		194,250.00

To be delivered to Division of Negros Oriental.

I hereby certify to comply with all the above Technical Specifications

Name of Company/Bidder

Signature over Printed Name

Date

LOT 4: Housekeeping LTE – Php 1,301,524.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	ALARM CLOCK	30	325.00	9,750.00
	Overall Dimensions: 13.5 x 8 x 4.5 cm (approx.) Material: Plastic (PE/ABS), luminated LCD Digital Display: Time (12/24), calendar (MM/DD), temperature, alarm status (ON/OFF), snooze Display Size: 10 x 5 cm (minimum), time can be read 30 ft day time. Runs on AAA battery which come together with the item Smooth surface, no sharp edges, Includes User's manual which contains operation procedure, name of parts, safety precautions, trouble shooting.			
unit	APRON, POLYESTER COTTON	100	260.00	26,000.00
	Bib Apron, sleeveless adjustable neck loop Material: Polyester - Cotton Fabric With 2 or 3 pockets Dimension : 70 to 60 cm (minimum) With 2 to 3 pockets, Uni color dark No sharp edges and loose threads			
unit	LAUNDRY BASKET	30	1,820.00	54,600.00
	3-bag Laundry Sorter, with wheels Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum) Frame Material: Corrosion resistant Steel, sturdy no wobble Frame Overall Dimensions : Rectangular, 31 x 30 x15 inch (minimum) With four casters, 2 inch diameter (minimum) Smooth surface, no sha			
unit	BED, QUEEN	10	11700	117000
	<i>Bed Set, Queen Size (60x75 Inch) rectangular</i> 1) <i>Frame: Knock-down type, all steel, powder coated including Headboard,</i> <i>Bare weight: 20 kg (minimum)</i> <i>No wobble and noise</i> 2) <i>Comes with fabric covered foam 6 inches thick Foam Density: 29-33kg/cu.m.</i> 3) <i>No sharp edges</i>			
unit	BED, SINGLE	10	9100	91000
	<i>Bed, Single SW36 x L75 inch) rectangular</i> 1) <i>Frame: Knock-down type, all steel, powder coated including Head board,</i> <i>Bare weight: 13 kg (minimum)</i> <i>No wobble and noise</i> 2) <i>Comes with fabric covered foam 6 inches thick Foam Density: 29-33, kg/cu.m.</i> 3) <i>No sharp edges</i>			
unit	BOARD, Ironing	20	801	16020
	TYPE: FOLDABLE TYPE IRONING BOARD BODY SHAPE: STANDARD MATERIAL: 25 mm tubing approx., 0.8 mm thickness BOARD SIZE: 32 INCHES (minimum) BODY SIZE 120 cm x 30 cm x 5 cm COLOR ANY COMES WITH BOX NO SHARP EDGES			
unit	BOOTS SAFETY, PLASTIC	60	1144	68640
	Upper material: Elastic PVC Sizes: 7 inches-5pcs			

	8 inches-5pcs 9 inches-Socs 10 inches-5pcs 11 inches - 5pcs Height: 18 to 14 inch Plain toe Type of ots: Unisex rain boots with rugged tractor lug outsole. Packed with carton box per size			
unit	BRUSH, For Housekeeping	60	390	23400
	Brush, floor scrubbing, angled long handle Bristle Material: Plastic, stif Handle Material: metal tubular corrosion resistant, Overall Length: 120 cm. (minimum) Bristle Length: 5 cm (-/- 1cm) Scrubbing Surface : 25 x 6 cm (+/-1 cm) No sharp edges			
unit	BUCKETS, WATER	60	356	21360
	Water bucket Bucket Material: Hard Plastic, round bod Capacity: 10 to 12 Liters Handle Material: Steel Smooth and glossy surface, no sharp edge			
unit	CADDY, TOILET	28	585	16380
	Carrying caddy for tolet cleaning supplies Holds spray bottles and other cleaning supplies No. of Compartments: 3 (minimum) Material Plastic Tray Depth: 11 cm (approx.) Overall Dimension: 36 x 26 cm (approx.) Smooth surface, no sharp edges			

Housekeeping 2

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
pair	CARPET SWEEPER	7	5,850.00	40,950.00
	<i>Carpet sweeper, cordless electric</i> <i>Motorized single brush roll (removable)</i> <i>Body Material: Hard plastic (ABS) or its equivalent, any color</i> <i>Equipped with Rechargeable Battery (16 minutes run time on carpet), Sweep Width: 8 inches (minimum)</i> <i>Capacity (volume) : 0.35 Lit.(minimum)</i> <i>Handle: Metal, Powder- Coated, with plastic/rubber grip, Swivel Steering</i> <i>Assembled Height: 44 inches (minimum)</i> <i>Comes with Battery Charger 220/240VAC, 50/60Hz with plug to adapt</i> <i>Type A outlet (or providing 3A minimum plug adapter is an option)</i> <i>No sharp edges</i> <i>Includes User's Manual which contains operation procedure, name of parts, safety precautions, trouble shooting</i>			
unit	CART, FOR HOUSEKEEPING NC II	5	10,400.00	52,000.00
	Housekeeping Cart trolley			

	Equipped with Three-shelves with steel/laminated panels single door, top layer with divider, bag holder, and 4 wheels Cart Frame: steel, powder coated Wheels: 2non-swivel 2 swivel, 6 inch diameter, non-markings Overall Dimensions: rectangular 90 x 48 x 1010 cm (minimum) Comes with accessory linen bag Smooth surface, No sharp edges			
unit	CAUTION SIGN	25	455.00	11,375.00
	<i>Caution Sign, A shape-2 panel self standing, with D-handle, collapsible for easy storage Material: High impact plastic, Panel Dimension: Rectangular (LxW) 55-65 cm x 25 x 61 0m (minimum), Panel Depth: 2 cm (minimum) Color: Yellow Print Description : "CAUTION: WET FLOOR" on one side "CLEANING IN PROGRESS on the other side, both messages provided with graphics printed in black Font Size: 100 120 mm x 50-70 mm, Arial Smooth surface, no sharp edges</i>			
unit	CLEANING CLOTHS, LINT-FREE	80	325	26000
	<i>Lint Free Cleaning Cloths Material: Cotton Dimensions: Rectangular 16 x 26 inch</i>			
pair	COFFEE MAKER	14	1560	21840
	<i>Coffee Maker, electric Material: metal, plastic, glass Capacity: 6 cups (minimum) Detachable Tank, with Water Level Indicator Non-Stick Warming Plate : Removable and Washable Filter Non-Drip Valve: Lighted ON/OFF Switch Power Supply: 220 V -240 V AC 50/60 Hz, 500W minimum Comes with a heat resistant glass pitcher With a 1 meter (minimum) power cord, molded male plug to adapt Type A outlet (or providing 5A minimum plug adapter is an option), Smooth surface, no sharp edges With DTI-BPS certification, Brand and electrical ratings clearly and permanently mark on the item Comes with English manual that contains: users guide, list of parts, maintenance guide, safety guide. 1 year warranty parts and service With Service centers located in major cities in the Philippines</i>			
	DUST PAN	50	117	5850
	<i>Dust Pan, upright standing Material: Plastic Overall Length: 65 cm (minimum) Pan: Round back, 24 x 26x9 cm (minimum) Smooth surface, no sharp edges</i>			
unit	DUSTER, ANTI-STATIC	30	260	7800
	<i>Anti-static Duster Duster Material: Polypropylene Micro Fiber Duster: Length: 30 cm (minimum), Overall Length: 50 cm (minimum) Handle Material: Hard Plastic, no sharp edges Stand fan, electric</i>			
unit	FAN, ELECTRIC	40	1950	78000
	<i>Stand fan, electric</i>			

	<p><i>Material: Metal, plastic</i> <i>Size/Diameter: 18 inches</i> <i>Power rating: 70 watts (minimum), 220/240VAC, 50/60 Phase</i> <i>Rotation Angle: 90 degrees</i> <i>Base: Stable, 16 inches diameter (approx.)</i> <i>Removable metal guard on front and rear 3-speed settings</i> <i>Comes with 1.5 meters power cord and with molded male pl</i> <i>Type A outlet (or providing 3A minimum plug adapter is an op</i> <i>Smooth surface, no sharp edges.ncludes User's Manual in</i> <i>English which contains:</i> <i>a. A Diagram of the Parts with their Names. b. Operating</i> <i>Procedures on how to use the Equipment.</i> <i>c Safety Précautions when uni the Equipment</i> <i>o Basic Troubleshooting and Main Pance Procedures</i> <i>With DTI-BPS certificatio Brand and electrical rathes clearly an</i> <i>permanently mark on the item 1 year warranty parts and</i> <i>service</i></p>			
unit	FLASHLIGHT	50	650	32500
	<p><i>Flashlight LED</i> <i>1,000 Lumens (minimum), Color: White,</i> <i>Battery: Rechargeable, at least 3,500 mAh,</i> <i>Can be used also with 3 x AAA batteries;</i> <i>Body: Aluminum Alloy, no sharp edges Dimensions: 5 inches x</i> <i>1 inch diameter (minimum)</i> <i>Operating Duration of Battery when fully Charged: at least 2</i> <i>hou Includes 220/240VAC, 50/60Hz Power Adapter/Charger</i> <i>and Use Manual in English</i> <i>which includes:</i> <i>a. A Diagram of the Parts with their Names,</i> <i>b. Operating Procedures on how to use the Equipment, c.</i> <i>Safety Precautions when using the Equipment,</i> <i>d. Basic Troubleshooting and Maintenance Procedures</i> <i>Branded, With 1 year Warranty</i></p>			
unit	FLAT IRON	10	1098.5	10985
	<p><i>Clothes Flat iron, electric</i> <i>Material: Metal/plastic body, Heat-Resistant Plastic Handle,</i> <i>Aluminum sole</i> <i>Overall Dimension: (L x W x H) 25 cm x 12 cm x 12 cm</i> <i>(minimum)</i> <i>Power rating: 220/240 VAC, 50/60 Hz; 1000 Watts (minimum)</i> <i>Equipped with Light Indicator, variable temperature control,</i> <i>Overheat Protection, Power Cord and plug to adapt Type A</i> <i>outlet (or providing 10A plug adapter is an option)</i> <i>Smooth surface, no sharp edges,</i> <i>Comes with English Manual that Contains: Users Guide, List of</i> <i>Parts, Maintenance Guide, Safety Guide.</i> <i>The item must be branded, with DTI-BPS certification 1 year</i> <i>Warranty Parts and Service With Service Centers Located in</i> <i>major Cities in the Philippines.1 Material: Cellulose and a</i> <i>Scouting Pad on one Side</i></p>			
pairs	FOAM SCRUBBING	50	260	13000
	<p>1. Material: Cellulose and a Scouring Pad on one side 2. Dimension: Length: 140-180 mm; Width: 80-100 mm Thickness: 12-20 mm 3. The item must be of good quality</p>			
		TOTAL ABC		300,300.00

Housekeeping 3

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
pair	GARBAGE RECEPTACLES	6	1,120.00	6,720.00
	1.Bucket/Tub Material: Hard Plastic, (PS) Polystyrene			
	2.Bucket/Tub Color: Any Color			
	3.Capacity (gallons): 3 gal (minimum) comes with a cover			
	4.The item must have good quality			
unit	GLOVES, RUBBER	50	114.00	5,700.00
	1.Heavy-duty Latex-free vinyl rubber gloves			
	2.Thickness: 4 mil			
	3.Color: Any Color			
	4.Size: Medium			
	5.Other features: Acid/solvent resistant			
	6.The item must be of good quality			
unit	GOOGLES, SAFETY	10	349.40	3,494.00
	Design Specification: Clear Polycarbonate - one piece lens with 180° panoramic view, non-fog Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm High impact resistant, ANSI "Z87" compliant Firm and comfortable seal around forehead, cheeks, nose and temples protects against splash, chemicals, dust Adjustable head strap Shall bear mark Z87 embossed or engraved or etched on the item. Smooth surface, no sharp edges			
unit	HAIR DRYER	5	648	3,240.00
	Electric hairdryer, with concentrator nozzle			
	Two heat setting and 1 speed (minimum)			
	Rating: 220/240 VAC 1200 W (minimum)			
	Body Length including nozzle: 20 cm			
	Folding handle design, with hanging ring			
	Smooth surface, no sharp edges			
	Branded, Brand name and electric rating permanently mark on the item, with DTI-BPS certification			
	With user's manual written in English that contains operating procedure, parts with with description, safety procedure, and maintenance With Service centers located in major es in the Philippines.1 year warranty parts & service)			
pair	HOSE WATER	10	1300	13,000.00
	Water hose			
	Material: PVC fiber reinforced, three (3) layers;			
	Any color;			
	Hose Length: 50 feet;			
	Hose Diameter: 5/8 inches;			
	Pressure capacity: 200 pounds per square inch (minimum), Fitted with male and female brass couplers (NH, 11.5 TPI) for spray nozzle No sharp edges			
	KETTLE ELECTRIC	10	1170	11,700.00
	Electric kettle cordless (with pouring spout), hinged lid, detachable from and can rotate on its corded base :Round Stainless body, plastic handle, lid and base			
	Capacity: 1.5 to 2 liter			
	Automatic Shut-Off, with power indicator light			
	Power rating: 220//240VAC, 50/60Hz, 1000-1600 Watts			
	Base with a 50 cm (minimum) power cord, molded male plug to adapt			
	Type A outlet (or providing 10A plug adapter is an option)			

	Smooth surface, no sharp edges; DTI-BPS certified Comes with English manual that contains: operation procedure. maintenance and safety guide. The item must be branded, Brand name and electrical ratings permanently mark on the item.			
unit	LAUNDRY SORTER	20	1950	39,000.00
	3-bag Laundry Sorter, with wheels			
	Bag: Polyester, Rectangular shape, detachable from frame with metal handle and hanging hook			
	Bag Dimensions: Rectangular 22 x 15 x 8 inch (minimum)			
	Frame Material: Corrosion resistant Steel, sturdy no wobble			
	Frame Overall Dimensions: Rectangular, 31 x 30 x15 inch (minimum)			
	With four casters, 2 inch diameter (minimum)			
	Smooth surface, no sharp edges			
unit	LIGHT EMERGENCY	10	1333	13,330.00
	Emergency light, 2 heads LED Materials: metal, anti-rust coated Duration Time (2 heads): 5 hours (minimum) Automatically Light Up during Power Outage Overcharge and Over- discharge Protection Built-In AC Charger, power cord plug to adapt Type A outlet providing SA minimum plug adapter is an option) Battery Test Switch - External Safety Fuse Head: White LED 1W (minimum) 3.5" Dome Reflector Power rating: 220-240 VAC, 50/60 Hz 20-24 Hours Charge Time Dimensions: Rectangular 27 x 7 x 27 cm (approx.) Sooth surface, no sharp edges Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures an how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures The item must be branded, Brand name and electrical ratings permanently mark on the item			
unit	MIRROR	40	779	31,160.00
	Wall mirror with frame Flat Glass mirror, 2 mm thick (minimum), Clear with no distortion Frame: Wood or Plastic commercial finish Rectangular shape, 3600 sq.cm (minimum) Includes mounting accessories Smooth surface, no sharp edges Mop, handle and mop head set, refillable head			
unit	MOP	130	351	45,630.00
	Mop, handle and mop head set, refillable head Handle: Aluminum or anti-rust coated steel, with hard/stiff plastic mop head holder, clip type with tightening knob Overall Handle Dimension: 130 x 19 cm (minimum) Mop head: Cotton thread/yarn, sewn tailband, L 34 x 16 x 4 cm (minimum), White Handle: Plated Steel Tube or Wood, Length: 40 (minimum), No sharp edges			
unit	POLISHER FLOOR w/ accessories	10	19500	195000
	Electric floor polisher with accessories Material: Stainless steel, Aluminum Alloy Handle: Stainless tube, adjustable height 1 meter long (approximate), With Dual Switch Lever Size/Capacity:13 inch (minimum) diameter			

	<p>Power Supply: 220/240 VAC, 50/60 Hz. Power: 1/3 Hp (minimum) Rotation Speed: 160 rpm (minimum) Heavy duty (Royal) Power Cord Length: 12 meters (minimum) with Type A plug (or providing 10A plug adapter is an option) With pair of Rubber Wheels, Smooth surface, no sharp edges Comes with pad holder, 2 pcs - polishing brush and 3 pcs - floor polishing pads Includes User's Manual in English which contains: a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment, c. Safety Precautions when using the Equipment, d. Basic Troubleshooting and Maintenance Procedures Branded, Brand name and electric rating permanently mark on the item, With 1 year Warranty Parts and Service The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe or in Japan market.</p>			
pairs	SHELVING	7	1950	13650
	Shelving open, knockdown type, adjustable shelves Metal Powder Coated frame Number of Shelves: 5 Overall Dimensions: 85 x 30 x 180 cm(minimum) Sturdy connection, No wobble Smooth surface, no sharp edges an Dish Sponge, cellulose			
		TOTAL ABC		381,624.00

Housekeeping 4

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
pair	SPONGE DISH	100	163.00	16,300.00
	Dish Sponge, cellulose, non-scratch Dimensions: 5x3x1 inch (minimum) Branded			
unit	SPRAY GUN, WATER	20	390.00	7,800.00
	Barber/Salon Spray Gun Material: HDPE Transparent Plastic Capacity: 300 ml (minimum) Trigger type Sprayer Dimension: Diameter 7 cm. x Height: 16.3 cm (minimum) Rotating nozzle to adjust spray patterns Smooth surface, no sharp edges Must be branded			
unit	SQUEEGEE	10	390.00	3,900.00
	Squeegee, short handle Head/Blade Material: stainless, rubber Handle: plastic or stainless steel Blade Length: 25 - 30 cm Overall length (handle and head) 20-32 cm No sharp edges			
unit	STEP LADDER	5	4670	23,350.00
	Material: aluminum U channel Capacity: 250 lbs (minimum) Type: Flatform type Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum)			

	<p>Width: 15 inches minimum Spread: 4 feet (minimum) Twin steps with gripped treads to prevent slipping Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot pad With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, Branded</p>			
pair	VACUUM CLEANER, DRY & WET	5	3900	19,500.00
	<p>Electric vacuum cleaner, wet and dry function, sucks even screws, with 4 swivel caster wheels Material: Hard Plastic, (ABS) or rust proof body equivalent Power Supply: 220/240VAC, 50/60Hz, 1000 Watts (minimum) Auto shut off Tank Capacity: 20 Liters (minimum) Equipped with complete accessories i.e., detachable Vacuum Hose assembly (flexible non-kink), extension tubes/wands, carpet (long square) brush nozzle, wet and dry floor brush nozzle, crevice nozzle, hepa filter, sponge filter/washable cloth bag. Comes with 4 meters (minimum) heavy duty (royal) power cord, molded male plug to adapt Type A outlet (or providing 10A plug adapter is an option) Smooth surface, no sharp edges With user's manual written in English that contains operating procedure, parts with description, safety procedure, and maintenance. The item must be branded, Brand name and electric rating permanently mark on the item. 1 year warranty parts and service With Service centers located in major cities in the Philippines. The offered brand of the item must be an international brand with at least 5 years presence at the local market and global presence in the USA, Europe Europe or in Japan market.</p>			
	WASHER LAUNDRY	7	5850	40,950.00
	<p>1. Front Load Electric Washer, laundry 2. Electronic control, digital indicator display, transparent glass door 3. Body Material: steel, powder coated, Any Color 4. Dimensions (WxDxH): 590 mm (minimum) x 490 mm (minimum) x 820 mm (minimum) 5. Drum Material: Stainless Steel 6. Capacity: 8 kg (minimum) 7. Spin Speed: 1200 rpm (minimum) 8. Power rating: 220/240VAC, 50/60 Hz 9. Comes with a 1 meter (minimum) heavy duty power cord with male plug to adapt Type A outlet (or providing 20A plug adapter is an option) 10. Smooth surface, no sharp edges 11. With DTI BPS certification, Brand and electrical ratings clearly and permanently mark on the item 9cludes User's Manual in English which contains a. A Diagram of the Parts with their Names, b. Operating Procedures on how to use the Equipment c. Safety Precautions when using the Equipment. d. Basic Troubleshooting and Maintenance Procedures 12. The item must be branded OT AS certified, 1 year warranty parts and service 13 With Service centers located in major cities in the Philippines 14. The offered brand of the most be an international brand with at least 5 years presence at the local</p>			

	<i>market and global presence in the USA, Europe or in Japan maricet</i>			
unit	WHITE BOARD	10	3380	33,800.00
	<p><i>White board, floor standing, rolling</i> <i>Board: White Formica Laminated, plane will not deform.</i> <i>Board Size: Rectangular 1800mm W x 1000 to 1200mm H,</i> <i>Board Edges secured with Aluminum Clip Edging 17 mm (minimum) with plastic corner caps</i> <i>Comes with Metal Tray for Marker and Eraser</i> <i>The stand and frame are constructed with Aluminum or powder coated steel 25mm square tube (minimum), sturdy, no wobble</i></p> <p><i>With 4 lockable hard plastic caster wheels</i> <i>Overall Height from floor: 210 to 214cm</i> <i>Smooth surface, no sharp edges</i></p>			
		TOTAL ABC		145,600.00

Housekeeping 5

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	HIGH CHAIR/BOOSTER SEAT/PORTABLE	2	2,600.00	5,200.00
	<p><i>1. Material: Foldable powder coated steel frame or its equivalent</i> <i>2. Phone type: Corded</i> <i>3. Polyester harness, seat/back cushion</i> <i>4. Overall Dimension: (L xW xH): 65-75cm x 50-60 cmx 90 -102 cm (minimum)</i> <i>5. Capacity: 40 lbs)minimum)</i> <i>6. With 3-position seat recline</i> <i>7. The item must be of good quality</i></p>			
unit	HOT WATER BAG	2	260.00	520.00
	<p><i>1. Material: Rubber or its equivalent</i> <i>2. Color; Any color</i> <i>3. Overall Dimension: (LxW)200-300 mm x 150 -200mm (minimum)</i> <i>4. Leak-proof and washable</i> <i>5. The item must be of good quality</i></p>			
unit	KETTLE	2	1,040.00	2,080.00
	<p><i>1. Material: Heat-resistant hard plastic</i> <i>2. Capacity: 1-1.5 liters (minimum)</i> <i>3. Height: 23-35 cm (minimum) approx.</i> <i>4. Voltage: 220 /240 volts AC 50/60 Hz</i> <i>5. Power in watts: 1000to 1500watts</i> <i>6. Comes with automatic shut-off feature and permanent water level indicator</i> <i>7. Pitcher-type with pouring</i> <i>8. Comes with English manual that contains; users guide, list of parts, maintenance guide, & safety guide</i> <i>9. The item must be of good quality</i></p>			
set	MEASURING CUPS 1/4, 1/3, 1/2, 1 cup	2	1300	2600
	<p><i>1. Material: Stainless steel</i> <i>2. Set includes: 4 pcs/set</i> <i>3. 1 pc. -1/4cup (60 ml)</i> <i>4. 1 pc.- 1/3 cup (80 ml)</i> <i>5. 1 pc. -1/2 cup(125 ml)</i> <i>6. 1 pc.- cup (250 ml)</i> <i>7. Thickness: .5mm to 1 mm(minimum)</i> <i>8. The item must be of good quality</i></p>			
unit	MEDICAL TRAY	2	780	1560

	<ol style="list-style-type: none"> 1. Type: Tray 2. Material: Stainless steel 3. Dimension: (L x W x D)300-500mm x 200-250 mmx 12-19 mm 4. Thickness: .7 to mm (minimum) 5. The item must be of good quality 			
set	MIXING BOWL, STAINLESS STEEL6 pcs.set	2	2600	5200
	<ol style="list-style-type: none"> 1. Material: Stainless steel 2. Quantity of set: 6 pcs /set 3. Dimension: 3/4 qt., 1.5qt., 3qt., 4 qt., 5 qt., 8 qt. 4. The item must be of good quality 			
unit	PAIL, Plastic 15 liters	2	325	650
	<ol style="list-style-type: none"> 1. Material: Polyethylene Plastic 2. Dimension:25-30 cm diameter x 23-27 cm depth (minimum) 3. Color: Any color 4. Chromed finished handle 5. Capacity: 10 liters (minimum) 6. Material must be non-toxic 7. The item must be of good quality 			
set	PANS	2	1560	3120
	<ol style="list-style-type: none"> 1. Type: Frying Pan 2. Material: Stainless Stel 3. Handle: With hard plastic heat insulation 4. Tempered glass lid with steam hole 5. Size: 23-26 cm lid 6. The item must be of good quality 			
unit	PEELER	5	260	1300
	<ol style="list-style-type: none"> 1. Type: Peeler 2. Blade Material: Stainless steel 3. Handle Material: Stainless steel 4. Overall dimension: 18 x 8 cm (minimum) 5. The item must be of good quality 			
unit	PICK UP FORCEP	2	520	1040
	<ol style="list-style-type: none"> 1. Type: Curved forceps 2. Material: Stainless steel 3. Overall length: 100-300 mm (minimum) 4. Comes with self-locking 5. The item must be of good quality 			
unit	PILLOW	10	520	5200
	<ol style="list-style-type: none"> 1. Material: Cotton 2. Color: Any color 3. Dimension: (L x W) 50-56 cm x 75-80 cm (minimum) 4. With 4 inches hems, washable 5. The item must be of good quality 			
Unit	PILLOW CASE	6	230	1380
	<ol style="list-style-type: none"> 1. Material: Cotton 2. Color: Any color 3. Dimension: (L x W) 50-56 cm x 75-80cm (minimum) 4. With 4 inches hems 5. Washable 6. The item must be of good quality 			
		TOTAL ABC		29,850.00

To be delivered to Division of Negros Oriental.

I hereby certify to comply with all the above Technical Specifications

Name of Company/Bidder

Signature over Printed Name

Date

LOT 5: Bread & Pastry Production LTE – Php 244,096.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	CAKE STAND w/ TIER, MEDIUM	48	780.00	37,440.00
	<i>Type: Cake stand with tier, food grade Body Shape: Circular with 3 tier Material: Hard plastic, polypropylene, 4 mm thick The tier consist of the following sizes: Tier 1: 18 cm diameter (minimum) Tier 2: 25 cm diameter (minimum) Tier 3: 30 cm diameter (minimum) Column Diameter: 20 to 20 mm (solid) distance between tiers 15 cm. Overall length: 30 cm minimum Assembled column is used for maximum strength and stability of the stand must be packed in set, smooth and no sharp edges.</i>			
unit	CAKE TURN TABLE	25	910.00	22,750.00
	<i>Type: Turn Table Body Shape: Circular Material: Cast Aluminum plate and cast iron base Upper Plate: 30 cm diameter (minimum) 1.4 cm thickness minimum Base Dimensions: 18 cm minimum ; 1.4 cm thickness (minimum) Total Height: 10 cm to 15 cm Turn Table with ball bearing to turn easier preferably packed in any kind of packaging. Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counterclockwise.</i>			
unit	CHOPPING BOARD	5	910.00	4,550.00
	<i>Type: Food grade Body Shape: Rectangular Material: Plastic (polypropylene), food grade Board Size: Length 38 cm (minimum) Width: 30 cm (minimum) Thickness: 1.27 cm (minimum) Color coded for use with different types of food, blue, red, yellow, green, brown, and white. Preferably packed in set, comes with no sharp edges with hole for storage purposes.</i>			
unit	COUPLER	10	78	780.00
	<i>Type: Food grade Type: Tubular Material: Hard Plastic (polypropylene), any bright color Height: 3 cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum) Preferably with storage case with the materials use must be non-toxic and dish washer safe.</i>			
unit	DECORATING TIPS	80	455	36,400.00
	<i>Type: Tube Tips Type: Shape Nozzles with different shape Tube Height: 3.5 cm to 5 cm Tube Diameter: 2 cm to 3.5 cm Thickness: 0.5 mm (minimum) Tube Tip: Assorted Designs (create swirls, rosettes, flowers, roping, stars, leaves, and other designs. Comes with 24 different shapes of nozzles packed in plastic storage box. Smooth and deformities free. Must be branded.</i>			
unit	DOUBLE BOILER 2LITERS	15	3900	58,500.00
	<i>Materials: Stainless steel Thickness: 1/16 inch (1.5 mm) (minimum)</i>			

	<p><i>Riveted handle on both size</i> <i>Diameter:9 1/2 inches (minimum)</i> <i>Total Height: 9.4 inches (minimum)</i> <i>Inset Bottom Diameter: 9 inches (minimum)</i> <i>Inset Top Diameter: 9 inches (minimum)</i> <i>Capacity: 2 liters</i> <i>Must be a set which includes one (1) saucepan, one () boiler, and one (1) lid</i> <i>With stainless steel handle and smooth with no sharp edges.</i></p>			
unit	DOUGH CUTTER	30	455	13,650.00
	<p>Type: Scrapper Body Shape; Straight Blade Material: Stainless steel, straight blade with stainless steel handle Blade Dimension: Length: 15 cm by Width: 11 cm by Thickness: 1.2 mm (minimum) Handle Dimension: Length: 15 cm Diameter: 3 cm (minimum) Preferably with packing case Food Grade and dish washer safe Design allows item to be hung for storage</p>			
unit	FLOUR SIFTER (HAND CRANCKED)	30	780	23,400.00
	<p>Type: Hand Cranked Body Shape: Round Shape Material: Stainless steel Dimension: Diameter: 133.3 mm (minimum) x Height 165 (minimum) Thickness: 0.79 mm (minimum) (body) and constructed with stainless steel wire mesh #30 bottom Volume marking should be seen inside and outside of the sifter. Capacity: 5 cups (1.18 liter) Spring action squeeze handle stainless steel Preferably with packing case. Dishwasher safe</p>			
unit	GRATER w/ PLASTIC HANDLE	50	668.2	33,410.00
	<p>Type: Four sided Box Grater Body Shape: Box in shape Material: Stainless steel blade and plastic (polypropylene handle) Grater Dimensions: Height 25 cm by Width 13 cm by Depth 10 cm (minimum) Side 1: Large hole shredder with 6 mm hole Side 2: Slicer Side 3: Small hole with 3 mm hole Side 4: Grater with strips about 1.27 cm to 2.54 cm length Preferably with packing case. Food grade and dishwashing safe</p>			
unit	PORTABLE MIXER	2	1,245.00	2,490.00
	<p>1. <i>Portable Mixer:</i> 2. <i>Material: Stainless steel, Clear Acrylic</i> 3. <i>Capacity: 16-18 oz.(minimum)</i> 4. <i>Size: 170-220 m 77-100mm</i> 5. <i>Requires: 2 AAA batteries</i> 6. <i>Power in watts; 250 to 3000 watts</i> 7. <i>The item must be of good quality</i></p>			
unit	POTATO MASHER	2	423.00	846.00
	<p>1. Type: Potato masher 2. Material: stainless and hard plastic 3. Mesh head diameter: 70-90 mm (diameter) 4. Overall length: 250-270 mm (minimum) 5. Handle Length: 120-140 mm(minimum)</p>			
set	POTS	2	3900	7800
	<p>1. <i>Cooking pot+C28:F37C28:F38C36C28:FC28:F36</i> 2. <i>Material: stainless steel</i> 3. <i>Set includes: 4 pcs/set</i></p>			

	<ul style="list-style-type: none"> 4. 1 x pot with lid 5. 1 x pan with lid 6. 1 x strainer 7. 1 x egg steamer 8. Size: (L x W x H) 40 to 42 cm x 2 to 14 cm x 26 to 28 cm 9. The item must be of good quality 			
unit	SKILLET	2	1040	2080
	<ul style="list-style-type: none"> 1. The item shall have the following specifications. Material including handle : Cast iron 2. Color: Any color Dimension: (Dia. X Depth): 250 -320 mm x 50-70 mm (minimum) 4. Handle casted with the body and having plastic or rubber heat insulator 5. Body thickness: 1.5-3 mm (minimum) 6. Washable 7. The item must be branded and have a good quality 			
		TOTAL ABC		244,096.00

To be delivered to Division of Negros Oriental.

I hereby certify to comply with all the above Technical Specifications

Name of Company/Bidder

Signature over Printed Name

Date

LOT 6: Caregiving LTE – Php 76,975.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	AIR POT	3	2,616.00	7,848.00
	<ol style="list-style-type: none"> 1. Type: Water 2. Outer Material: Hard plastic, (pp) polypropylene, heat resistant 3. Cavity Material: Stainless steel 4. Capacity: 2.5 liters 5. Voltage: 220/240 Volts 6. AC: 50 by 60 HZ Power in Watts: 500 to 800 Watts 7. Comes with English manual that contains: User's guide, list of parts, maintenance guide, safety guide 8. The item must be branded and of good quality 			
unit	APRON	3	649.00	1,947.00
	<ol style="list-style-type: none"> 1. Type: Bib Apron 2. Material: Polyester - Cotton Fabrc 3. Length: 20 to 24 inches (minimum) 4. With 2 to 3 bottom pockets ; 5. Color: Any 6. The item must be of good quality. 			
unit	BABY BATH TUB	4	585.00	2,340.00
	<ol style="list-style-type: none"> 1. Material: Hard/Sturdy Plastic (pp) polypropylene 2. Color: Any 3. Dimension: (L x W x H) 670 to 700 mm by 400 to 420 mm by 160 to 190 mm (minimum) 4. Thickness: 3 mm to 6 mm (minimum) 5. The item must be of good quality 			
unit	BABY BLANKET	7	1,170.00	8,190.00
	<ol style="list-style-type: none"> 1. Type: Blanket 2. Material: 100 % cotton 3. Color: White 4. Dimension: (L x W) 38 to 42 inches by 28 to 32 inches (minimum) 5. Washable 6. The item must be of good quality. 			
	BABY CLOTHES	5	1314	6,570.00
	<ol style="list-style-type: none"> 2. Material: 100 % cotton 3. Color: White 			
unit	BASIN (SMALL)	20	156	3,120.00
	<ol style="list-style-type: none"> 1. Material: Hard plastic(pp) polypropylene 2. Color: Any 3. Dimension: 280 to 320 mm diameter by 80 to 120 mm high minimum 4. Wall Thickness: 2 mm to 4 mm minimum 5. The item must be of good quality. 			
		TOTAL ABC		30,015.00

Caregiving 2

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	BATH TOWEL/ TOWELETTE	20	195.00	3,900.00
	<ol style="list-style-type: none"> 1. Type: Bath Towel 2. Material: 100% Cotton 3. Color: White 4. Dimension: (L x W) 120-125 cm x 60 -65 (minimum) 5. Washable 6. The item must be of good quality 			

unit	BEDPAN	2	779.00	1,558.00
	<ol style="list-style-type: none"> 1. Material: Hard Plastic, (PS) Polystyrene 2. Color: Any Color 3. Dimension: (L x W x H) 22-26 cm x 27-32 cm x 7-12 cm (minimum) approximate 4. Capacity: 1 Liter (minimum) 5. Thickness: 2 to 5 mm 6. Saddle-shaped and lightweight 7. The item must be of good quality 			
unit	BLANKET	3	1,040.00	3,120.00
	<ol style="list-style-type: none"> 1. Type: Blanket 2. Material: Cotton 3. Color: White 4. Dimension: (L x W) 80-90 inches x54-64 approximate 5. The item must be of good quality. 			
unit	BOTTLE STERILIZER, ELECTRIC	3	1574	4722
	<ol style="list-style-type: none"> 1. Type: Electric Steam Sterilizer 2. Material: Hard Plastic (PE) Polyethylene or its equivalent 3. Color: Any color 4. Capacity: 6 bottles (minimum) 5. Sterilizes bottle and accessories by steam 6. With Automatic Power Shut-off function 7. Dimensions: 8. Power Supply: 220 V -240 V AC, 50/60 Hz 9. The item must be of good quality. 			
pack	BREAD TOASTER	2	1268	2536
	<ol style="list-style-type: none"> 1. Type: Electric Bread Toaster 2. Dimensions (W x D x H): 25-30 cm x 15-20 cm x 18-22 cm (minimum) 3. Capacity: 2 slices 4. Power Supply: 220V-240V AC, 50/60 Hz. 5. 400 to 600 W (minimum) 6. The item must be of good quality. 			
pack	BURPING CLOTH	4	310	1240
	<ol style="list-style-type: none"> 1. Type: Burping Cloth 2. Material: 100% cotton 3. Color: Any color 4. Dimension: Length: 17 -19 cm Width: 14-16 cm (minimum) 5. Washable 6. The item must be of good quality. 			
		TOTAL ABC		17,076.00

Caregiving 3

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	SPHYGMOMANOMETER	3	1256	3768
	<ol style="list-style-type: none"> 1. Type: Aneroid 2. Material: Nylon cuff and inflation bag, Die -cast zin manometer 3. Package included: 1 x Android sphygmomanometer 4. Size: (L x W x H cm)= 18 to 20 cm x 11 to 13 cm x 11 x 13 cm 5. Nylon zippered carrying case 6. Capacity: 0 to 300 mm Hg 7. The item must be of good quality 			
unit	STETHOSCOPE	3	2600	7800
	<ol style="list-style-type: none"> 1. Type: Dual Head stethoscope 2. Material: Stainless steel chest piece and ear tubes 3. Reinforced PVC tubing 			

	4. Soft PVC ear tips 5. Color: Any color 6. Bell Diameter: 18-25 inches approx. 7. Diaphragm diameter:			
unit	URINAL	3	630	1890
	1. Type: Unisex portable urinal 2. Material: Hard Plastic, PP Polypropylene 3. Color: Any color 4. Total Capacity: 28 oz. minimum 5. Dimension: (L x W x H) 270 to 290 mm x 145 to 160 mm x 70 to 80 mm (minimum) 6. Thickness: 1 mm to mm (minimum) 7. The item must be of good quality			
set	VACUUM CLEANER (Heavy duty)	2	3250	6500
	1. Material: Plastic (PP) Polypropylene or its equivalent 2. Color: Any color 3. Suction power: 18 to 22 kpa (minimum) 4. Vacuum Hose Length: 6 to 8 ft. (minimum) 5. Tank Capacity: 24 liters (minimum) 6. Power Supply: 220 V -240 V AC, 50/60 Hz 7. With accessories: Extension Wand, Utility Nozzle, Standard paper filter 8. Comes with English manual that contains: users guide, list of parts and maintenance guide, safety guide 9. The item must be branded and good quality			
unit	WHEEL CHAIR	2	4963	9926
	1. Type: Foldable Wheel Chair 2. Overall Dimension: (L x W x H) 40 -44 inches x 26 -30 inches x 34 -38 inches (minimum) 3. Folded Dimensions: (LxWxH) 40 to 44 inches x 10 to 14 inches x 34 to 38 inches (minimum) 4. Capacity: 350 lbs. (minimum) 5 With padded arm rests; with Push-To-Lock Wheel Brakes 6. The item must be of good quality			
		TOTAL ABC		29,884.00

To be delivered to Division of Negros Oriental.

I hereby certify to comply with all the above Technical Specifications

Name of Company/Bidder

Signature over Printed Name

Date

LOT 7: Beauty Care LTE – Php 97,590.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	CANE	1	780.00	780
	<ol style="list-style-type: none"> 1. Type: Adjustable offset walking cane 2. Material: Aluminum 3. Tip Size: 18 4. Height Adjustment: 31 inches to 39 inches (with 1 inch, increment) 5. Weight Capacity: 200-500 lbs (minimum) 6. With Rubber handle, with push button height adjustment 7. The item must be of good quality 			
unit	CARPET 4FT.X8FT.	1	1,690.00	1,690.00
	<ol style="list-style-type: none"> 1. Material: Polyester 2. Color: Any Patterned Color 3. Dimension: 49 inches x 96 inches (minimum) 4. The item must be of good quality 			
set	CHINA WARE	2	1,950.00	3,900.00
	<ol style="list-style-type: none"> 1. Material: Porcelain 2. Fit to be used in ovens and microwaves 3. Specific Dimensions: Dinner plate diameter: 10 inches (minimum) 4. Salad plate diameter: 7 inches (minimum) 5. Bowl diameter: 5 inches (minimum) 6. Mug: 12 oz (minimum) 7. The item must be of good quality 8. Set includes: 1 piece Dinner plate, 1 piece Salad plate , 1 piece bowl, 1 price mug 			
unit	CLOTHES BRUSH	1	195.00	195.00
	<ol style="list-style-type: none"> 1. Type: Rectangular clothes brush 2. Handle Material: Wood 3. Bristle Material: Plastic Bristle 4. Color: Any color 5. Overall Dimension: (L x W x H) 140 -160 mm x 45-60 mm x 20-30 mm (minimum) 6. The item must be of good quality. 			
unit	CLOTHES HAMPER	1	390	390
	<ol style="list-style-type: none"> 1. Type: Square Hamper 2. Material: Polyester 3. Color: Any color 4. Dimension: (L x W x H) 32 to 34 cm x 36 to 38 cm x 56to 58 cm (minimum) 5. The item must be of good quality 			
unit	CLOTHES RACK	1	2600	2600
	<ol style="list-style-type: none"> 1. Type: Single-Pole-Clothes Rack 2. Material: Stainless-steel 3.Dimension: (L x W x H) 30 to 32 inches x 14 to 18 inches x 62 to 64 inches (minimum) 4. Comes with 4 caster wheels 5. The item must be of good quality. 			
unit	COMFORTER	3	2340	7020
	<ol style="list-style-type: none"> 1. Type: Comforter 2. Material: Polyester 3. Color: Any color 4. Dimension: (L x W)84 to 88 inches x 62 to 65 inches (minimum) 5. Thickness: 20 - 30 mm (minimum) 6. Washable The item must be of good quality. 			
unit	COMMODE	2	3250	6500

	<ol style="list-style-type: none"> 1. Type: Foldable Commode 2. Durable Plastic Snap- on seat and lid without pushing buttons 3. Blue powder-coated steel-welded construction 4. Plastic arms for added comfort 5. Comes complete with 12 qt. commode bucket with carry handle, cover and splash shield. 6. Specifications: Width 18 inches between arms / 22.5 inches Outside approximate 7. Seat Dimensions: W 32-36 cm x D 35-40cm, Height 38-54 cm approximate 8. Weight 13 lbs, Weight limit 350 lbs 9. The item must be branded and have good quality. 			
set	COOKING UTENSILS	2	2340	4680
	<ol style="list-style-type: none"> 1. Material: Stainless Steel 2. The set is comprised of ff: pc-16x9.5 cm sauce pan with glass lid (minimum) 3. 1 pc -16 x 9.5 cm casserole with one glass lid, (Minimum) 4. 1 pc -18 x 10.5 cm casserole with glass lid, (minimum) 5. 1 pc- 20 x 11.5 cm casserole with glass lid, (minimum) 6. The item must be of good quality. 			
set	CRUTCHES (ADJUSTABLE)	2	1690	3380
	<ol style="list-style-type: none"> 1. Type: Adjustable crutches 2. Set includes : 3 pcs /set 3. Material: Aluminum Powder-coated 4. Color: Any color 5. Weight Capacity: 300 lbs (minimum) 6. Dimensions: Youth Size 7. User heights: 4 ft. 6 inches to 5 ft. 2 inches 8. Underarm Height: 37 inches to 46 inches 9. Adult size: User heights: 5 ft. 2 inches to 5 ft. 10 inches 10. Underarm Heights: 45 inches to 53 inches 11. Tall Adult Size: User Heights: 5 ft 10 inches 12. Underarm Height: 53 inches to 61 inches 13. The item must be of good quality 			
unit	CUTLERY	3	1300	3900
	<ol style="list-style-type: none"> 1. Material: Stainless Steel 2. 20 pieces set for 4 3. 4 dinner knives 4. 4 dinner forks 5. 4 dinner spoons 6. 4 salad forks 7. 4 tea spoons 8. The item must be of good quality 			
unit	CUTTING BOARD (Plastic)	8	625	5000
	<ol style="list-style-type: none"> 1. Material: Polyethylene plastic 2. Color: Any color 3. Dimension: (L x W x H) 240-260mm x 140-160 mm x 10-15 mm (minimum) 4. Reversible cutting surface 5. The item must be of good quality. 			
unit	DRESSING TROLLEY	2	10532.5	21065
	<ol style="list-style-type: none"> 1. Material: Shelves: Powder -coated steel sheet 2. Dimensions: (W x D x H) 48-50cm x 48-50cm x 83-85cm (minimum) 3. Number of Shelves: 2 4. With four revolving castors, two Lockable 5. The item must be of good quality 			
		TOTAL ABC		61,100.00

Beauty Care Services 2

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
unit	ELECTRIC KNIFE	2	520.00	1,040.00
	<ol style="list-style-type: none"> 1. Type: Electric knife 2. Material: Stainless Steel and Hard Plastic, (PE) Polyethylene 3. Power Supply: 220/240 Volts, AC 50/60 Hz 4. Dimensions: 4.25 x 2.75 x 11.88 inches (minimum) 5. Comes with touch button control, safety lock and English user & #39;s manual. 6. Comes with English manual that contains: users guide , list of parts, maintenance guide, safety guide. 7. The item must be branded and good quality. 			
unit	FACE TOWEL/TOWELETTE	8	117.00	936.00
	<ol style="list-style-type: none"> 1. Type: Face towel 2. Material: 100% cotton 3. Color: White 4. Dimension: (L x W) 28-32 cm x 28-32 cm (minimum) 5. Washable 6. The item must be of good quality. 			
unit	FEDDING BOTTLE BRUSH (cleaning feeding bottles	5	117.00	585.00
	<ol style="list-style-type: none"> 1. Bristle Material: Nylon Color: Any Color 3. Handle Material: Hard Plastic (PS)Polystyrene 4. Total Length: 280-320 mm (minimum) 5. Fit with the standard feeding bottle for the baby 6. Comes with nipple brush 7. Washable 8. The item must be of good quality 			
unit	FEEDING UTENSILS (Child)	2	520	1040
	<ol style="list-style-type: none"> 1. Material: hard plastic, (PS) Polystyrene 2. Sets include: 6 pcs /set 3. 1 p. knife 4. 1 pc-plate 5. 1 pc-bowl 6. 1 pc.-cup 7. 1 pc.-fork 8. 1pc.- spoon 9. Color: Any 10. The item must be of good quality. 			
pack	FIRST AID KIT	2	3900	7800
	<p>Type: Emergency Case; body shape; standard; First Aid Quick Refence Guide , 1 pc Sterilize gauze Swab (4x4x12 ply) 100 pcs./pack, 1 pack</p> <p>Adhesive strips/Band-Aid, 5+C48:F670 pc/pack, 2 packs</p> <p>Gloves, disposable, medium size 2 pairs</p> <p>Hypo allergenic adhesive tape, 5 cm x 5 cm, 2 rolls</p> <p>Triangular Bandage/arm sling, min 90 cmx 90 cm x 120 cm, 2pcs</p> <p>Safety pins, 1 1/4 inches(12 pcs), 1 3/4 inches (12 pcs)+C52:F67</p> <p>Stainless steel bandage scissors, 2pcs</p> <p>Betadine, 60 m, 2-3 years expiration, 2 bottles</p> <p>Dust Mask, 2 pcs</p> <p>Hand towels or face towels, white color, 6 pcs</p> <p>Gauze Bandage, minimum 5 cm x 4cm , 2 rolls</p> <p>Antiseptic handwash/germicidal soap, 60 gms , 2 pcs</p> <p>Torniquet, 2 pcs</p> <p>Spirit of ammonia, 30 m, 2-3 years expiration, 1 bottle</p> <p>Burn cream ointment , 20g to 30g, 2-3 years expiration, 1 tube</p> <p>Medical Tweezers min. 8 cm plastic , 2 pcs</p>			

	<p>Plastic bags, releasable, minimum of 24 pcs, 100 mm x 180 mm, 24 pcs 150 mm x 230 mm Cotton Balls, 50 balls in a sealed package, 2 packs Hot and Cold pack, reusable, 1 pack Water resistant and sturdy case w/ handle that can accommodate all the listed items. All items shall be branded and have quality control markings (local/international)</p>			
unit	FLAT SHEET	14	650	9100
	<p>1. Type: Bed Sheet 2. Material: 100% cotton 3. Color: White 4. Dimension: Width -137 -145 cm Length -180-200cm (minimum) 5. Washable 6. The item must be of good quality.</p>			
unit	GARBAGE BIN	4	910	3640
	<p>Type: Swivel Lid Garbage Bin Body Shape: Round Material: Hard plastic Polypropylene Dimension: Diameter -26 cm x Height -47 cm (minimum) Capacity: 4 gallons (minimum) Removable dome shape Lid spring return swivel Preferably with a packing case</p>			
unit	GLOVES, RUBBER (15 mils)	20	195	3900
	<p>Medium size (#8) Super Nitrile, flock lined interior(acid/solvent resistant) Individually packed For hand protection</p>			
pair	GLOVES, SURGICAL DISPOSABLE	40	39	1560
	<p>1. Material: Latex 2. Color: White 3. Thickness: .09 mm (minimum) 4. Disposable and sterile 5. The item must be of good quality</p>			
unit	GOWN HOSPITAL	10	532.9	5329
	<p>1. Type: Unisex Hospital Gown 2. Material: Polyester-cotton 3. Color: Any color 4. One size fits all 5. Comes with overlap back closure 6. The item must be of good quality.</p>			
set	GROOMING KIT (hairbrush comb, nail cutter	2	650	1300
	<p>1. Ser includes: 6 pcs/set (minimum) 2. Materials: Stainless steel and hard plastic 3. 2 nail clippers/trimmers of different sizes 4. 1 multipurpose scissors 5. 1 ear pick 6. 1 tweezer 7. 1 comb 8. The item must be of good quality</p>			
unit	HAND TOWEL	5	52	260
	<p>1. Type: Hand towel 2. Material: 100% cotton 3. Color: Any color Dimension: (L xW) 65-75 cm x 32-42 cm(minimum) 5. Washable 6. The item must be of good quality.</p>			
			TOTAL ABC	36,490.00

To be delivered to Division of Negros Oriental.

I hereby certify to comply with all the above Technical Specifications

Name of Company/Bidder

Signature over Printed Name

Date

Section VIII. Checklist of Technical and Financial Documents

Notes on the Checklist of Technical and Financial Documents

The prescribed documents in the checklist are mandatory to be submitted in the Bid, but shall be subject to the following:

- a. GPPB Resolution No. 09-2020 on the efficient procurement measures during a State of Calamity or other similar issuances that shall allow the use of alternate documents in lieu of the mandated requirements; or
- b. Any subsequent GPPB issuances adjusting the documentary requirements after the effectivity of the adoption of the PBDs.

The BAC shall be checking the submitted documents of each Bidder against this checklist to ascertain if they are all present, using a non-discretionary “pass/fail” criterion pursuant to Section 30 of the 2016 revised IRR of RA No. 9184.

Checklist of Technical and Financial Documents

I. TECHNICAL COMPONENT ENVELOPE

Class “A” Documents

Legal Documents

- (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages) in accordance with Section 8.5.2 of the IRR;

Technical Documents

- (f) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- (g) Statement of the bidder’s Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; **and**
- (h) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission;
or
Original copy of Notarized Bid Securing Declaration; **and**
- (i) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (j) Original duly signed Omnibus Sworn Statement (OSS);
and if applicable, Original Notarized Secretary’s Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

- (k) The prospective bidder’s computation of Net Financial Contracting Capacity (NFCC);
or
A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

Class “B” Documents

- (l) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;
or
duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

Other documentary requirements under RA No. 9184 (as applicable)

- (m) *[For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos]* Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- (n) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

II. FINANCIAL COMPONENT ENVELOPE

- (a) Original of duly signed and accomplished Financial Bid Form; **and**
- (b) Original of duly signed and accomplished Price Schedule(s).

Sample Forms

- BID FORM FOR THE PROCUREMENT OF GOODS
- PRICE SCHEDULE FOR GOODS
- OMNIBUS SWORN STATEMENT (REVISED)
- BID SECURING DECLARATION FORM
- COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY (NFCC)
- STATEMENT/LIST OF ALL ON-GOING GOVERNMENT & PRIVATE INCLUDING PROJECTS AWARDED BUT NOT YET STARTED
- STATEMENT/LIST OF SINGLE LARGEST COMPLETED CONTRACT SIMILAR TO THE CONTRACT TO BE BID
- GUIDE FOR SEALING AND MARKING OF BIDS

Bid Form for the Procurement of Goods
[shall be submitted with the Bid]

BID FORM

Date : _____
Project Identification No. : _____

To: *[name and address of Procuring Entity]*

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers *[insert numbers]*, the receipt of which is hereby duly acknowledged, we, the undersigned, offer to *[supply/deliver/perform]* *[description of the Goods]* in conformity with the said PBDs for the sum of *[total Bid amount in words and figures]* or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: *[specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties]*, which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

[Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address of agent	Amount	Purpose of Commission or gratuity
---------------------------	--------	-----------------------------------

_____	_____	_____
_____	_____	_____

(if none, state "None")]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name: _____

Legal capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Date: _____

Price Schedule for Goods Offered from Within the Philippines
[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

For Goods Offered from Within the Philippines

Name of Bidder _____ Project ID No. _____ Page ___ of ___

1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8)	Total Price delivered Final Destination (col 9) x (col 4)

Name: _____

Legal Capacity: _____

Signature: _____

Duly authorized to sign the Bid for and behalf of: _____

Omnibus Sworn Statement (Revised)
[shall be submitted with the Bid]

REPUBLIC OF THE PHILIPPINES)
CITY/MUNICIPALITY OF _____) S.S.

AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. *[Select one, delete the other:]*

[If a sole proprietorship:] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[If a partnership, corporation, cooperative, or joint venture:] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. *[Select one, delete the other:]*

[If a sole proprietorship:] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[If a partnership, corporation, cooperative, or joint venture:] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable)];

3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, **by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;**

4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;

6. *[Select one, delete the rest:]*

[If a sole proprietorship:] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a partnership or cooperative:] None of the officers and members of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[If a corporation or joint venture:] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

7. *[Name of Bidder]* complies with existing labor laws and standards; and
8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
- a. Carefully examining all of the Bidding Documents;
 - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
 - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
 - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the *[Name of the Project]*.
9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the Revised Penal Code.**

IN WITNESS WHEREOF, I have hereunto set my hand this __ day of __, 20__ at _____, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE]

[Insert signatory's legal capacity]

Affiant

Jurat

[Format shall be based on the latest Rules on Notarial Practice]

Bid Securing Declaration Form

[shall be submitted with the Bid if bidder opts to provide this form of bid security]

REPUBLIC OF THE PHILIPPINES)
CITY OF _____) S.S.

BID SECURING DECLARATION **Project Identification No.: *[Insert number]***

To: *[Insert name and address of the Procuring Entity]*

I/We, the undersigned, declare that:

1. I/We understand that, according to your conditions, bids must be supported by a Bid Security, which may be in the form of a Bid Securing Declaration.
2. I/We accept that: (a) I/we will be automatically disqualified from bidding for any procurement contract with any procuring entity for a period of two (2) years upon receipt of your Blacklisting Order; and, (b) I/we will pay the applicable fine provided under Section 6 of the Guidelines on the Use of Bid Securing Declaration, within fifteen (15) days from receipt of the written demand by the procuring entity for the commission of acts resulting to the enforcement of the bid securing declaration under Sections 23.1(b), 34.2, 40.1 and 69.1, except 69.1(f), of the IRR of RA No. 9184; without prejudice to other legal action the government may undertake.
3. I/We understand that this Bid Securing Declaration shall cease to be valid on the following circumstances:
 - a. Upon expiration of the bid validity period, or any extension thereof pursuant to your request;
 - b. I am/we are declared ineligible or post-disqualified upon receipt of your notice to such effect, and (i) I/we failed to timely file a request for reconsideration or (ii) I/we filed a waiver to avail of said right; and
 - c. I am/we are declared the bidder with the Lowest Calculated Responsive Bid, and I/we have furnished the performance security and signed the Contract.

IN WITNESS WHEREOF, I/We have hereunto set my/our hand/s this ____ day of *[month]* *[year]* at *[place of execution]*.

*[Insert NAME OF BIDDER OR ITS AUTHORIZED
REPRESENTATIVE]*
[Insert signatory's legal capacity]
Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

COMPANY LOGO

COMPUTATION OF NET FINANCIAL CONTRACTING CAPACITY

The Bidder must submit a computation of its Net Financial Contracting Capacity (NFCC), which must be at least equal to the ABC to be bid, calculated as follows:

NFCC = [(Current assets minus current liabilities) (K)] minus the value of all outstanding or uncompleted portions of the projects under ongoing contracts, including awarded contracts yet to be started coinciding with the contract to be bid.

Where: K = 10 for a contract duration of one year or less,
15 for a contract duration of more than one year up to two years, and
20 for a contract duration of more than two years.

The values of the bidder's current assets and current liabilities shall be based on the data submitted to the BIR, through its Electronic Filing and Payment System (EFPS).

	AMOUNT
CURRENT ASSETS	
MINUS: CURRENT LIABILITIES	
Sub-Total	
Multiplied by the value of K	
Sub-Total	
Minus the value of ON-GOING / OUTSTANDING CONTRACTS	
NFCC	

Submitted by:

Name of Supplier / Distributor / Manufacturer

Printed Name & Signature of
Authorized Representative

List of All On-going Government and Private Contracts Including Contracts Awarded but not yet Started

Business Name: _____
 Business Address: _____

Title / Name of Contract	Date of Contract	Contract Duration	Owner's Name and Address	Kinds of Goods / Services	Contract Amount	Value of Outstanding Contract	Target Date of Delivery
TOTAL							



Note: This statement shall be accompanied with:
 1. Notice of Award and/or Contract
 2. Notice to Proceed issued by the owner or
 3. Certificate of Accomplishment signed by the owner

Submitted by: _____

Printed Name and Signature _____

Position / Designation _____
 Date: _____

GUIDE FOR SEALING AND MARKING OF BIDS



ORIGINAL / COPY NO. 1

[BIDDER'S COMPANY NAME]
[COMPANY'S OFFICE ADDRESS]
PUBLIC BIDDING: [PROJECT TITLE]
BIDDING FOR [Lot no.]:[item description] (if applicable)

THE CHAIRPERSON
BIDS AND AWARDS COMMITTEE
DEPARTMENT OF EDUCATION
SCHOOLS DIVISION OF NEGROS ORIENTAL
[VENUE OF BID OPENING]

DO NOT OPEN BEFORE [*Insert* TIME AND DATE OF BID OPENING]

Republic of the Philippines



Government Procurement Policy Board