

Republic of the Philippines **Department of Education** REGION VII – Central Visayas SCHOOLS DIVISION OF NEGROS ORIENTAL

# **PHILIPPINE BIDDING DOCUMENTS**

# CY 2021 Procurement of Technical-Vocational-Livelihood (TVL) Learning Tools and Equipment LOTS 1, 2, and 3

Government of the Republic of the Philippines

Sixth Edition July 2020

## Preface

These Philippine Bidding Documents (PBDs) for the procurement of Goods through Competitive Bidding have been prepared by the Government of the Philippines for use by any branch, constitutional commission or office, agency, department, bureau, office, or instrumentality of the Government of the Philippines, National Government Agencies, including Government-Owned and/or Controlled Corporations, Government Financing Institutions, State Universities and Colleges, and Local Government Unit. The procedures and practices presented in this document have been developed through broad experience and are for mandatory use in projects that are financed in whole or in part by the Government of the Philippines or any foreign government/foreign or international financing institution in accordance with the provisions of the 2016 revised Implementing Rules and Regulations of Republic Act No. 9184.

The Bidding Documents shall clearly and adequately define, among others: (i) the objectives, scope, and expected outputs and/or results of the proposed contract or Framework Agreement, as the case may be; (ii) the eligibility requirements of Bidders; (iii) the expected contract or Framework Agreement duration, the estimated quantity in the case of procurement of goods, delivery schedule and/or time frame; and (iv) the obligations, duties, and/or functions of the winning bidder.

Care should be taken to check the relevance of the provisions of the PBDs against the requirements of the specific Goods to be procured. If duplication of a subject is inevitable in other sections of the document prepared by the Procuring Entity, care must be exercised to avoid contradictions between clauses dealing with the same matter.

Moreover, each section is prepared with notes intended only as information for the Procuring Entity or the person drafting the Bidding Documents. They shall not be included in the final documents. The following general directions should be observed when using the documents:

- a. All the documents listed in the Table of Contents are normally required for the procurement of Goods. However, they should be adapted as necessary to the circumstances of the particular Procurement Project.
- b. Specific details, such as the "*name of the Procuring Entity*" and "*address for bid submission*," should be furnished in the Instructions to Bidders, Bid Data Sheet, and Special Conditions of Contract. The final documents should contain neither blank spaces nor options.
- c. This Preface and the footnotes or notes in italics included in the Invitation to Bid, Bid Data Sheet, General Conditions of Contract, Special Conditions of Contract, Schedule of Requirements, and Specifications are not part of the text of the final document, although they contain instructions that the Procuring Entity should strictly follow.

- d. The cover should be modified as required to identify the Bidding Documents as to the Procurement Project, Project Identification Number, and Procuring Entity, in addition to the date of issue.
- e. Modifications for specific Procurement Project details should be provided in the Special Conditions of Contract as amendments to the Conditions of Contract. For easy completion, whenever reference has to be made to specific clauses in the Bid Data Sheet or Special Conditions of Contract, these terms shall be printed in bold typeface on Sections I (Instructions to Bidders) and III (General Conditions of Contract), respectively.
- f. For guidelines on the use of Bidding Forms and the procurement of Foreign-Assisted Projects, these will be covered by a separate issuance of the Government Procurement Policy Board.

## **Table of Contents**

Gloss	ary of Acronyms, Terms, and Abbreviations	3
Sectio	on I. Invitation to Bid	7
Sectio	on II. Instructions to Bidders	11
1.	Scope of Bid	12
2.	Funding Information	12
3.	Bidding Requirements	12
4.	Corrupt, Fraudulent, Collusive, and Coercive Practices	
5.	Eligible Bidders	
6.	Origin of Goods	13
7.	Subcontracts	
8.	Pre-Bid Conference	
9.	Clarification and Amendment of Biddinzg Documents	13
10.	Documents comprising the Bid: Eligibility and Technical Components	14
11.	Documents comprising the Bid: Financial Component	14
12.	Bid Prices	
13.	Bid and Payment Currencies	
14.	Bid Security	
15.	Sealing and Marking of Bids	
16.	Deadline for Submission of Bids	
17.	Opening and Preliminary Examination of Bids	
18.	Domestic Preference	
19.	Detailed Evaluation and Comparison of Bids	
20.	Post-Qualification	
21.	Signing of the Contract	
Sectio	on III. Bid Data Sheet	
Sectio	on IV. General Conditions of Contract	21
1.	Scope of Contract	22
2.	Advance Payment and Terms of Payment	22
3.	Performance Security	22
4.	Inspection and Tests	
5.	Warranty	23
6.	Liability of the Supplier	23
Sectio	on V. Special Conditions of Contract	
Sectio	on VI. Schedule of Requirements	29
Sectio	on VII. Technical Specifications	30
Sectio	on VIII. Checklist of Technical and Financial Documents	

## Glossary of Acronyms, Terms, and Abbreviations

**ABC** – Approved Budget for the Contract.

BAC – Bids and Awards Committee.

**Bid** – A signed offer or proposal to undertake a contract submitted by a bidder in response to and in consonance with the requirements of the bidding documents. Also referred to as *Proposal* and *Tender*. (2016 revised IRR, Section 5[c])

**Bidder** – Refers to a contractor, manufacturer, supplier, distributor and/or consultant who submits a bid in response to the requirements of the Bidding Documents. (2016 revised IRR, Section 5[d])

**Bidding Documents** – The documents issued by the Procuring Entity as the bases for bids, furnishing all information necessary for a prospective bidder to prepare a bid for the Goods, Infrastructure Projects, and/or Consulting Services required by the Procuring Entity. (2016 revised IRR, Section 5[e])

**BIR** – Bureau of Internal Revenue.

BSP – Bangko Sentral ng Pilipinas.

**Consulting Services** – Refer to services for Infrastructure Projects and other types of projects or activities of the GOP requiring adequate external technical and professional expertise that are beyond the capability and/or capacity of the GOP to undertake such as, but not limited to: (i) advisory and review services; (ii) pre-investment or feasibility studies; (iii) design; (iv) construction supervision; (v) management and related services; and (vi) other technical services or special studies. (2016 revised IRR, Section 5[i])

CDA - Cooperative Development Authority.

**Contract** – Refers to the agreement entered into between the Procuring Entity and the Supplier or Manufacturer or Distributor or Service Provider for procurement of Goods and Services; Contractor for Procurement of Infrastructure Projects; or Consultant or Consulting Firm for Procurement of Consulting Services; as the case may be, as recorded in the Contract Form signed by the parties, including all attachments and appendices thereto and all documents incorporated by reference therein.

**CIF** – Cost Insurance and Freight.

CIP – Carriage and Insurance Paid.

**CPI** – Consumer Price Index.

DDP – Refers to the quoted price of the Goods, which means "delivered duty paid."

**DTI** – Department of Trade and Industry.

**EXW** – Ex works.

FCA – "Free Carrier" shipping point.

**FOB** – "Free on Board" shipping point.

**Foreign-funded Procurement or Foreign-Assisted Project**– Refers to procurement whose funding source is from a foreign government, foreign or international financing institution as specified in the Treaty or International or Executive Agreement. (2016 revised IRR, Section 5[b]).

**Framework Agreement** – Refers to a written agreement between a procuring entity and a supplier or service provider that identifies the terms and conditions, under which specific purchases, otherwise known as "Call-Offs," are made for the duration of the agreement. It is in the nature of an option contract between the procuring entity and the bidder(s) granting the procuring entity the option to either place an order for any of the goods or services identified in the Framework Agreement List or not buy at all, within a minimum period of one (1) year to a maximum period of three (3) years. (GPPB Resolution No. 27-2019)

**GFI** – Government Financial Institution.

GOCC – Government-owned and/or –controlled corporation.

**Goods** – Refer to all items, supplies, materials and general support services, except Consulting Services and Infrastructure Projects, which may be needed in the transaction of public businesses or in the pursuit of any government undertaking, project or activity, whether in the nature of equipment, furniture, stationery, materials for construction, or personal property of any kind, including non-personal or contractual services such as the repair and maintenance of equipment and furniture, as well as trucking, hauling, janitorial, security, and related or analogous services, as well as procurement of materials and supplies provided by the Procuring Entity for such services. The term "related" or "analogous services" shall include, but is not limited to, lease or purchase of office space, media advertisements, health maintenance services, and other services essential to the operation of the Procuring Entity. (2016 revised IRR, Section 5[r])

**GOP** – Government of the Philippines.

**GPPB** – Government Procurement Policy Board.

**INCOTERMS** – International Commercial Terms.

**Infrastructure Projects** – Include the construction, improvement, rehabilitation, demolition, repair, restoration or maintenance of roads and bridges, railways, airports, seaports, communication facilities, civil works components of information technology projects, irrigation, flood control and drainage, water supply, sanitation, sewerage and solid waste management systems, shore protection, energy/power and electrification facilities, national

buildings, school buildings, hospital buildings, and other related construction projects of the government. Also referred to as *civil works or works*. (2016 revised IRR, Section 5[u])

**LGUs** – Local Government Units.

NFCC – Net Financial Contracting Capacity.

NGA – National Government Agency.

**PhilGEPS -** Philippine Government Electronic Procurement System.

**Procurement Project** – refers to a specific or identified procurement covering goods, infrastructure project or consulting services. A Procurement Project shall be described, detailed, and scheduled in the Project Procurement Management Plan prepared by the agency which shall be consolidated in the procuring entity's Annual Procurement Plan. (GPPB Circular No. 06-2019 dated 17 July 2019)

**PSA** – Philippine Statistics Authority.

**SEC** – Securities and Exchange Commission.

**SLCC** – Single Largest Completed Contract.

**Supplier** – refers to a citizen, or any corporate body or commercial company duly organized and registered under the laws where it is established, habitually established in business and engaged in the manufacture or sale of the merchandise or performance of the general services covered by his bid. (Item 3.8 of GPPB Resolution No. 13-2019, dated 23 May 2019). Supplier as used in these Bidding Documents may likewise refer to a distributor, manufacturer, contractor, or consultant.

UN – United Nations.

## Notes on the Invitation to Bid

The Invitation to Bid (IB) provides information that enables potential Bidders to decide whether to participate in the procurement at hand. The IB shall be posted in accordance with Section 21.2 of the 2016 revised IRR of RA No. 9184.

Apart from the essential items listed in the Bidding Documents, the IB should also indicate the following:

- a. The date of availability of the Bidding Documents, which shall be from the time the IB is first advertised/posted until the deadline for the submission and receipt of bids;
- b. The place where the Bidding Documents may be acquired or the website where it may be downloaded;
- c. The deadline for the submission and receipt of bids; and
- d. Any important bid evaluation criteria (*e.g.*, the application of a margin of preference in bid evaluation).

The IB should be incorporated in the Bidding Documents. The information contained in the IB must conform to the Bidding Documents and in particular to the relevant information in the Bid Data Sheet.



#### Republic of the Philippines **Department of Education** REGION VII – Central Visayas SCHOOLS DIVISION OF NEGROS ORIENTAL

## INVITATION TO BID FOR CY 2021 Procurement of Technical-Vocational-Livelihood (TVL) Learning Tools and Equipment Lots 1,2, and 3

The Department of Education – Schools Division of Negros Oriental, through the OSEC-7-21-5479 intends to apply the sum of Php 5,059,281.00 (Five Million Fifty-Nine Thousand Two Hundred Eighty-One Pesos Only) being the ABC to payments under the contract for the CY 2021 Procurement of Technical-Vocational-Livelihood (TVL) Learning Tools and Equipment Lots 1,2,3, details as shown below;

Lot #	Project Description	Approved Budget for Contract (ABC)
1	Bread & Pastry and Beauty Care Services	Php 1,582,641.60
2	Illustration; Technical Drafting; and Contact Center	Php 3,313,101.40
3	Agricultural Crop Production and Landscape Installation and Maintenance	Php 163,538.00
	TOTAL ABC	Php 5,059,281.00

Bids received in excess of the ABC shall be automatically rejected at bid opening.

2. The **Department of Education - Schools Division of Negros Oriental** now invites bids for the above Procurement Project. Delivery of the Goods is required within 60 calendar days upon receipt of the Notice of Award.

Bidders should have completed, a contract similar to the Project. The description of an eligible bidder is contained in the Bidding Documents, particularly, in Section II (Instructions to Bidders).

- 3. Bidding will be conducted through open competitive bidding procedures using a nondiscretionary "*pass/fail*" criterion as specified in the 2016 revised Implementing Rules and Regulations (IRR) of Republic Act (RA) No. 9184.
  - a. Bidding is restricted to Filipino citizens/sole proprietorships, partnerships, or organizations with at least sixty percent (60%) interest or outstanding capital stock belonging to citizens of the Philippines, and to citizens or organizations of a country

the laws or regulations of which grant similar rights or privileges to Filipino citizens, pursuant to RA No. 5183.

- 4. Prospective Bidders may obtain further information from **Department of Education Schools Division of Negros Oriental** and inspect the Bidding Documents at the address given below during 8:00 AM to 5:00 PM (Monday to Friday).
- 5. A complete set of Bidding Documents may be acquired by interested Bidders on **December 4, 2021 and until the opening of bids** from the given address below and upon payment of the applicable fees for the Bidding Documents, pursuant to the latest Guidelines issued by the GPPB, in the amount of;

Lot #	Project Description	Bid Document Applicable Fee
1	Bread & Pastry and Beauty Care Services Php 1,582,641.60	Р 5,000.00
2	Illustration; Technical Drafting; and Contact Center Php 3,313,101.40	Р 5,000.00
3	Agricultural Crop Production and Landscape Installation and Maintenance Php 163,538.00	P 500.00

Interested bidders may pay the applicable fees in person or deposit their payment for the Bidding Documents to our Development Bank of the Philippines (DBP) account, details as follows:

Account Name: DepEd, Division of Negros Oriental Account Number: 0-00160-740-1

The bidder must present its proof of payment for the fees in person or email its proof of payment to this email address: **negros.oriental@deped.gov.ph.** After verification from the bank, the bidding documents will be sent through email provided that the bidder shall print the bid documents and submit them to the procuring entity as a requirement among others before the awarding of contract.

- 6. The **Department of Education Schools Division of Negros Oriental** will hold a Pre-Bid Conference on *December 3, 2021, 9AM at* 3<sup>rd</sup> Floor Division Conference Room, Schools Division of Negros Oriental, Kagawasan Avenue, Capitol Area, Daro, Dumaguete City and/or through video conferencing or webcasting *via* **ZOOM link** <u>https://bit.ly/TVLPREBID</u>, which shall be open to prospective bidders.
- Bids must be duly received by the BAC Secretariat through manual submission at the office address indicated below on or before;
   <u>09:00 A.M., December 15, 2021 for LOT 1</u> <u>11:00 A.M., December 15, 2021 for LOT 2</u>, <u>02:00 P.M., December 15, 2021 for LOT 3</u>,

Late bids shall not be accepted.

- 8. All Bids must be accompanied by a bid security in any of the acceptable forms and in the amount stated in **ITB** Clause 14.
- 9. Bid opening shall be as follows;

Lot No.	Project Description	Date/Time	Venue
1	Bread & Pastry and Beauty Care	December 15, 2021	Conference Room,
	Services	09:00 AM	DepEd – Schools
2	Illustration; Technical Drafting;	December 15, 2021	Division of Negros
	and Contact Center	11:00 AM	Oriental, Kagawasan
3	Agricultural Crop Production and Landscape Installation and Maintenance	December 15, 2021 2:00 PM	Avenue, Capitol Area, Daro, Dgte. City

And /or through videoconferencing / webcasting app

Lot 1 - https://bit.ly/TVL-openinglot1

Lot 2 – <u>https://bit.ly/TVL-openinglot2</u>

Lot 3 – <u>https://bit.ly/TVL-openinglot3</u>

- 10. The **Department of Education Schools Division of Negros Oriental** reserves the right to reject any and all bids, declare a failure of bidding, or not award the contract at any time prior to contract award in accordance with Sections 35.6 and 41 of the 2016 revised IRR of RA No. 9184, without thereby incurring any liability to the affected bidder or bidders.
- 11. For further information, please refer to:

#### JOELYZA M. ARCILLA, EdD, CESE

BAC Chairperson, OIC - ASDS Schools Division of Negros Oriental Kagawasan Avenue, Capitol Area, Daro Dumaguete City, Negros Oriental 6200 (035) 225 1623 www.depednegor.net

> JOELYZA M. ARCILLA, EdD, CESE OIC - Asst. Schools Division of Negros Oriental Chairperson, Bids & Awards Committee

### Notes on the Instructions to Bidders

This Section on the Instruction to Bidders (ITB) provides the information necessary for bidders to prepare responsive bids, in accordance with the requirements of the Procuring Entity. It also provides information on bid submission, eligibility check, opening and evaluation of bids, post-qualification, and on the award of contract.

#### 1. Scope of Bid

The Procuring Entity, **Department of Education - Schools Division of Negros Oriental** wishes to receive Bids for the **CY 2021 Procurement of Technical-Vocational-Livelihood (TVL) Learning Tools and Equipment Lot 1,2,3.** 

The Procurement Project (referred to herein as "Project") is for the procurement of various TVL learning tools and equipment, the details of which are described in Section VII (Technical Specifications).

#### 2. Funding Information

- 2.1 The GOP through the source of funding as indicated below for Calendar Year 2021 in the amount of Php 5,059,281.00 (Five Million Fifty-Nine Thousand Two Hundred Eighty-One Pesos Only).
- 2.2 The source of funding is NGA, the General Appropriations Act or Special Appropriations.

#### **3.** Bidding Requirements

The Bidding for the Project shall be governed by all the provisions of RA No. 9184 and its 2016 revised IRR, including its Generic Procurement Manuals and associated policies, rules and regulations as the primary source thereof, while the herein clauses shall serve as the secondary source thereof.

Any amendments made to the IRR and other GPPB issuances shall be applicable only to the ongoing posting, advertisement, or **IB** by the BAC through the issuance of a supplemental or bid bulletin.

The Bidder, by the act of submitting its Bid, shall be deemed to have verified and accepted the general requirements of this Project, including other factors that may affect the cost, duration and execution or implementation of the contract, project, or work and examine all instructions, forms, terms, and project requirements in the Bidding Documents.

#### 4. Corrupt, Fraudulent, Collusive, and Coercive Practices

The Procuring Entity, as well as the Bidders and Suppliers, shall observe the highest standard of ethics during the procurement and execution of the contract. They or through an agent shall not engage in corrupt, fraudulent, collusive, coercive, and obstructive practices defined under Annex "I" of the 2016 revised IRR of RA No. 9184 or other integrity violations in competing for the Project.

#### 5. Eligible Bidders

5.1. Only Bids of Bidders found to be legally, technically, and financially capable will be evaluated.

- 5.2. Foreign ownership limited to those allowed under the rules may participate in this Project.
- 5.3. Pursuant to Section 23.4.1.3 of the 2016 revised IRR of RA No.9184, the Bidder shall have an SLCC that is at least one (1) contract similar to the Project the value of which, adjusted to current prices using the PSA's CPI, must be at least equivalent to:
  - a. For the procurement of non-expendable Supplies and Services: The Bidder must have completed a single contract that is similar to this Project, equivalent to at least fifty percent (50%) of the ABC.
  - b. For procurement where the Procuring Entity has determined, after the conduct of market research, that imposition of either (a) or (b) will likely result to failure of bidding or monopoly that will defeat the purpose of public bidding: the Bidder should comply with the following requirements:
    - i. Completed at least two (2) similar contracts, the aggregate amount of which should be equivalent of least fifty percent (50%) of the ABC for this Project.
- 5.4. The Bidders shall comply with the eligibility criteria under Section 23.4.1 of the 2016 IRR of RA No. 9184.

#### 6. Origin of Goods

There is no restriction on the origin of goods other than those prohibited by a decision of the UN Security Council taken under Chapter VII of the Charter of the UN, subject to Domestic Preference requirements under **ITB** Clause 18.

#### 7. Subcontracts

7.1. The Bidder may subcontract portions of the Project to the extent allowed by the Procuring Entity as stated herein, but in no case more than twenty percent (20%) of the Project.

The Procuring Entity has prescribed that subcontracting is allowed:

#### 8. Pre-Bid Conference

The Procuring Entity will hold a pre-bid conference for this Project on the specified date and time and either at its physical address and/or through videoconferencing/webcasting as indicated in paragraph 6 of the **IB**.

#### 9. Clarification and Amendment of Bidding Documents

Prospective bidders may request for clarification on and/or interpretation of any part of the Bidding Documents. Such requests must be in writing and received by the Procuring Entity, either at its given address or through electronic mail indicated in the

**IB**, at least ten (10) calendar days before the deadline set for the submission and receipt of Bids.

#### **10.** Documents comprising the Bid: Eligibility and Technical Components

- 10.1. The first envelope shall contain the eligibility and technical documents of the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 10.2. The Bidder's SLCC as indicated in **ITB** Clause 5.3 should have been completed within 3 years prior to the deadline for the submission and receipt of bids.
- 10.3. If the eligibility requirements or statements, the bids, and all other documents for submission to the BAC are in foreign language other than English, it must be accompanied by a translation in English, which shall be authenticated by the appropriate Philippine foreign service establishment, post, or the equivalent office having jurisdiction over the foreign bidder's affairs in the Philippines. Similar to the required authentication above, for Contracting Parties to the Apostille Convention, only the translated documents shall be authenticated through an apostille pursuant to GPPB Resolution No. 13-2019 dated 23 May 2019. The English translation shall govern, for purposes of interpretation of the bid.

#### 11. Documents comprising the Bid: Financial Component

- 11.1. The second bid envelope shall contain the financial documents for the Bid as specified in Section VIII (Checklist of Technical and Financial Documents).
- 11.2. If the Bidder claims preference as a Domestic Bidder or Domestic Entity, a certification issued by DTI shall be provided by the Bidder in accordance with Section 43.1.3 of the 2016 revised IRR of RA No. 9184.
- 11.3. Any bid exceeding the ABC indicated in paragraph 1 of the **IB** shall not be accepted.
- 11.4. For Foreign-funded Procurement, a ceiling may be applied to bid prices provided the conditions are met under Section 31.2 of the 2016 revised IRR of RA No. 9184.

#### 12. Bid Prices

- 12.1. Prices indicated on the Price Schedule shall be entered separately in the following manner:
  - a. For Goods offered from within the Procuring Entity's country:
    - i. The price of the Goods quoted EXW (ex-works, ex-factory, exwarehouse, ex-showroom, or off-the-shelf, as applicable);

- ii. The cost of all customs duties and sales and other taxes already paid or payable;
- iii. The cost of transportation, insurance, and other costs incidental to delivery of the Goods to their final destination; and
- iv. The price of other (incidental) services, if any, listed in the **BDS**.
- b. For Goods offered from abroad:
  - i. Unless otherwise stated in the **BDS**, the price of the Goods shall be quoted delivered duty paid (DDP) with the place of destination in the Philippines as specified in the **BDS**. In quoting the price, the Bidder shall be free to use transportation through carriers registered in any eligible country. Similarly, the Bidder may obtain insurance services from any eligible source country.
  - ii. The price of other (incidental) services, if any, as listed in the **BDS**.

#### 13. Bid and Payment Currencies

- 13.1. For Goods that the Bidder will supply from outside the Philippines, the bid prices may be quoted in the local currency or tradeable currency accepted by the BSP at the discretion of the Bidder. However, for purposes of bid evaluation, Bids denominated in foreign currencies, shall be converted to Philippine currency based on the exchange rate as published in the BSP reference rate bulletin on the day of the bid opening.
- 13.2. Payment of the contract price shall be made in Philippine Pesos.

#### 14. Bid Security

- 14.1. The Bidder shall submit a Bid Securing Declaration or any form of Bid Security in the amount indicated in the **BDS**, which shall be not less than the percentage of the ABC in accordance with the schedule in the **BDS**.
- 14.2. The Bid and bid security shall be valid until Sixty (60) Calendar Days from the opening of bids. Any Bid not accompanied by an acceptable bid security shall be rejected by the Procuring Entity as non-responsive.

#### 15. Sealing and Marking of Bids

Each Bidder shall submit one copy of the first and second components of its Bid.

The Procuring Entity may request additional hard copies and/or electronic copies of the Bid. However, failure of the Bidders to comply with the said request shall not be a ground for disqualification.

If the Procuring Entity allows the submission of bids through online submission or any other electronic means, the Bidder shall submit an electronic copy of its Bid, which must be digitally signed. An electronic copy that cannot be opened or is corrupted shall be considered non-responsive and, thus, automatically disqualified.

#### 16. Deadline for Submission of Bids

16.1. The Bidders shall submit on the specified date and time and either at its physical address or through online submission as indicated in paragraph 7 of the **IB**.

#### 17. Opening and Preliminary Examination of Bids

17.1. The BAC shall open the Bids in public at the time, on the date, and at the place specified in paragraph 9 of the **IB**. The Bidders' representatives who are present shall sign a register evidencing their attendance. In case videoconferencing, webcasting or other similar technologies will be used, attendance of participants shall likewise be recorded by the BAC Secretariat.

In case the Bids cannot be opened as scheduled due to justifiable reasons, the rescheduling requirements under Section 29 of the 2016 revised IRR of RA No. 9184 shall prevail.

17.2. The preliminary examination of bids shall be governed by Section 30 of the 2016 revised IRR of RA No. 9184.

#### **18. Domestic Preference**

18.1. The Procuring Entity will grant a margin of preference for the purpose of comparison of Bids in accordance with Section 43.1.2 of the 2016 revised IRR of RA No. 9184.

#### **19.** Detailed Evaluation and Comparison of Bids

- 19.1. The Procuring Entity's BAC shall immediately conduct a detailed evaluation of all Bids rated "*passed*," using non-discretionary pass/fail criteria. The BAC shall consider the conditions in the evaluation of Bids under Section 32.2 of the 2016 revised IRR of RA No. 9184.
- 19.2. If the Project allows partial bids, bidders may submit a proposal on any of the lots or items, and evaluation will be undertaken on a per lot or item basis, as the case maybe. In this case, the Bid Security as required by **ITB** Clause 14 shall be submitted for each lot or item separately.
- 19.3. The descriptions of the lots or items shall be indicated in Section VII (Technical Specifications), although the ABCs of these lots or items are indicated in the BDS for purposes of the NFCC computation pursuant to Section 23.4.2.6 of the 2016 revised IRR of RA No. 9184. The NFCC must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder.

- 19.4. The Project shall be awarded as one Project having several items that shall be awarded as one contract.
- 19.5. Except for bidders submitting a committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation, all Bids must include the NFCC computation pursuant to Section 23.4.1.4 of the 2016 revised IRR of RA No. 9184, which must be sufficient for the total of the ABCs for all the lots or items participated in by the prospective Bidder. For bidders submitting the committed Line of Credit, it must be at least equal to ten percent (10%) of the ABCs for all the lots or items participated in by the prospective Bidder.

#### 20. Post-Qualification

20.1. Within a non-extendible period of five (5) calendar days from receipt by the Bidder of the notice from the BAC that it submitted the Lowest Calculated Bid, the Bidder shall submit its latest income and business tax returns filed and paid through the BIR Electronic Filing and Payment System (eFPS) and other appropriate licenses and permits required by law and stated in the **BDS**.

#### 21. Signing of the Contract

21.1. The documents required in Section 37.2 of the 2016 revised IRR of RA No. 9184 shall form part of the Contract. Additional Contract documents are indicated in the **BDS**.

# Section III. Bid Data Sheet

## Notes on the Bid Data Sheet

The Bid Data Sheet (BDS) consists of provisions that supplement, amend, or specify in detail, information, or requirements included in the ITB found in Section II, which are specific to each procurement.

This Section is intended to assist the Procuring Entity in providing the specific information in relation to corresponding clauses in the ITB and has to be prepared for each specific procurement.

The Procuring Entity should specify in the BDS information and requirements specific to the circumstances of the Procuring Entity, the processing of the procurement, and the bid evaluation criteria that will apply to the Bids. In preparing the BDS, the following aspects should be checked:

- a. Information that specifies and complements provisions of the ITB must be incorporated.
- b. Amendments and/or supplements, if any, to provisions of the ITB as necessitated by the circumstances of the specific procurement, must also be incorporated.

# **Bid Data Sheet**

ITB Clause					
5.3	For this purpose, contracts similar to the Project shall be those described in the <u>BDS</u> , and completed within the relevant period stated in the Invitation to Bid and <b>ITB</b> .				
7.1	No fur	ther instructions			
12	Philipp	The price of the Goods shall be quoted DDP with the place of destination in the philippines as specified in the <u>BDS</u> or the applicable International Commercial Terms (INCOTERMS) for this Project.			
14.1		d security shall be in the form of a Bid ing forms and amounts:	l Securing Declaration, or any of the		
		Form of Bid Security		nount of Bid Security to Percentage of the ABC)	
	by a U b. Bar of cre Bank: confir	h or cashier's/manager's check issued <u>Jniversal or Commercial Bank.</u> hk draft/guarantee or irrevocable letter dit issued by a Universal or Commercial Provided, however, that it shall be med or authenticated by a Universal or hercial Bank, if issued by a foreign	Two percent (2%) Five percent (5%)		
	by a s certifi	ety bond callable upon demand issued urety or insurance company duly ed by the Insurance Commission as rized to issue such security; and/or			
		y combination of the foregoing.	Proportionate to share of form with respect to total amount of security		
	e. Bid	Securing Declaration	No Percentage required		
19.3	Lot #	Description		Approved Budget for Contract (ABC)	
	1	Bread & Pastry and Beauty Care Serv	ices	Php 1,582,641.60	
	2	Illustration; Technical Drafting; and C Center	ricultural Crop Production and Landscape		
	3				
	TOTAL ABC Php 5,059,281.00		Php 5,059,281.00		
		I			

20.2	<ul> <li>The lowest calculated bid shall present Original Copy of the following for Post Qualification evaluation;</li> <li>1. PhilGEPS Certificate of Registration (Platinum)</li> <li>2. DTI/SEC Registration Certification</li> <li>3. Business/Mayor's Permit</li> <li>4. Tax Clearance</li> <li>5. Audited Financial Statement</li> <li>Latest Income and Business Tax Returns, Filed and Paid through Electronic Filing and Payments System (eFPS)</li> </ul>
21.2	No Further Instructions

# Section IV. General Conditions of Contract

## Notes on the General Conditions of Contract

The General Conditions of Contract (GCC) in this Section, read in conjunction with the Special Conditions of Contract in Section V and other documents listed therein, should be a complete document expressing all the rights and obligations of the parties.

Matters governing performance of the Supplier, payments under the contract, or matters affecting the risks, rights, and obligations of the parties under the contract are included in the GCC and Special Conditions of Contract.

Any complementary information, which may be needed, shall be introduced only through the Special Conditions of Contract.

#### **1.** Scope of Contract

This Contract shall include all such items, although not specifically mentioned, that can be reasonably inferred as being required for its completion as if such items were expressly mentioned herein. All the provisions of RA No. 9184 and its 2016 revised IRR, including the Generic Procurement Manual, and associated issuances, constitute the primary source for the terms and conditions of the Contract, and thus, applicable in contract implementation. Herein clauses shall serve as the secondary source for the terms and conditions of the Contract.

This is without prejudice to Sections 74.1 and 74.2 of the 2016 revised IRR of RA No. 9184 allowing the GPPB to amend the IRR, which shall be applied to all procurement activities, the advertisement, posting, or invitation of which were issued after the effectivity of the said amendment.

Additional requirements for the completion of this Contract shall be provided in the **Special Conditions of Contract (SCC).** 

#### 2. Advance Payment and Terms of Payment

- 2.1. Advance payment of the contract amount is provided under Annex "D" of the revised 2016 IRR of RA No. 9184.
- 2.2. The Procuring Entity is allowed to determine the terms of payment on the partial or staggered delivery of the Goods procured, provided such partial payment shall correspond to the value of the goods delivered and accepted in accordance with prevailing accounting and auditing rules and regulations. The terms of payment are indicated in the **SCC**.

#### **3.** Performance Security

Within ten (10) calendar days from receipt of the Notice of Award by the Bidder from the Procuring Entity but in no case later than the signing of the Contract by both parties, the successful Bidder shall furnish the performance security in any of the forms prescribed in Section 39 of the 2016 revised IRR of RA No. 9184.

#### 4. Inspection and Tests

The Procuring Entity or its representative shall have the right to inspect and/or to test the Goods to confirm their conformity to the Project specifications at no extra cost to the Procuring Entity in accordance with the Generic Procurement Manual. In addition to tests in the **SCC**, **Section VII (Technical Specifications)** shall specify what inspections and/or tests the Procuring Entity requires, and where they are to be conducted. The Procuring Entity shall notify the Supplier in writing, in a timely manner, of the identity of any representatives retained for these purposes.

All reasonable facilities and assistance for the inspection and testing of Goods, including access to drawings and production data, shall be provided by the Supplier to the authorized inspectors at no charge to the Procuring Entity.

#### 5. Warranty

- 5.1 In order to assure that manufacturing defects shall be corrected by the Supplier, a warranty shall be required from the Supplier as provided under Section 62.1 of the 2016 revised IRR of RA No. 9184.
- 5.2 The Procuring Entity shall promptly notify the Supplier in writing of any claims arising under this warranty. Upon receipt of such notice, the Supplier shall, repair or replace the defective Goods or parts thereof without cost to the Procuring Entity, pursuant to the Generic Procurement Manual.

#### 6. Liability of the Supplier

The Supplier's liability under this Contract shall be as provided by the laws of the Republic of the Philippines.

If the Supplier is a joint venture, all partners to the joint venture shall be jointly and severally liable to the Procuring Entity.

# Section V. Special Conditions of Contract

## Notes on the Special Conditions of Contract

Similar to the BDS, the clauses in this Section are intended to assist the Procuring Entity in providing contract-specific information in relation to corresponding clauses in the GCC found in Section IV.

The Special Conditions of Contract (SCC) complement the GCC, specifying contractual requirements linked to the special circumstances of the Procuring Entity, the Procuring Entity's country, the sector, and the Goods purchased. In preparing this Section, the following aspects should be checked:

- a. Information that complements provisions of the GCC must be incorporated.
- b. Amendments and/or supplements to provisions of the GCC as necessitated by the circumstances of the specific purchase, must also be incorporated.

However, no special condition which defeats or negates the general intent and purpose of the provisions of the GCC should be incorporated herein.

## **Special Conditions of Contract**

GCC			
Delivery and Documents –			
For purposes of the Contract, "EXW," "FOB," "FCA," "CIF," "CIP," "DDP" and other trade terms used to describe the obligations of the parties shall have the meanings assigned to them by the current edition of INCOTERMS published by the International Chamber of Commerce, Paris. The Delivery terms of this Contract shall be as follows:			
For Goods supplied from abroad, state: The delivery terms applicable to the Contract are DDP delivered as indicated on Paragraph 11 of Section I IB. In accordance with INCOTERMS."			
The delivery terms applicable to this Contract are as indicated on Paragraph 11 of Section I IB. Risk and title will pass from the Supplier to the Procuring Entity upon receipt and final acceptance of the Goods at their final destination."			
Delivery of the Goods shall be made by the Supplier in accordance with the terms specified in Section VI (Schedule of Requirements).			
For purposes of this Clause the Procuring Entity's Representative at the Project Site is <b>Ms. Ruby Jean Estrellita M. Bidaure</b> AO-IV Supply Officer.			
Incidental Services –			
The Supplier is required to provide all of the following services, including additional services, if any, specified in Section VI. Schedule of Requirements:			
<ul> <li>a. performance or supervision of on-site assembly and/or start-up of the supplied Goods;</li> <li>b. furnishing of tools required for assembly and/or maintenance of the supplied Goods;</li> <li>c. furnishing of a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</li> <li>d. performance or supervision or maintenance and/or repair of the supplied Goods, for a period of time agreed by the parties, provided that this service shall not relieve the Supplier of any warranty obligations under this Contract; and</li> <li>e. training of the Procuring Entity's personnel, at the Supplier's plant and/or on-site, in assembly, start-up, operation, maintenance, and/or repair of the supplied Goods.</li> </ul>			

The Contract price for the Goods shall include the prices charged by the Supplier for incidental services and shall not exceed the prevailing rates charged to other parties by the Supplier for similar services.
Spare Parts –
The Supplier is required to provide all of the following materials, notifications, and information pertaining to spare parts manufactured or distributed by the Supplier:
1. such spare parts as the Procuring Entity may elect to purchase from the Supplier, provided that this election shall not relieve the Supplier of any warranty obligations under this Contract; and
2. in the event of termination of production of the spare parts:
i. advance notification to the Procuring Entity of the pending termination, in sufficient time to permit the Procuring Entity to procure needed requirements; and
ii. following such termination, furnishing at no cost to the Procuring Entity, the blueprints, drawings, and specifications of the spare parts, if requested.
The spare parts and other components required are listed in <b>Section VI</b> ( <b>Schedule of Requirements</b> ) and the costs thereof are included in the contract price.
The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of
Spare parts or components shall be supplied as promptly as possible, but in any case, within months of placing the order.
Packaging –
The Supplier shall provide such packaging of the Goods as is required to prevent their damage or deterioration during transit to their final destination, as indicated in this Contract. The packaging shall be sufficient to withstand, without limitation, rough handling during transit and exposure to extreme temperatures, salt and precipitation during transit, and open storage. Packaging case size and weights shall take into consideration, where appropriate, the remoteness of the Goods' final destination and the absence of heavy handling facilities at all points in transit.

The packaging, marking, and documentation within and outside the packages shall comply strictly with such special requirements as shall be expressly provided for in the Contract, including additional requirements, if any, specified below, and in any subsequent instructions ordered by the Procuring Entity. The outer packaging must be clearly marked on at least four (4) sides as follows: Name of the Procuring Entity Name of the Supplier Contract Description Final Destination Gross weight Any special lifting instructions Any relevant HAZCHEM classifications
A packaging list identifying the contents and quantities of the package is to be placed on an accessible point of the outer packaging if practical. If not practical the packaging list is to be placed inside the outer packaging but outside the secondary packaging.
Transportation –
Where the Supplier is required under Contract to deliver the Goods CIF, CIP, or DDP, transport of the Goods to the port of destination or such other named place of destination in the Philippines, as shall be specified in this Contract, shall be arranged and paid for by the Supplier, and the cost thereof shall be included in the Contract Price.
Where the Supplier is required under this Contract to transport the Goods to a specified place of destination within the Philippines, defined as the Project Site, transport to such place of destination in the Philippines, including insurance and storage, as shall be specified in this Contract, shall be arranged by the Supplier, and related costs shall be included in the contract price.
Where the Supplier is required under Contract to deliver the Goods CIF, CIP or DDP, Goods are to be transported on carriers of Philippine registry. In the event that no carrier of Philippine registry is available, Goods may be shipped by a carrier which is not of Philippine registry provided that the Supplier obtains and presents to the Procuring Entity certification to this effect from the nearest Philippine registry are available but their schedule delays the Supplier in its performance of this Contract the period from when the Goods were first ready for shipment and the actual date of shipment the period of delay will be considered force majeure.
The Procuring Entity accepts no liability for the damage of Goods during transit other than those prescribed by INCOTERMS for DDP deliveries. In the case of Goods supplied from within the Philippines or supplied by domestic

	Suppliers risk and title will not be deemed to have passed to the Procuring Entity until their receipt and final acceptance at the final destination.	
	Intellectual Property Rights –	
	The Supplier shall indemnify the Procuring Entity against all third-party claims of infringement of patent, trademark, or industrial design rights arising from use of the Goods or any part thereof.	
2.2	The terms of payment shall be full payment upon completion of the project and all documentary requirements have been complied with.	
4	The inspections and tests that will be conducted will be on-site inspection.	

# Section VI. Schedule of Requirements

The delivery schedule expressed as weeks/months stipulates hereafter a delivery date which is the date of delivery to the project site.

Lot #	Description	Approved Budget for Contract (ABC)	Delivered Weeks/Month	
1	Bread & Pastry and Beauty Care Services	Php 1,582,641.60	Within 60	
2	Illustration; Technical Drafting; and Contact Center	Php 3,313,101.40	Calendar Days from the receipt of Notice to Proceed	
3	Agricultural Crop Production and Landscape Installation and Maintenance	Php 163,538.00		

# Section VII. Technical Specifications

## Notes for Preparing the Technical Specifications

A set of precise and clear specifications is a prerequisite for Bidders to respond realistically and competitively to the requirements of the Procuring Entity without qualifying their Bids. In the context of Competitive Bidding, the specifications (*e.g.* production/delivery schedule, manpower requirements, and after-sales service/parts, descriptions of the lots or items) must be prepared to permit the widest possible competition and, at the same time, present a clear statement of the required standards of workmanship, materials, and performance of the goods and services to be procured. Only if this is done will the objectives of transparency, equity, efficiency, fairness, and economy in procurement be realized, responsiveness of bids be ensured, and the subsequent task of bid evaluation and post-qualification facilitated. The specifications should require that all items, materials and accessories to be included or incorporated in the goods be new, unused, and of the most recent or current models, and that they include or incorporate all recent improvements in design and materials unless otherwise provided in the Contract.

Samples of specifications from previous similar procurements are useful in this respect. The use of metric units is encouraged. Depending on the complexity of the goods and the repetitiveness of the type of procurement, it may be advantageous to standardize the General Technical Specifications and incorporate them in a separate subsection. The General Technical Specifications should cover all classes of workmanship, materials, and equipment commonly involved in manufacturing similar goods. Deletions or addenda should then adapt the General Technical Specifications to the particular procurement.

Care must be taken in drafting specifications to ensure that they are not restrictive. In the specification of standards for equipment, materials, and workmanship, recognized Philippine and international standards should be used as much as possible. Where other particular standards are used, whether national standards or other standards, the specifications should state that equipment, materials, and workmanship that meet other authoritative standards, and which ensure at least a substantially equal quality than the standards mentioned, will also be acceptable. The following clause may be inserted in the Special Conditions of Contract or the Technical Specifications.

#### Sample Clause: Equivalency of Standards and Codes

Wherever reference is made in the Technical Specifications to specific standards and codes to be met by the goods and materials to be furnished or tested, the provisions of the latest edition or revision of the relevant standards and codes shall apply, unless otherwise expressly stated in the Contract. Where such standards and codes are national or relate to a particular country or region, other authoritative standards that ensure substantial equivalence to the standards and codes specified will be acceptable.

Reference to brand name and catalogue number should be avoided as far as possible; where unavoidable they should always be followed by the words "*or at least equivalent*." References to brand names cannot be used when the funding source is the GOP.

Where appropriate, drawings, including site plans as required, may be furnished by the Procuring Entity with the Bidding Documents. Similarly, the Supplier may be requested to provide drawings or samples either with its Bid or for prior review by the Procuring Entity during contract execution.

Bidders are also required, as part of the technical specifications, to complete their statement of compliance demonstrating how the items comply with the specification.

## **Technical Specifications**

### LOT 1 - Bread & Pastry and Beauty Care Services

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
set	Air Compressor with Airbrush Cake Decorating Set	6	1,700.00	10,200.00
	TypeL Single Cylinder Piston Compressor			
	Body Shape : Cylindrical in shape			
	Material: Copper, Aluminum			
	Dimension: (L X W X H) 24 cm X 13 cm X 17 cm (minimum)			
	Power Source: 220 Volts AC, 60 Hz with power cord			
	1.5 meters long minimum with attachment standard			
	male plug type A or provide an adopter plug			
	Power Rating : 1/6 Hp motor			
	Capacity: Air pressure adjustment range 0 to 57 Psi. Automatic On/Off Shutoff			
	Compressor must have oil filter, water trap filter,			
	pressure regulator with gauge, and with mounted			
	airbrush holder and with built in cooling fans			
	Airbrush Specifications: a) airbrush material: Stainless			
	steel body; b) Needle Dia.: 0.3 mm. c) Cup capacity: 2			
	cc (cubic centimeter); d) Airbrush with a 1/3 oz. gravity			
	fluid cup; e) Nozzle that allow to spray from hairline up			
	to 1 1/2 inches wide; f) Operating Pressure: 15-57 Psi.			
	<i>g)</i> rubber hose length: 2 meter (minimum) h.) Air flow: 20 liters/min.			
	Package content; 1 pc Air compressor, 1 set Air brsh			
	kit with case, 5 ft- Rubber/Vinyl Hose, 5 pcs Cleaning			
	Brushes in different width, tools and Usre's Manual.			
	Comes with User's manual that content: Operation			
	guide, maintenance/ troubleshooting procedure and			
	list of parts.			
	With Service centers located in major cities in the			
	Philippines			
	The offered brand of the item must be an international			
	brand with at least5 years presence at the local			
	market and global presence in the USA, Europe or			
	Japan market. Warranty period of 1 year (parts and service)			
unit	BEATER	36	380.00	13,680.00
	Type: Manual Hand Beater			
	Body Shape: Circular Handheld mixer			
	Materials: Stainless Steel with plastic grip			
	Dimension: L-28 cm x Width-7 cm (minimum)			
	Twin beater designed for mixing			
	Preferably with packing case			
	Smooth motion gear and durable mechanism			
	Dishwasher safe and rust free			

set	BOARD, CHOPPING, 6 COLOR	36	192.00	6,912.00
	Type: Food Grade			
	Body Shape: Rectangular			
	Material: Plastic (Polypropylene), food grade			
	Board Size: Length: 38 cm (minimum)			
	Width: 30 cm (minimum)			
	Thickness: 1.27 cm (minimum)			
	Color-coded for use with different types of food, Blue,			
	Red, Yellow, Green, Brown and White,			
	Preferably packed in set			
	Comes with no sharp edges and with hole for storage			
	purposes			
unit	Boiler, Double	6	1,620.00	9,720.00
	Material: Stainless steel			•
	Thickness: 1/16 inch (1.5 mm) (minimum)			
	Lid material: Glass			
	Rivetedhandle on both side			
	Diameter: 9 1/2 inches (minimum)			
	Total Height: 9.4 inches (minimum)			
	Inset Bottom Diameter: 9 inches (minimum)			
	Inset Top Diameter: 9 inches (minimum)			
	Capacity: 2 liters (minimum)			
	Must be a set which includes one (1) saucepan, one			
	(1) boiler, and one (1) lid			
	With Stainless steel handle and smooth surfaces with			
	no sharp edges			
set	BOWL, MIXING (6 PCS/SET)	6	2,040.00	12,240.00
	Type: Mixing Bowl Set	•	2,040.00	12,210.00
	Body Shape: Round			
	Material: Stainless Steel, 0.8 mm - 1.0 mm thick			
	Each set must consist of the following capacities			
	1 pc - 0.70 liter			
	1 pc - 1.5 liters			
	1 pc - 3 liters			
	1pc - 4 liters			
	1pc - 5 liters			
	1pc - 8 liters Light weight and easy to use, flat base, curved lip			
	Preferably with packing case Dishwasher Safe			
	DISTIWASHEI SAIE			
set	CAKE PANS, ROUND #4,#6, #8, #10, #12, #14, #16	12	1,065.00	12,780.00
	Type: Round Pan	1	,	·
	Body Shape: Round			
	Material: Anodized Aluminum			
	Thickness: 1.29 mm thick (minimum)			
	Depth: 2 inches (50.8 mm) (minimum)			
	Set must each contain the following diameter:			
	1 pc - 6 inches (152.4 mm) diameter (minimum)			
	1 pc - 8 inches (203.2 mm) diameter (minimum)			
	1 pc - 10 inches (254 mm) diameter (minimum)			
	1 pc - 12 inches (304.8 mm)diameter (minimum)			
	1 pc - 14 inches (355.6 mm) diameter (minimum)			
	1 pc - 16 inches (406.4 mm) diameter (minimum)			
	i pe - to inches (400.4 mm) diameter (minimum)			

Rolled edge for better strength and smooth surface       with no sharp edges         The materials used must be non-toxic.       12         unit       CAKE STAND, WITH TIER       12       936.00       11,232.00         Type: Cake Stand with Tier, food grade       Body shape: Circular with 3 tier       14       936.00       11,232.00         Material: Hard Plastic, Polypropylene, 4 mm thick       The tier consists of the following sizes:       1       14       14       14         Tier 2: 25 cm diameter (minimum)       Tier 3: 30 cm diameter (minimum)       1       1       14       15       15       15       16	unit	Preferably packed (6 pcs per set)			
with no sharp edges       12       936.00       11,232.00         unit       CAKE STAND, WITH TIER       12       936.00       11,232.00         Type: Cake Stand with Tier, food grade       Body shape: Circular with 3 tier       Material: Hard Plastic, Polypropylene, 4 mm thick       The tier consists of the following sizes:       1         Tier 1: 18 cm diameter (minimum)       Tier 2: 25 cm diameter (minimum)       1       1         Tier 3: 30 cm diameter (minimum)       Tier 3: 30 cm diameter (minimum)       1       1         Distance between tiers: 15 cm       Over-all Length: 30 cm (minimum)       4       4         Assembled column is used for maximum strength and stability of the stand       4       4         Must be Packed in set       5       507.00       3,042.00         unit       CAKE TURN TABLE       6       507.00       3,042.00         Material: Cast Aluminum Plate.and Cast Iron Base       Upper Plate: 30 cm diameter (minimum) and 1.4 cm       4         Material: Cast Aluminum Plate.and Cast Iron Base       5       5       5         Upper Plate: 30 cm diameter (columinum)       1.4 cm thickness       5       5         Material: Cast Aluminum Plate.and Cast Iron Base       5       5       5         Upper Plate: 30 cm diameter (columinum)       1.4 cm thickness <td< th=""><th>unit</th><th></th><th></th><th></th><th></th></td<>	unit				
The materials used must be non-toxic.       936.00         unit       CAKE STAND, WITH TIER       12       936.00       11,232.00         Type: Cake Stand with Tier, food grade       Body shape: Circular with 3 tier       Material: Hard Plastic, Polypropylene, 4 mm thick       The tier consists of the following sizes:         Tier 1: 18 cm diameter (minimum)       Tier 2: 25 cm diameter (minimum)       Tier 3: 30 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)       Distance between tiers: 15 cm       Voer-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand       Must be Packed in set       Smooth and no sharp edges         unit       CAKE TURN TABLE       6       507.00       3,042.00         Body Shape : Circular       Materiai: Cast Aluminum Plate.and Cast Iron Base       Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)       Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)       Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)       Sod degrees clockwise or counter clockwise         unit       COUPLER       36       283.8333       10,218.00         Wateriai: Hard plastic, Polypropylene, any bright color       Height: 3cm (minimum)       Top Diameter: 1.27 cm (minimum)         Body Shape: Tubular       Materiai: Tard plastic, Polypropylene, any bright color       Height: 3cm (minimum) <t< th=""><th>unit</th><th>Kolled edge for beller strength and smooth sufface</th><th></th><th></th><th></th></t<>	unit	Kolled edge for beller strength and smooth sufface			
unitCAKE STAND, WITH TIER12936.0011,232.00Type: Cake Stand with Tier, food grade Body shape: Circular with 3 tier Material: Hard Plastic, Polypropylene, 4 mm thick The tier consists of the following sizes: Tier 1: 18 cm diameter (minimum) Tier 2: 25 cm diameter (minimum) Tier 3: 30 cm diameter (minimum) Column diameter: 20 to 30 mm (solid) Distance between tiers: 15 cm Over-all Length: 30 cm (minimum) Assembled column is used for maximum strength and stability of the stand Must be Packed in set Smooth and no sharp edges6507.003,042.00unitCAKE TURN TABLE6507.003,042.00Type: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape : Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 2.76 (minimum) Bottom Diameter: 2.54 cm (minimum)36283.833310,218.00	unit				
Type: Cake Stand with Tier, food grade         Body shape: Circular with 3 tier         Material: Hard Plastic, Polypropylene, 4 mm thick         The tier consists of the following sizes:         Tier 1: 18 cm diameter (minimum)         Tier 2: 25 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)         Distance between tiers: 15 cm         Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand         Must be Packed in set         Smooth and no sharp edges         unit       CAKE TURN TABLE         Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base         Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)         Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)         Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees: clockwise or counter clockwise         unit       COUPLER       36       283.8333       10,218.00         Material: Hard plastic, Polypropylene, any bright color       Height: 3cm (minimum)       Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier       Preferably packed in any kind of packaging	unit		10		44 000 00
Body shape: Circular with 3 tier         Material: Hard Plastic, Polypropylene, 4 mm thick         The tier consists of the following sizes:         Tier 1: 18 cm diameter (minimum)         Tier 2: 25 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)         Distance between tiers: 15 cm         Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand         Must be Packed in set         Smooth and no sharp edges         unit       CAKE TURN TABLE         Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base         Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)         Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)         Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging         Comes with no sharp edges to cotate smoothly in         360 degrees clockwise or counter clockwise         unit       COUPLER         Turntable       36         283.8333       10,218.00         Height: 3cm (minimum)       Total height: 10 cm to 15 cm         Turntable with osharp edges to cotate smoothly in       360 degrees clockwise or counter clockwise <th></th> <th></th> <th>12</th> <th>936.00</th> <th>11,232.00</th>			12	936.00	11,232.00
Material: Hard Plastic, Polypropylene, 4 mm thick         The tier consists of the following sizes:         Tier 1: 18 cm diameter (minimum)         Tier 2: 25 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)         Distance between tiers: 15 cm         Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand         Must be Packed in set         Smooth and no sharp edges         unit         CAKE TURN TABLE         Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base         Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)         Base dimensions: 18 cm (minimum); 1.4 cm thickness         Material: Cont to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging         Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise         unit       COUPLER         Type: Food Grade         Body Shape: Tubular         Material: Hard plastic, Polypropylene, any bright color         Height: 30 cm (minimum)         Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging </th <th></th> <th></th> <th></th> <th></th> <th></th>					
The tier consists of the following sizes:         Tier 1: 18 cm diameter (minimum)         Tier 2: 25 cm diameter (minimum)         Tier 3: 30 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)         Distance between tiers: 15 cm         Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand         Must be Packed in set         Smooth and no sharp edges         unit       CAKE TURN TABLE         Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base         Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)         Base dimensions: 18 cm (minimum); 1.4 cm thickness         (minimum)         Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging         Comes with no sharp edges to rotate smoothly in         360 degrees clockwise or counter clockwise         unit       COUPLER         360 degrees: clockwise or counter clockwise         Material: Hard plastic, Polypropylene, any bright color         Height: 30cm (minimum)         Top Diameter: 1.27 cm (minimum)         Bottom Diameter: 2.54 cm (minimum)					
Tier 1: 18 cm diameter (minimum)         Tier 2: 25 cm diameter (minimum)         Tier 3: 30 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)         Distance between tiers: 15 cm         Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand         Must be Packed in set         Smooth and no sharp edges         unit       CAKE TURN TABLE         Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base         Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)         Base dimensions: 18 cm (minimum); 1.4 cm thickness         (minimum)         Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging         Comes with no sharp edges to rotate smoothly in         380 degrees clockwise or counter clockwise         unit       COUPLER         Type: Foood Grade         Body Shape: Tubular         Material: Hard plastic, Polypropylene, any bright color         Height: 3cm (minimum)         Total height: 1.27 cm (minimum)         Body Shape: Tubular         Material: Hard plastic, Polypropylene, any bright color         Height: 3cm (m		Material: Hard Plastic, Polypropylene, 4 mm thick			
Tier 2: 25 cm diameter (minimum)         Tier 3 : 30 cm diameter (minimum)         Column diameter: 20 to 30 mm (solid)         Distance between tiers: 15 cm         Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand         Must be Packed in set         Smooth and no sharp edges         unit       CAKE TURN TABLE         Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base         Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)         Base dimensions: 18 cm (minimum); 1.4 cm thickness         minimum)         Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging         Comes with no sharp edges to rotate smoothly in         360 degrees clockwise or counter clockwise         unit       COUPLER         Turntable with ball bearing to turn easier         Preferably packed in any kind of packaging         Comes with no sharp edges to rotate smoothly in         360 degrees clockwise or counter clockwise         Uppe Floater (minimum)         Top Diameter: 1.27 cm (minimum)         Body Shape: Tubular         Material: Hard plastic, Polypropylene, any bright col		The tier consists of the following sizes:			
Tier 3 : 30 cm diameter (minimum) Column diameter: 20 to 30 mm (solid) Distance between tiers: 15 cm Over-all Length: 30 cm (minimum) Assembled column is used for maximum strength and stability of the stand Must be Packed in set 		Tier 1: 18 cm diameter (minimum)			
Column diameter: 20 to 30 mm (solid)Distance between tiers: 15 cmOver-all Length: 30 cm (minimum)Assembled column is used for maximum strength and stability of the standMust be Packed in setSmooth and no sharp edgesunitCAKE TURN TABLE6507.00Type: Turn tableBody Shape : CircularMaterial: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum)Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwiseunitCOUPLERType: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)		Tier 2: 25 cm diameter (minimum)			
Distance between tiers: 15 cm       Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand       Must be Packed in set         Must be Packed in set       Smooth and no sharp edges         unit       CAKE TURN TABLE       6         Body Shape : Circular       Material: Cast Aluminum Plate.and Cast Iron Base       Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)       Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)       Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier       Preferably packed in any kind of packaging       Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise         unit       COUPLER       36       283.8333       10,218.00         Type: Foood Grade       Body Shape: Tubular       Material: Hard plastic, Polypropylene, any bright color Height: 3 cm (minimum)       Top Diameter: 1.27 cm (minimum)		Tier 3 : 30 cm diameter (minimum)			
Distance between tiers: 15 cm       Over-all Length: 30 cm (minimum)         Assembled column is used for maximum strength and stability of the stand       Must be Packed in set         Must be Packed in set       Smooth and no sharp edges         unit       CAKE TURN TABLE       6         Body Shape : Circular       Material: Cast Aluminum Plate.and Cast Iron Base       Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)       Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum)       Total height: 10 cm to 15 cm         Turntable with ball bearing to turn easier       Preferably packed in any kind of packaging       Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise         unit       COUPLER       36       283.8333       10,218.00         Type: Foood Grade       Body Shape: Tubular       Material: Hard plastic, Polypropylene, any bright color Height: 3 cm (minimum)       Top Diameter: 1.27 cm (minimum)		Column diameter: 20 to 30 mm (solid)			
Assembled column is used for maximum strength and stability of the stand Must be Packed in set Smooth and no sharp edges       6       507.00       3,042.00         unit       CAKE TURN TABLE       6       507.00       3,042.00         Type: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise       36       283.8333       10,218.00         unit       COUPLER       36       283.8333       10,218.00         Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)       4       4		Distance between tiers: 15 cm			
Assembled column is used for maximum strength and stability of the stand Must be Packed in set Smooth and no sharp edges       6       507.00       3,042.00         unit       CAKE TURN TABLE       6       507.00       3,042.00         Type: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise       36       283.8333       10,218.00         unit       COUPLER       36       283.8333       10,218.00         Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)       4       4		Over-all Length: 30 cm (minimum)			
stability of the stand       Must be Packed in set         Smooth and no sharp edges       6         unit       CAKE TURN TABLE       6         Type: Turn table       Body Shape : Circular         Material: Cast Aluminum Plate.and Cast Iron Base       Upper Plate: 30 cm diameter (minimum) and 1.4 cm         thickness (minimum)       Base dimensions: 18 cm (minimum); 1.4 cm thickness         Base dimensions: 18 cm (minimum); 1.4 cm thickness       4         Turntable with ball bearing to turn easier       7         Preferably packed in any kind of packaging       56         Comes with no sharp edges to rotate smoothly in       360 degrees clockwise or counter clockwise         unit       COUPLER       36         Type: Foood Grade       503         Body Shape: Tubular       4         Material: Hard plastic, Polypropylene, any bright color       56         Height: 3cm (minimum)       70p Diameter: 1.27 cm (minimum)         Bottom Diameter: 2.54 cm (minimum)       50		S ( )			
Must be Packed in set Smooth and no sharp edges6507.00unitCAKE TURN TABLE6Type: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)44					
Smooth and no sharp edges6unitCAKE TURN TABLEType: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum)44					
unitCAKE TURN TABLE6507.003,042.00Type: Turn table Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)36283.833310,218.00					
Type: Turn table       1000000000000000000000000000000000000	unit		6	507.00	2 042 00
Body Shape : Circular Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)44	unit		0	507.00	3,042.00
Material: Cast Aluminum Plate.and Cast Iron Base Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 2.54 cm (minimum)1010					
Upper Plate: 30 cm diameter (minimum) and 1.4 cm thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)44					
thickness (minimum) Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)44					
Base dimensions: 18 cm (minimum); 1.4 cm thickness (minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)44					
(minimum) Total height: 10 cm to 15 cm Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00UnitCOUPLER36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance100100100UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitCoupliance36283.833310,218.00UnitDiameter:1.27 cm (minimum)100100UnitUnitUnit100100UnitUnitUnit100100Unit <th></th> <th></th> <th></th> <th></th> <th></th>					
Total height: 10 cm to 15 cmImage: Comparison of the compar					
Turntable with ball bearing to turn easier Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwiseadditional additionalunitCOUPLER36283.833310,218.00UnitCOUPLER36283.833310,218.00UnitCoupliant Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)additional bottom biameter: 2.54 cm (minimum)					
Preferably packed in any kind of packaging Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwiseImage: Council and the state of th					
Comes with no sharp edges to rotate smoothly in 360 degrees clockwise or counter clockwise36283.833310,218.00unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)444		Turntable with ball bearing to turn easier			
360 degrees clockwise or counter clockwise       36       283.8333       10,218.00         unit       COUPLER       36       283.8333       10,218.00         Type: Foood Grade       Body Shape: Tubular       Haterial: Hard plastic, Polypropylene, any bright color       Height: 3cm (minimum)       Height: 3cm (minimum)         Top Diameter: 1.27 cm (minimum)       Bottom Diameter: 2.54 cm (minimum)       Height: 3cm (minimum)       Height: 3cm (minimum)		Preferably packed in any kind of packaging			
unitCOUPLER36283.833310,218.00Type: Foood Grade Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)36283.833310,218.00		Comes with no sharp edges to rotate smoothly in			
Type: Foood Grade         Body Shape: Tubular         Material: Hard plastic, Polypropylene, any bright color         Height: 3cm (minimum)         Top Diameter: 1.27 cm (minimum)         Bottom Diameter: 2.54 cm (minimum)		360 degrees clockwise or counter clockwise			
Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)	unit	COUPLER	36	283.8333	10,218.00
Body Shape: Tubular Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)		Type: Foood Grade			
Material: Hard plastic, Polypropylene, any bright color Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)					
Height: 3cm (minimum) Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)					
Top Diameter: 1.27 cm (minimum) Bottom Diameter: 2.54 cm (minimum)					
Bottom Diameter: 2.54 cm (minimum)					
The materials used must be non-toxic and dishwasher					
safe         36         446.00         16,056.00			36	116.00	16,056.00
Type: Measuring Cup Set	set		50		10,000.00
Body Shape: Round	set				
Material: Stainless steel, 0.7 mm thick (minimum)	set				
	set				
	set		1		
	set	Each set contains the following:			
	set	Each set contains the following: 1 pc - 1 cup (237 mL)			
	set	Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL)			
	set	Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL)			
	set	Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL)			
(minimum)	set	Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm			
Measuring capacity engraved on the handle	set	Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum)			
Strip Handles have provision for hanging	set	Each set contains the following: 1 pc - 1 cup (237 mL) 1 pc - 1/2 cup (118 mL) 1 pc - 1/3 cup (79 mL) 1 pc - 1/4 cup (59 mL) Handle dimension: Length-12 cm x Width-1 cm (minimum) Measuring capacity engraved on the handle			

	Preferably with packing case			
	Smooth surfaces and dishwasher safe			
unit	CUP, MEASURING, 250 ML FOR LIQUID	72	467.00	33,624.00
	Type: Clear Glass Cup			
	Body Shape: Round			
	Material: Clear, non-porous tempered glass			
	Capacity: 250 ml (with 10 ml or 50 ml increments)			
	With permanent graduation markings			
	Specified metric and English system of measurement			
	With handle & spout for easy pouring			
	Preferably with packing case			
	Food grade and safe use to microwave, freezer and			
• • • •			0.40.00	
unit	CUP, MEASURING, 500ML FOR LIQUID	6	648.00	3,888.00
	Type: Clear Glass Cup			
	Body Shape: Round			
	Material: Clear, non-porous tempered glass			
	Capacity: 500 ml (with 10 ml or 50 ml increments)			
	With permanent graduation markings			
	Specified metric and English system of measurement			
	With handle & spout for easy pouring Preferably with packing case			
	Food grade and safe use to microwave, freeze and			
	dishwasher			
	usiwasiei			
unit	CUTTER, DOUGH	6	252.00	1,512.00
	Type: Scrapper			-
	Body Shape: Straight Blade			
	Material: Stainless Steel straight blade with stainless			
	steel handle			
	Blade dimension: Lenght : 15 cm x Width: 11 cm x			
	Thickness: 1.2 mm(minimum)			
	Handle Dimension: Length: 15 cm x diameter: 3 cm			
	(minimum)			
	Preferably with packing case			
	Food grade and dishwasher safe			
	Design allows item to be hung for storage			
unit		36	90.00	3,240.00
	Type: Pie Cutter Wheel knife			
	Body Shape: Round wheel roller			
	Material: Stailess Steel			
	Overall Length: 19.5 cm (minimum)			
	Wheel Diameter: 6.5 cm (minimum)			
	With hanging hook at the tip of the handle for hanging storage			
	hanging storage High quality food grade stainless steel, high strength,			
	good hardness			
	Preferably with packing case			
	Comes with finger protection and not easily deformed,			
	anti-corrosion			
	Dishwasher safe			
unit	FLOUR SIFTER, HAND CRANKED	36	264.00	9,504.00
	Type: Hand Cranked			,
	Body Shape: Round Shape			
	Material: Stainless steel			

	Dimension: Diameter: 133.3 mm (minimum) x Height:			
	165 mm (minimum)			
	Thickness: 0.79 mm (minimum) (body) and			
	constructed with stainless steel wire mesh # 30			
	bottom			
	Volume markings should be seen inside and outside			
	of the sifter			
	Capacity: 5 cups (1.18 liter)			
	Spring action squeeze handle stainless steel			
	Preferably with a packing case			
	Dishwasher safe			
unit	GRATER	12	1,008.00	12,096.00
	Type: Four sided Box Grater			
	Body Shape: Box in shape			
	Material: Stainless steel blade and Plastic			
	(Polypropylene handle)			
	Grater Dimensions: Height- 25 cm x Width-13 cm x			
	Depth-10 cm (minimum)			
	Side 1: Large-hole shredder with 6 mm hole			
	Side 2: Slicer			
	Side 3: Small-hole shredder with 3 mm hole			
	Side 4: Grater with strips about 1.27 cm to 2.54 cm			
	length			
	Preferably with packing case			
	Food grade & dishwashing safe			
unit	KNIFE, KITCHEN	12	789.00	9,468.00
	Type: Cook's knife or kitchen knife			
	Body Shape: Flat and Straight Edge:			
	Material: Stainless steel blade			
	Handle material: Hard Plastic (Polypropylene) with			
	rivets			
	Overall Length: 33 cm (minimum)			
	Blade: Length: 20 cm x Width: 3.2 cm (minimum)			
	Handle Length: 12 cm (minimum)			
	Thickness of Blade: 3 mm (minimum)			
	Pointed Tip and slight curve			
	Preferably with packing case			
	Dishwasher safe			
	Must be branded.			
unit	Knife, Pallet	18	94.00	1,692.00
	Type: Pallete knife			
	Body Shape: Offset Blade			
	Blade material: Stainless steel 316			
	Handle material: Hardwood (Smooth finish) with rivets			
	Overall length: 30.5 cm - 35.6 cm			
	Total length: Blade Dimension: Length- 17 cm x			
	Width-3.8 cm (minimum)			
	Thickness of Blade: 1.7 mm thick (minimum)			
	Preferably with packing case			
	Dishwasher safe			
	Must be branded.		4	
unit	LADLE, 3 0Z	6	498	2,988.00
	Type: Soup ladle		T T	
	Body Shape: bowl shape			
	Material:Stainless steel			

1				
	Over-all Length: 12 inches (minimum)			
	Bowl Depth: 1.5 inches			
	Bowl Diameter: 3.5 inches (minimum)			
	Capacity: 3 oz. (85 ml) minimum			
	Handle with provision for hanging			
	Preferably with packing case			
	Food grade and dishwashing safe			
	Must be branded			
unit	LOAF PAN BIG	30	98.4	2,952.00
unit	Type: Loaf pan		0011	2,002.00
	Body Shape: Rectangular			
	Material: Anodized Aluminum			
	Thickness: 1.5 mm - 2 mm			
	Length: 25.4 cm (minimum)			
	Width: 12.7 cm (minimum)			
	Depth: 7.62 cm (minimum)			
	Preferably with packing case			
	Extended sides for an easy grip and smooth surfaces			
	with no sharp edges			
	Food grade and oven safe			
	Must be branded.			
unit	LOAF PAN, MEDIUM	30	84.00	2,520.00
	Type: Loaf pan			,
	Body Shape: Rectangular			
	Material: Anodized Aluminum			
	Thickness: 1.5 mm - 2 mm			
	Length: 22.86 cm (minimum)			
	Width: 11.43 cm (minimum)			
	Depth: 6.9 cm (minimum)			
	Preferably with packing case			
	Extended sides for an easy grip and smooth surfaces			
	with no sharp edges			
	Food grade & oven safe			
	Must be branded.			
unit	LOAF PAN, SMALL	30	57.60	1,728.00
	Type: Loaf pan			
	Body Shape: Rectangular			
	Material: Anodized Aluminum			
	Thickness: 1.5 mm - 2 mm			
	Length: 17.78 cm (minimum)			
	Width: 7.62 cm (minimum)			
	Depth: 5.48 cm (minimum)			
	Preferably with packinh case			
	Extended sides for an easy grip and smooth surfaces			
	with no sharp edges			
	Food grade and oven safe			
	Must be branded.		254	0.404.00
unit	MUFFIN PAN, BIG	6	354	2,124.00
	Type: Muffin pan			
	Body Shape: Rectangular			
	Material: Anodized Aluminum			
	Thickness: 1.5 mm (minimum)			
	Dimension: Length-36.6 cm x Width-22.9 cm x Height-			
	7.6 cm (minimum)			
	Cup Size: Height- 8.2 cm x Diameter 8.9 cm			

	(minimum)			
	Number of cups in a tray: 6 cup			
	Preferably with packing case			
	Extended sides for an easy grip and smooth surfaces			
	with no sharp edges			
	Food grade			
	Must be branded.			
unit	MUFFIN PAN, MEDIUM	18	432.00	7,776.00
	Type: Muffin pan			
	Body Shape: Rectangular			
	Material: Anodized Aluminum			
	Thickness: 1.5 mm (minimum)			
	Dimension: Length-40 cm x Width-27.9 cm x Height-			
	2.8 cm (minimum)			
	Cup Size: Heigth-5.2 cm x Diameter 6.9 cm			
	(minimum)			
	Number of cups in a tray: 12 cup			
	Preferably with packing case			
	Extended sides for an easy grip and smooth surfaces			
	with no sharp edges			
	Food grade			
	Must be branded.			
unit	MUFFIN PAN, SMALL	12	324.00	3,888.00
um		12	324.00	3,000.00
	Type: Muffin pan			
	Body Shape: Rectangular			
	Material: Anodized Aluminum			
	Thickness: 1.5 mm (minimum)			
	Dimension: Length 40.6 cm x Width-25.4 cm x Height			
	2.8 cm (minimum)			
	Cup Size: Heigth-2.5 cm x Diameter 3.8 cm			
	(minimum)			
	Number of cups in a tray: 24 cup			
	Preferably with packing case			
	Extended sides for an easy grip and smooth surfaces			
	with no sharp edges			
	with no sharp edges Food grade			
	with no sharp edges Food grade Must be branded.			
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded.	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. <b>PAN, RECTANGULAR, 1 X 8</b> Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. <b>PAN, RECTANGULAR, 1 X 8</b> Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum)	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. <b>PAN, RECTANGULAR, 1 X 8</b> Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. <b>PAN, RECTANGULAR, 1 X 8</b> Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum)	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case	6	432.00	2,592.00
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe	6	432.00	2,592.00
	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded.			
unit	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. PIE PAN , 10 INCHES DIAMETER	6	288	2,592.00
	with no sharp edges Food grade Must be branded. <b>PAN, RECTANGULAR, 1 X 8</b> Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. <b>PIE PAN , 10 INCHES DIAMETER</b> Type: Pie Pan			
	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. PIE PAN , 10 INCHES DIAMETER			
	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. PIE PAN, 10 INCHES DIAMETER Type: Pie Pan Body Shape: Round			
	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. PIE PAN , 10 INCHES DIAMETER Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum)			
	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. PIE PAN , 10 INCHES DIAMETER Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum) Diameter -10 inches (254 mm) minimum			
	with no sharp edges Food grade Must be branded. PAN, RECTANGULAR, 1 X 8 Type: Rectangular Pan Body Shape : Square inn shape Material: Anodized Aluminum Thickness: 1.63 mm thick, minimum Dimensions: Length- 8 inches x Width- 8 inches x Height- 1 inch (minimum) Oven safe to 500°F / 260°C Preferably with packing case Food grade and dishwasher safe Must be branded. PIE PAN , 10 INCHES DIAMETER Type: Pie Pan Body Shape: Round Material: Aluminum, 0.81 mm thick (minimum)			

	Preferably with packing case			
	Oven safe to 500°F / 260°C			
	Food Grade			
	Smooth finish surfaces without sharp edges			
	Extended sides for an easy grip			
	Must be branded.			
unit		6	1,428.00	9 569 00
um	<b>PIE PAN, # 6, #8, #10</b> Type Pie Pan	0	1,420.00	8,568.00
	Body Shape: Round			
	Material: Aluminum, 0.81 mm thick (minimum)			
	1) # 10 diameter: 10 inches (254 mm) minimum			
	2) # 8 diameter: 8 inches(203 mm) minimum)			
	3) #6 dianeter: 6 inches (152 mm) minimum			
	Depth: 1.5 inches (38.1 mm) minimum			
	Oven safe to 500°F / 260°C			
	Coated with non-stick coating materials			
	Preferably with packing case			
	Food Grade			
	Smooth finish surfaces without sharp edges			
	Extended sides for an easy grip			
	Must be branded.			
unit	PILLARS, CAKE	24	456.00	10,944.00
	Type: Cake Pillars, food grade			
	Body Shape: Tubular			
	Material: Crystal clear fiber plastic			
	Tube diameter: 2.5 cm (minimum)			
	Base and Top diameter: 3.5 cm (minimum)			
	Height: 13 cm (minimum)			
	Packed in Four (4)pcs per set			
	The materials used must be non-toxic.			
	Must be branded			
unit	PIPING BAG	150	30	4,500.00
	Type : Piping Bag			-
	Body Shape: Triangular			
	Material: Transparent Disposable Plastic for			
	dispensing ingredients to pastries			
	Length: 9 inches minimum			
	Width: 3 inches (minimum)			
	Volume: 500 ml (approximate)			
	Preferablywith packing case			
	Food grade			
	Must be branded.			
unit	ROLLING PIN	6	468	2,808.00
	Type: Rolling Pins			_,300.00
	Body Shape: Tubular in shape			
	Material: Hardwood (Solid Wood in natural color)			
	Roller Dimensions: 2.5 inches diameter x 9.5 inches			
	length (minimum)			
	Handle dimension: 1 inch diameter x 4 inches length			
	(minimum)			
	Overall length: 17.5 inches (minimum)			
	The wood rolling pin boasts rust proof nylon bearings			
	for smooth rolling action			
	Smooth rotation of the revolving barrel			
	Preferably with packing case			

	Smooth Surface finish with no sharp edges			
	Materials used must be food grade			
	Must be branded	20	504.00	24 224 00
unit	SAUCE PAN	36	594.00	21,384.00
	Type: Sauce Pan			
	Body Shape: Round in shape			
	Material: Stainless Steel with aluminum core			
	Dimension: Diameter- 16 cm x Height-8 cm (minimum)			
	Thickness: 1.8 mm thick (minimum)			
	Revited Stainless steel Handle Length: 15 cm			
	(minimum)			
	Capacity: 1 quart (minimum)			
	Preferably with packing case			
	With stainless steel cover, safe for the stove, oven,			
	broiler and dishwasher safe			
	The materials used must be non-toxic.			
· · · ·	Must be branded	10		
unit	SCRAPER, RUBBER	18	238.00	4,284.00
	Type: Rubber scraper			
	Body Shape: Flat			
	Material: Silicone blade (head) & Plastic Handle			
	(Polypropylene)			
	Color: Any color			
	Head length: 11.5 cm (minimum)			
	Head width: 7.0 cm (minimum)			
	Handle length: 24 cm to 30 cm			
	Preferably with packing case			
	Safe working temperature: -40°F to 446°F			
	The materials used must be non-toxic.			
	Must be branded	40	400.00	7 0 4 4 00
unit	SHEET PAN	18	408.00	7,344.00
	Type: Sheet Pan			
	Body Type: Rectangular			
	Material: Aluminum			
	Thickness: 0.91 mm Thick (minimum)			
	Dimension: Length-22 inches x Width-16 inches x			
	Height-1 inch (minimum)			
	Preferably with packing case			
	Smooth finish surfaces without sharp edges			
	Corrosion resistant			
	Superior heat conduction			
	Oven safe to 500°F / 260°C (maximum)			
	Food grade Must be branded.			
50 <sup>4</sup>	SPOON, MEASURING	55	196.3636	10,800.00
set		- 33	130.3030	10,000.00
	Type: Measuring Spoon Body Shape: Bowl in shape			
	Material: Stainless Steel, 0.7 mm thick (minimum)			
	The set consists of the following sizes:			
	1 pc - 1 tbsp. (15 ml)			
	1 pc - 1/2 tbsp. (7.5 ml)			
	1 pc - 1 tsp. (5 ml)			
	1  pc - 1/2  tsp. (2.5 ml)			
	1 pc - 1/4 tsp. (1.25 ml)			
	Handle dimension: Length-12 cm x 1 cm (minimum)			

<b></b>	Managering approxity anground on the handle	1		
	Measuring capacity engraved on the handle			
	Strip Handles have provision for hanging			
	Preferably with packing case			
	Smooth surfaces and dishwasher safe			
	Must be branded.			
unit	SPOON, WOODEN	10	108.00	1,080.00
	Type: Wooden Spoon			
	Body Shape: Oval			
	Material: Hardwood			
	Dimensions: Length- 10 inches x Width- 2 inches			
	(minimum)			
	Bowl dimension: Length -3 inches X Width 2 inches X			
	Depth -3/4 inches (minimum)			
	Total Length: 10 inches (minimum)			
	Preferably with a packing case			
	Smooth surface finished and no sharp edges			
	Handle with provision for hanging storage purposes			
	Must be branded			
unit	STRAINER	30	258.00	7,740.00
	Type: Basket			,
	Body Shape: Round			
	Material: Stainless steel frame & stainless steel wire			
	mesh			
	Strainer diameter: 8 inches (minimum)			
	Thickness of frame: 1.59 mm thick (minimum)			
	Durable tough Wooden Handle with stainless steel rod			
	rim			
	Basket material: stainless steel wire mesh, very fine			
	mesh			
	Half-rounded mesh			
	Preferably with pacjking case			
	Smooth surfaces and no sharp edges			
	The materials used must be non-toxic.			
	Must be branded.		235.00	E C 40.00
unit	TIP, DECORATING	24	235.00	5,640.00
	Type: Tube Tips			
	Body Shape: Nozzles with different shape			
	Material: Stainless Steel			
	Tube Height: 3.5 cm to 5 cm			
	Tube Diameter: 2 cm to 3.5 cm			
	Thickness: 0.5 mm (minimum)			
	Tube Tip: Assorted Designs (create swirls, rosettes,			
	flowers, roping, stars, leaves and other designs			
	Comes with 24 different shapes of nozzles packed in			
	plastic storage box			
	Smooth and deformities free			
	Must be branded			
unit	WEIGHING SCALE, 10 KGS	36	1,620.00	58,320.00
	Type: Top loading Dial Weighing Scale			
	Body Shape: Flat Pan			
	Material: Aluminum pan and metal body (enamel			
	painted)			
	Dimension: (L X W X H) 26 cm x 21 cm x 26 cm			
	(minimum) Flat Form L-22 cm x W-22 cm (minimum)			

	8trays HEAVY DUTY GAS BAKE OVEN	6	26,400	158,400.00
			+	
	Must be branded.			
	Preferably with a packing case Dishwasher safe			
	Wire Diameter: 1.8 mm (minimum)			
	No. of wires: 6 wires			
	Handle length: 10 cm (minimum) with hanging loop			
	Dimensions (L x W): 25.4 cm x 7 cm (minimum)			
	Material: Stainless steel wire whisk medium			
	Body Shape: Ballon			
	Type Wire Whisk, medium			
unit	WIRE WHISK, MEDIUM	18	240.00	4,320.00
	Must be branded.			
	Warranty period of 1 year (parts and service)			
	procedure			
	Operation guide, maintenance and troubleshooting			
	Comes with Engkish User's manual the contain:			
	Accessories: Weighing pan and batteries			
	the battery and Tare features			
	Safety Features: Auto Power off function to preserved			
	Preferably with packing case			
	Weighs in 0.1 (1/10th) grams increments LCD display: 16 mm height with backlights			
	Capacity: 2 kg -5 kg Weighs in 0.1 (1/10th) grams increments			
	Power Rating: 3 Volts DC - 9 Volts DC (Battery)			
	included) or Optional with AC/DC Adoptor			
	Power Source: Battery Operated (Batteries are included) or Optional with AC/DC Adoptor			
	cm (minimum) Rower Source: Battery Operated( Batteries are			
	Stainless Steel Weighing Pan size: (L x W) 13 cm x 13			
	(minimum) Stainlass Steel Weighing Ban size: (L x W) 13 cm x 13			
	Overall Dimension: (L x W x H) 24 cm x 16 cm x 7 cm			
	Pan			
	Materials: Hard Plastic body , Stainless Steel weighing			
	Body Shape: Flatform			
	Type: Digital Weighing Scale			
UNIT	WEIGHING SCALE, 5 Kilograms, DIGITAL	18	1,314.00	23,652.00
	Must be branded			
	Warranty period of 1 year (parts and service)			
	Philippines			
	With Service centers located in the major cities in the			
	procedure.			
	Operation guide, maintenance and troubleshooting			
	Comes with English User's manual that contain of			
	No sharp edges and rough surfaces			
	Preferably with packing case			
	Mechanism type : Spring Lever			
	durable			
	Measurement units: Gram/Kilogram Manual Setting on Zero, must be accurate and			
	Sensitivity/Graduated by 10 gm			
	Capacity: 10 kg / 22 lb.			

# Beauty Care Services (Nail Care)

unit	Item Description	Quantity	Unit Cost	Total Cost
unit	Basin, plastic, round	96	298.80	28,684.80
	Material: Hard Plastic;			
	Thick: 1mm(minimum)			
	Size: at least 29.5cm Diameter x 10 cm deep Non toxic			
	Plastic basin type.			
unit	Bowl, Finger or Manicure	8	84.00	672.00
	Material: Plastic			
	Non toxic			
	Acetone resistant and Gossy			
	Size: at least the Length 15 cm x Width 12 cm x Height 6			
	cm Molded bowl with 5 finger wells for the hand to be totally			
	rest while nails are soak			
	Any color			
	Non toxic			
unit	Bowl, Mixing, plastic	8	66.00	528.00
	Material: Hard Plastic;		I T	
	Diameter: 18cm(minmum)			
	Thickness: 0.8mm (minimum) Bowl type			
	Non toxic			
	Any color			
unit	Brush, Foot Spa (for Mixing)	8	40.00	320.00
	Brush materiaL: Wooden handle, nylon bristles and pumice			
	stone			
	Brush dimension: at least 18.5cm x 3.8cm x 4cm			
	Quantity:1pc			
	This includes with bowl size is 3 1/2inches W by 2. inches Quantity:1 pc			
	Packed with carton box			
unit	Brush, Manicure Nail	160	24.00	3,840.00
	Material: plastic handle with nylon bristle			,
	Dimension: at least L=7cm x 0.4cm x W=1.0cm			
	Total height 1.4cm (minimum)			
	Type:Nail brush			
unit	The shape of the handle is nail brush grip type Brush, Pedicure Nail	8	24	192.00
unit	Material: plastic handle with nylon bristle	0	24	192.00
	Dimension: at least L =7cm x H= 3.5cm x W=1.4cm			
	Packed with plastic pouch			
unit	Callous Remover	48	215.00	10,320.00
	Washable type			
	Non slip handle			
	Material:Stainless steel			
	Total length:10 inches:( minimum) Width 2 inches(minimum)			
	Thickness: 1/4 inch (minimum)			
	Application:Foot file			
	Packed with protective carton box			
unit	Chair/ stool, Manicurists'	80	1,440.00	115,200.00
	Material: Combination of Steel and PVC			
	Padded & upholstered seat			
	Adjustable height from 18 to 23 inches Swivel seat:360 degrees range			

	Height can be adjusted by hydraulic(gas lift)			
	Type:multi purpose pneumatic stool			
	With locking swivel caster wheel			
unit	Container for Cotton, Plastic	40	300.00	12,000.00
	Material: Plastic ,Transparent			
	Thickness: 1.5mm (minimum)			
	Dimension: at least 17.2cm x 9.8cm x 2.1cm			
	Non toxic			
	Packed with protective carton box			
unit	Cutter, Hand Nail	8	24	192.00
	Material:Stainless Steel			
	Size: : at least L=65mm x W=13mm			
	With curve cutting edge			
	Lever type nail cutter			
	Non corrosive			
	With protective plastic case			
unit	Foot File	8	28.80	230.40
	Size at least 170mm x 32mm			
	Cutting edges is made of stainless steel			
	ABS Plastic handle			
	Both sides can be used, one is coarse and another is fine			
	With protective plastic case			
unit	Foot Massager Gadgets	104	995.0	103,480.00
	Wood; Sturdy and durable that can withstand 100kgs			
	weight capacity for safety purpose			
	With 5 rows roller massager			
	Size of Foot Massager Tool: at least 27cm x 18cm x 4cm			
	thick			
	Roller Dimension:			
	Diameter at least 2.5cm			
	Length at least 11cm			
	Packed in carton box			
unit	Foot Spa Machine	20	1,380.60	27,612.00
	Body Material: PlasticMaterial: ABS. Power: 25W. Input			
	Voltage: 110V - 240V			
	Input Voltage: 100-240 V, 50-60 Hz/Output Voltage: 0 -			
	12V.			
	Power Rating: 25 Watts (minimum)			
	Foot spa massager type			
	Universal foot size			
	Acupressure surface			
	Comes with Bubble Massage, Warming, Magnetic Force,			
	Infrared, plastic rectangular foot spa basin;			
	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment			
	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters.			
	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes:			
	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels,			
	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions,			
	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures,	17	4 000 00	07.540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum)	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz Dimension: at least 31cm x 20cm x 15cm	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz Dimension: at least 31cm x 20cm x 15cm Type:Paraffin heater	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz Dimension: at least 31cm x 20cm x 15cm Type:Paraffin heater Includes 1 lb. paraffin wax (2 blocks)	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz Dimension: at least 31cm x 20cm x 15cm Type:Paraffin heater Includes 1 lb. paraffin wax (2 blocks) With User's Manual in English which includes:	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz Dimension: at least 31cm x 20cm x 15cm Type:Paraffin heater Includes 1 lb. paraffin wax (2 blocks) With User's Manual in English which includes: a. parts manual with labels,	17	1,620.00	27,540.00
unit	Infrared, plastic rectangular foot spa basin; With Replaceable Massage Attachment With complete accessories including adapters. With User's Manual in English which includes: a. parts manual with labels, b. assembly instructions, c. operating procedures, Hand Spa Machine Power: 100 watts Capacity: 4 liters(minimum) Rated voltage: 220v-240v, 50hz - 60hz Dimension: at least 31cm x 20cm x 15cm Type:Paraffin heater Includes 1 lb. paraffin wax (2 blocks) With User's Manual in English which includes:	17	1,620.00	27,540.00

unit	Nail Buffer	30	90.00	2,700.00
	Material: sand paper			
	Double sided nail sanding file buffer			
	Style: Straight with rounded edge			
	Size: at least 17 cm x 2 cm x 0.4 cm			
	Grit: 100/180			
	10 pcs per box (5 pcs grit 100, 5 pcs grit 180)"			
	Packed with plastic pouch			
unit	Nail Cutter, Foot	50	116.28	5,814.00
	Material:Stainless Steel			
	Size: at least L= 75mm x W=16mm			
	With nail file design			
	With curve cutting edge			
	Non corrosive			
pack	Nail File (10 pcs/pack)	24	42.00	1,008.00
	Material:Abrasive			,
	Quantity: 10 pieces/pack			
	The size at least 75mm x 16mm			
	Double sided type			
unit	Nail Pusher, Cuticle	73	192.00	14,016.00
unit	Material: Stainless steel	10	102.00	1 7,010.00
	Both ends has 2 different tools, Cuticle Pusher Spoon on			
	one end and Knife on the other end			
	Length: 12.5 cm (minimum)			
	Grip diameter; 4.5 to 5.5mm			
	Knurled body for anti-slip			
	With protective plastic case for a minimum of 3pieces/set"	75	400.00	44.040.00
unit	Nipper, Cuticle	75	186.88	14,016.00
	Material:Stainless steel			
	Size: at least 95mmx 60mm x 5mm			
	Jaw length: 15 to 16mm			
	With a minimum wide opening: 8mm			
	Sharp cutting edge			
	With Double leaf spring			
-	With protective plastic case			
unit	Pail, plastic 10 liters	45	114.00	5,130.00
	Material: Hard Plastic			
	Capacity: 10 liters (minimum)			
	With handle			
	Plastic bucket type			
	Cylindrical shape			
pair	Scissor, Cuticle	30	54.00	1,620.00
	Material:Stainless Steel			
	Over-all Length: 9,5 cm (minimum)"			
	Cuticle scissor type			
	With spring grip handle			
	Body curved blade			
	With fluted safety handles			
	With protective plastic case			
unit	Sterilizer	8	860.40	6,883.20
	Power Rating: 100 W (minimum)	, , ,		3,000.20
	Input Voltage: 220-240Volts 60Hz			
	Outer Size			
	Diameter:16cm (minimum)			
	Height:15cm (minimum)			
	Inner Size			
	Diameter : 5 cm( minimum)			
	Height: 6.5 cm (minimum)			
	High temperature setting: 250 degree Celcius			
	Heating will automatically turn on/off to maintain the setting temperature			

	Package Includes:	T		
	1 PC Sterilizing Pot			
	1 Bag Glass Beads to fill the sterilizing pot			
	With User's Manual in English which includes:			
	a. parts manual with labels,			
	b. assembly instructions,			
	c. operating procedures,			
unit	Stool, Foot Spa	80	1440.00	115,200.00
dint	Material:steel,Powder coated	00	1110.00	110,200.00
	At least (L)45 cm $x(W)$ 45 cm $x$ (H)65cm			
	Comes with PVC seat with foam cushion and covered with			
	leather			
	360 degrees swivel or turn			
	With at least 5 roller caster			
	With Gas lift for height adjustment (pneumatic)			
	Branded			
unit	Table, Manicure	80	5333.20	426,656.00
unit	Material: Hard Wood	00	0000.20	420,000.00
	With at least one drawer			
	Dimension:			
	L= 94cm (minimum)			
	W = 38 cm (minimum)			
	H=72cm (minimum)			
	Table top thickness at least 12mm			
	smooth finish surfaces			
	Foldable type			
unit	Timer	16	168.00	2,688.00
unit	Case: Hard Plastic material	10	100.00	2,000.00
	Capacity: 48watts(minimum)			
	Rated Voltage 220V/60Hz.			
	Curved and half-closed design			
	With durable LED light beads			
	With automatic sensor and 3 timer			
	setting(30secs/60secs/90secs)			
	Wide Space to Cure 5 Fingernails at One			
	With LCD display			
	Packed with protective carton case			
	With user's guide			
unit	Tray, Foot Spa, with Handle	8	558.00	4,464.00
drift	Material:Hard Plastic		000.00	1, 10 1.00
	Minimum dimension:			
	Length: 36cm			
	Width:33cm			
	Height: 24cm			
	With Handle			
	Any color"			
unit	Tray, Manicure	80	167.00	13,360.00
unit	Material: Plastic,2mm thick(minimum)	00	107.00	10,000.00
	Design:Tray will lift up automatically when the cover of			
	folded plastic toolbox opens			
	Minimum Size of tray: L=21.5 cm by W= 11 cm by T= $6.5$			
	cm			
	With plastic handle"			
	Packed with carton box			
unit	Tray, Supply	80	674.4	53,952.00
unit	Frame Material: Metal	00	<b>T</b> . <b>T</b>	00,002.00
	Tray size:			
	Length:37cm (minimum)			
	Width: 23cm (minimum)			
	Height: 2cm (minimum)			
	Salon tray adjust height from 30" to 42 inches			
l	- salah tray aajaat horgin nom oo to +2 monos	1	1	

	With five caster wheel Type:Nail Beauty Salon tray Packed with shipping carton box Branded			
pack	Trolley, Salon	48	674.4	32,371.20
	Material: Hard Plastic With at least 3 sliding trays; With 4 caster wheels for easy movement Product Dimensions (L x W x H): 90cm x 30cm x 37cm Color: Black Type:Nail Beauty salon trolley Packed with shipping carton box Branded			
pack	Woodstick, orange	80	116.4	9,312.00
	Material: Wood Quantity:50 pieces/pack Double Ended Orange Wood Stick Spade Shape at one end and Pointed Tip on the other end Size at least 4mm Diameter by 70mm length			

Lot 2 Illustration: Technical Drafting; and Contact Center NCII - Php3,313,101.40

UNIT	ITEM DESCRIPTION	QUANTITY	UNIT COST	TOTAL COST
unit	Computer with Table and Chair	3	45,750.00	137,250.00
	Computer with peripherals (for use in audio and video playback of reference and sample recordings)			
	Processor: 9th Generation Intel® Core i3-9100 processors			
	Chipset: Intel® B365 Express Chipset			
	Memory: 8 GB DDR4 (Up to 32 GB of Dual-channel DDR4)			
	Hard Disk Drive: 1 TB 3.5-inch 7200 RPM			
	Optical Drive: WITHOUT			
	Graphics: Intel® UHD Graphics 630			
	Card Reader: WITHOUT			
	Printer Port: WITHOUT			
	Audio: Integrated high-definition, 5.1-channel surround sound			
	Networking: Wireless LAN: Intel 802.11ac + Bluetooth 5.0 /			
	LAN: Gigabit Ethernet			
	Keyboard and Mouse: USB Keyboard and Mouse			
	Monitor: 19.5" V206HQL Bb			
	Speakers: WITHOUT			
	Power Supply: 250W			
unit	Scanner	2	5,000.00	10,000.00
unit	Tablet	5	6,200.00	31,000.00
	Active Area: 10" × 6.25"/ 254 × 159mm			
	Resolution: 5080 LPI Active Area: 10" × 6.25"/ 254 × 159mm Resolution: 5080 LPI			
	Report Rate: Max.≧200			
	Accuracy: ±0.01 Inch			
	Reading Height: 10mm			
	Color Option: Black			
	Power Voltage: USB cable mode DC 5V			
	Power Consumption: <0.5W			
	Interface Support: USB			
	Compatibility: Windows® 10/8/7 (32/64bit), MAC OS X® 10.10 and above, Android 6.0 and above			

unit	Printer, Laser	2	9,519.75	19,039.50
	Print Speed: 12 pages per minute (A4)			
	Resolution Enhanced: True 600 x 600 dpi resolution(2400 x			
	600 dpi equivalent with Automatic Image Refinement			
	Technology)			
	PDL: CAPT (Canon Advanced Printing Technology)			
	Memory: Uses PC memory (Standard 2MB on-board)			
pcs	Illustration Board 10" X 15" (inches)	30	48	1,440.00
ream	Vellum paper, A4 white	15	296.7	4,450.50
pcs	pencil, B	25	60	1,500.00
pcs	Pencil HB	25	69	1,725.00
pcs	Brush #3	30	79	2,370.00
pcs	UniPin 0.2mm	25	390	9,750.00
pcs	Eraser (for ink & pencil)	25	40	1,000.00
bottle	India Ink	20	490	9,800.00
sets	Water Color	25	350	8,750.00
sets	Acrylic of Oil	20	410	8,200.00
sets	Craypas	25	280	7,000.00
	Colored pencil	18	350	6,300.00
sets				
pcs	Triangle 30/60 degrees	25	150	3,750.00
pcs	Triangle 45 degrees	25	150	3,750.00
pcs	Ruler, 12"	25	25	625.00
pcs	Compass	25	150	3,750.00
pcs	Pentel (Sharpie)	25	60	1,500.00
pcs	Pentel (Regular Pilot) pens	25	58	1,450.00
pcs	Felt pen, fine pt. black	20	60	1,200.00
	Small (medicine) Bottle/container for water used in			
bottle	painting	20	40	800.00
unit	Board, Drawing	36	2,200.00	79,200.00
	The item shall have the following specifications:			
	1) Portable Easel Type Drawing Board, adjustable angles,			
	can be tilted to at least 75 degrees, folds flat;			
	2) Material: Board: Laminated Medium Density Fiberboard,			
	Frame: Kiln-dried hard wood;			
	3) Dimensions (LxW): 42 cm x 29 cm (minimum), fits A3 size			
	drawing paper;			
	4) With ledge for holding pencils;			
	5) The item must not have sharp edges or rough surfaces;			
unit	Eraser	30	80.00	2,400.00
	The item shall have the following specifications:			
	1) Material: Vinyl;			
	2) Color: White;			
	3) Dimension: At least 60 mm x 20 mm x 12 mm;			
	<ol><li>No discoloration of the eraser on paper;</li></ol>			
	5) Age resistant;			
	6) The material used must be non-toxic;			
	7) Plastic pouch individual packaging			
unit	Pencil, Mechanical	100	84.00	8,400.00
	The item shall have the following specifications:			
	1. Casing Material: plastic ;			
	2. Total Length: 5 1/2 inches ;			
	3. Casing Diameter : 5 mm to 7 mm ;			
	4. Lead Diameter: 0.5 to 0.7 mm ;			
	5. Carton box or plastic pouch packaging			
	6. The item must be branded.			
unit		8	50.2	401.60
	single cutter head;			
unit	<ul> <li>5. Carton box or plastic pouch packaging</li> <li>6. The item must be branded.</li> <li>Sharpener, Pencil</li> <li>The item shall have the following specifications: <ol> <li>Type : Hand-cranked, table-mountable with metal clamp,</li> </ol> </li> </ul>	8	50.2	401

	2) Material : Metal case, stainless steel cutter;			
	3) Must accommodate 10 mm diameter pencils			
	(approximate)			
	4) Auto feed and auto stop.			
	5) With translucent pencil shaving bin.			
	6) Carton box packaging			
	7) Dimension: 1.97 x 1.18 x 2.13 inches (approximate)			
	8.) The item must have smooth surface and no sharp edges			
	except cutting blade.			
unit	Technical Pens Set	8	2901.05	23,208.40
	The item shall have the following specifications:	-		-,
	1. Body material: plastic ;			
	2. Set to consist of one each pen point size : (0.2 mm , 0.4			
	mm , 0.6 mm) ;			
	3. Includes a black colored ink for refill purposes. ;			
	4. Erasable when used on drafting paper, no bleeding when			
	highlighted ;			
	5. Can be left uncapped for 18 hours without drying up (Test			
	ISO 554) ;			
	6. Smooth surface and no sharp edges			
	7. Carton box or plastic pouch packaging			
•.	8. The item must be branded.			
unit	Template, Drawing	30	1200	36,000.00
	The item shall have the following specifications:			
	1. Material: transparent plastic ;			
	2. Shape: 10 pieces Circular Template, 15 pieces Furniture			
	Template ;			
	3. Length: 8 inches to 10 inches ;			
	4. Width: 4 to 7 inches ;			
	5. Thickness: 2 mm to 3 mm ;			
	6. Contains 32 to 42 holes ;			
	7. Color: any color ;			
	8. All edges are chamfered and smoothed ;			
	9. The item must not have sharp edges or rough surfaces;			
	10. Carton box or plastic pouch packaging			
	11. The item must be branded.			
unit	Triangle 30°x 60°x 90°, 8"	30	150	4,500.00
unit		30	150	4,300.00
	The item shall have the following specifications:			
	1) Material: Clear plastic;			
	2) Shape: Accurate 30 x 60 x 90 degrees triangle;			
	<ol><li>Length(longest side): 8 inches (minimum);</li></ol>			
	4) Thickness: 1 mm to 2 mm;			
	5) With metric graduations (in centimeters with smallest			
	graduation of 1 millimeter) on one leg,			
	and english graduations (in inches with smallest graduation			
	of 1/16 inch) on the other leg;			
	6) Metric graduations must be marked in "CENTIMETER",			
	"Centimeter", "centimeter", or "cm",			
	and English graduations must be marked in "INCH", "Inch",			
	or "inch";			
	7) The item must not have sharp edges or rough surfaces;			
	8) With plastic pouch for storage;			
	(a) The item must be branded		400	4,800.00
unit	9) The item must be branded.	20	160	
unit	Triangle 45°x 45°x 90°, 8"	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8" The item shall have the following specifications:	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8" The item shall have the following specifications: 1) Material: Clear plastic;	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8" The item shall have the following specifications:	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8"The item shall have the following specifications:1) Material: Clear plastic;2) Shape: Accurate 45 x 45 x 90 degrees triangle;	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8"The item shall have the following specifications:1) Material: Clear plastic;2) Shape: Accurate 45 x 45 x 90 degrees triangle;3) Length(longest side): 8 inches (minimum);	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8"The item shall have the following specifications:1) Material: Clear plastic;2) Shape: Accurate 45 x 45 x 90 degrees triangle;3) Length(longest side): 8 inches (minimum);4) Thickness: 1 mm to 2 mm;	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8"The item shall have the following specifications:1) Material: Clear plastic;2) Shape: Accurate 45 x 45 x 90 degrees triangle;3) Length(longest side): 8 inches (minimum);4) Thickness: 1 mm to 2 mm;5) With metric graduations (in centimeters with smallest	30	160	4,000.00
unit	Triangle 45°x 45°x 90°, 8"The item shall have the following specifications:1) Material: Clear plastic;2) Shape: Accurate 45 x 45 x 90 degrees triangle;3) Length(longest side): 8 inches (minimum);4) Thickness: 1 mm to 2 mm;	30	160	4,000.00

				1
	of 1/16 inch) on the other leg;			
	6) Metric graduations must be marked in "CENTIMETER",			
	"Centimeter", "centimeter", or "cm", and English graduations must be marked in "INCH", "Inch",			
	or "inch";			
	7) The item must not have sharp edges or rough surfaces;			
	8) With plastic pouch for storage;			
	9) The item must be branded.			
unit	Triangle Scale	30	180.5	5,415.00
unit	The item shall have the following specifications:		100.0	0,410.00
	1. Type: Metric Triangle Scale;			
	2. Material: White plastic;			
	3. Length: 12 inches;			
	4. Width: approx. 1 inch;			
	5. Scale: 1:100, 1:200, 1:250, 1:300, 1:400, 1:500;			
	6. With tapered edges and color coded sides:			
	a. Red: 1:200 and 1:500,			
	b. Yellow: 1:250 and 1:300,			
	c. Green: 1:100 and 1:400;			
	7. The smallest graduation must be 1 millimeter;			
	8) Metric graduations must be marked in "METER", "Meter",			
	"meter", or "m";			
	9. The item must not have sharp edges or rough surfaces;			
	10. Plastic pouch packaging			
	11. The item must be branded.			
unit	T-Square	30	1200.3	36,009.00
	The item shall have the following specifications:			
	1. Material: Black plastic head, recessed transparent plastic			
	blade;			
	2. Length of blade: 36" to 42";			
	3. Blade width: 2" to 3";			
	4. Blade thickness: approx. 6mm;			
	5. Blade edges must be straight;			
	6. With hole on end of blade for hanging;			
	<ol> <li>Comes with bag</li> <li>Smooth surface and no sharp edges</li> </ol>			
	9. The item must be branded.			
sets	Computer with peripherals (for use in audio and video	25	31,000.00	775,000.00
3013	playback of reference and sample recordings)	23	51,000.00	115,000.00
	Processor: 9th Generation Intel® Core i3-9100 processors			
	Chipset: Intel® B365 Express Chipset			
	Memory: 8 GB DDR4 (Up to 32 GB of Dual-channel DDR4)			
	Hard Disk Drive: 680Gb 3.5-inch 7200 RPM			
	Optical Drive: WITHOUT			
	Graphics: Intel® UHD Graphics 630			
	Card Reader: WITHOUT			
	Printer Port: WITHOUT			
	Audio: Integrated high-definition, 5.1-channel surround			
	sound			
	Networking: Wireless LAN: Intel 802.11ac + Bluetooth 5.0 /			
	LAN: Gigabit Ethernet			
	Keyboard and Mouse: USB Keyboard and Mouse			
	Monitor: 19.5" V206HQL Bb			
	Speakers: WITHOUT			
	Power Supply: 250W			
sets	Computer tables and chairs (ergonomic)	25	5,000.00	125,000.00
unit	LCD projector	1	21,785.40	21,785.40
unit	White board	1	4,036.00	4,036.00
unit	Anti-Static Device (Anti-static Wrist Strap)	28	200.00	5,600.00
unit				
unit	Consists of:			
unit	Consists of: a) Adjustable and elastic wristband with integrated 1 Mega Ohm Resistor,			

	b) banana plug with alligator clip for connecting to ground (or			
	equivalent),			
	c) at least 59" long coiled cord;			
	d) non toxic material			
unit	e) Carton box or plastic pouch packaging Crimping Tool (RJ 11/45)	56	472.50	26,460.00
unit	1. Ratchet Crimp Tool		472.00	20,400.00
	2. ALL-IN-ONE tool that can strip, cut, and crimp			
	3. lightweight steel frame			
	4. RJ-11/45 Compatible			
	5. Positions for 8P/8C, 6P/6C and 4C Connectors			
	6. Lightweight, compact, and durable			
	7. Smooth surface and no sharp edges except cutting edges			
•.	8. Carton box packaging			
unit	Drill, Portable, Electric	7	599.35	4,195.45
	[Lightweight and Efficient] - Only weighs 267g/0.6lb, no			
	power cord, easy to handle. 3.5N.M torque, 180r/min			
	rotating speed, 47pcs most normally used screwdriver bits			
	and standard 6.35mm(1/4") sleeve, single-speed trigger			
	control, with its forward and reverse directions, allows for rapid screw-driving fastening and loosening, help you to get			
	the job done efficiently.			
unit	Flash drive	35	385	13,475.00
	1. Capacity: 16 GB ;			
	2. Connectivity: USB 3.0, Backward-Compatible with USB			
	2.0, Plug and Play ;			
	3. Device/OS compatibility: Windows Vista, Windows 7, 8,			
	10, Mac OS 10.6+ or later versions;			
	4. Form: Swivel type or with cover;			
	5. Dimension: 0.40 x 0.80 x 2.31 in. (10.16 x 20.32 x 58.67			
	mm) approximate	04	200	4 200 00
unit	Flashlight, head-mounted	21	200	4,200.00
	LED headlight material: ABS+ aluminum alloy lamp beads: XPE+COB			
	Charging: Support USB charging			
	Battery: 1 x battery (built-in)			
	Power: 5W Size: 8 x 4 x2.5cm			
	Weight: 86g			
	The package includes: 1 x headlight 1 x charging cable 1 x			
	battery (built-in) x headband			
unit	Hub / Switch	63	505.55	31,849.65
	8x 10/100Mbos Auto-Negotiation RJ45 port, supporting			
	Auto-MDI/MDIX			
	Green Ethernet technology saves power			
	IEEE 802.3X flow control provides reliable data transfer Plastic casing and desktop design			
	Plug and play, no configuration needed			
	Fanless design ensures quiet operation			
	HARDWARE FEATURES			
	Interface 8x 10/100Mbps, Auto-Negotiation, Auto-MDI/MDIX			
	Ports			
	Fan Quantity Fanless			
	External Power Supply External Power Adapter (Output:			
	5VDC / 0.6A)			
	Dimensions (W x D x H) 4.9 x 1.9 x 0.9 in. (124.6 x 48.7 x			
	22.8 mm) Max Power Consumption 2.64W			
	Package Contents 8-Port 10/100Mbps Desktop Switch			
	r ackage contents of ort to roombps Desktop Switch			

unit	Managed switch	14	6270	614,460.00
	8-Port Gigabit L2+ Managed Switch with 2 SFP Slots			
	PORT: 8× Gigabit RJ45 Ports, 2× Gigabit SFP Slots,			
	RJ45/Micro-USB Console Port			
	SPEC: 1U 13-inch Rack-mountable Steel Case			
	FEATURE: Integration with Omada SDN Controller, Static			
	Routing, OAM, DDM, 802.1Q VLAN, QinQ,			
	STP/RSTP/MSTP, IGMP Snooping, 802.1p/DSCP QoS,			
	ACL, 802.1x, Radius/Tacacs+ Authentication, LACP, CLI,			
	SNMP, Dual Image/Configuration, IPv6		50.4	0.040.00
unit	Optical drive, External	14	594	8,316.00
	1. Interface: USB 3.0 or better;- Color: Black/Silver			
	- Material: Plastic and Metal			
	- Size: about 138x137.5x17mm/5.43x5.41x0.67inch			
	- Supported formats: DVD-ROM, DVD-Video, CD-R/RW,			
	CD-ROM/XA, CD-ROM, CD-EXTRA, CD-TEXT			
	- Supported CD size: 12cm/4.7inch Diameter; 8cm/ 3.1inch			
	Diameter			
	- Supported media types: CD-ROM, CD-R, CD-RW, DVD-			
	ROM, DVD-R, DVD-RW, DVD+RW, DVD+R, DVD+R DL,			
	DVD-R DL, DVD RAM - Read Speed: CD-ROM: 24x Max; DVD-ROM: 8x Max			
	- Record Speed: CD 24X Max			
	- Memory Cache: 2M			
	- Rated Voltage: 5V			
unit	Patch panel (48 ports)	14	2105	29.470.00
unit	1. Network Patch Panel	14	2100	20,470.00
	2. 48 port Patch Panel			
	3. CAT5e Cable			
	4. Material: ABS Plastic			
	5. Application: UTP(Unshielded)			
	6. Certification: RoHS, ISO, CE			
	7. RJ45 Connector : two rows (1-24 ports & 25-48 ports)			
	8. Transport package: 1PCS/Box			
	9. Smooth surface and no sharp edges			
unit	Pliers, Combination, 8", Insulated	63	833.3	52,497.90
	Type: Combination pliers;			
	Body shape: Square nose			
	Material: Chrome vanadium/forged steel			
	Length: 9 inches (minimum)			
	Insulation range: 1000 volts (etched on the handle)			
	Design: Square nose with serrated jaw			
	Comes with nickel plated finish, side cutter and insulated			
	handle			
	Must be branded (Brand must etched either in the head or			
	on the handle)			
unit	Pliers, Long Nose, 7"	42	305	12,810.00
	1 Material: chrome vanadium steel, HRc 38 to 60;			
	2 Length: 7 inches (minimum);			
	3 Handle type: curved handle with rubber cushion for easy			
	grip;			
	4 Jaws type: knurled and long tempered;			
	5 Comes with hardened cutting edges and chrome-nickel			
	finish.			
	6. Smooth surface and no sharp edges			
l le <sup>14</sup>	7. Carton or plastic packaging	40	250	10 500 00
Unit	Pump, Desoldering	42	250	10,500.00
	1. Material : Plastic or aluminum housing;			
	2. Replaceable heat-resistant plastic tip;			
	<ul><li>3. Length : Minimum of 6 inches;</li><li>4. Effective in removing solder;</li></ul>			
		1	1	

	5. Smooth surface and no sharp edges			
	6. Carton or plastic packaging			
unit	Screwdriver Set, Precision	24	250.80	6,019.20
	1. Material: Hardened and tempered steel;			
	2. 1 set comes with the following:			
	a) 3 x Phillips tip No. 00, 0, and 1 ;			
	b) 6 x Standard tip No. 1, 1.2, 1.4, 1.8, 2.4, and 3.0;			
	c) 1 x Awl;			
	d) 1 x Magnet; e) plastic storage case;			
	3. Non slip design handle			
unit	Screwdriver, Phillips, 8" insulated	42	250.00	10,500.00
	1. Shank Material: chrome vanadium steel, HRc 38 to 60;			-,
	2. Handle Material: Molded Plastic			
	3. Overall length: 8 inches (minimum)			
	<ol><li>Insulation protection (including shank): 1000VAC/</li></ol>			
	1500VDC, VDE Certified (or its equivalent)			
	5.Non slip handle design			
	6. Carton or plastic packaging			
unit	Soldering Iron, 60W	28	750.00	21,000.00
	1. Type: Iron rod			
	2. Voltage: 220/240VAC, 60Hz, Single phase;			
	3. Power: 60W (minimum);			
	4. Body Length: 8.3 inches (21 cm) approximate			
	5. Cord Length: 1.5 meters (minimum)			
	6. Handle: Plastic; (non slip handle)			
	7. With user's manual written in English that contains user's			
	guide, operating procedure, parts with description, safety			
	procedure, and maintenance;			
	<ol> <li>8. Interchangeable copper tip;</li> <li>9. Should have available spare parts nationwide for a</li> </ol>			
	minimum period of 5 years;			
	10. Carton and/or plastic packaging			
unit	Stripper, Wire	21	356.6	7,488.60
	Type: Spring-loaded self opening;			.,
	Body shape: Long jaw with slot			
	Blade material: Hardened alloy steel (sharp edges to strip			
	and cut the wires)			
	Wires to stripped: 10 AWG to 24 AWG			
	Length: 7 inches (minimum)			
	Comes with automatic self- adjusting spring, crimping slot,			
	and hard plastic handle			
	Must be branded 7-in-1			
	stripping function 0.6-2.6mm, 10-22 AWG			
unit	Tester, LAN Cable	14	475	6,650.00
	1 Cable Tester with LED indication for RJ12, RJ11, RJ45,			
	Cat5e, Cat5, 10/100 Base-T;			
	2 Main tester: 1-2-3-4-5-6-7-8-G;			
	3 Remote tester: 1-4-3-2-5-6-7-8-G;			
	4 Power supply: 9 V battery (included);			
	5 Capable of testing crossover, straight-through, and rollover			
	cables;			
	6 Includes plastic case or pouch;			
	7 With User's Manual in English which includes:			
	a. a diagram of the parts with their names,			
	b. operating procedures			
	c. safety precautions when using the equipment,			
	d. basic troubleshooting and maintenance procedures.			
	8 With Service centers located in major cities in the			
	Philippines. 9. Material: ABS			
	J. WIALEHIAI. ADJ			

	10. Size: 103×100×30mm/4.06×0.39×1.18in approximate			
	11. Smooth surface and no sharp edges			
unit	Uninterruptible Power Supply (UPS)	42	2500	105,000.00
	The item shall have the following specifications:			
	1. Type: Battery (included): Lithium ion battery or			
	Maintenance-free sealed Lead-Acid battery with suspended			
	electrolyte: leakproof			
	2. Voltage: Nominal Input Voltage: 230V, 50/60 Hz			
	3. Output Power Capacity: 600VA (minimum)			
	4. Output Connections :2 Universal Receptacle (minimum)			
	5. Cord Length: 1 meter (minimum)			
	6. Maximum Input Current: 5A			
	7. Protection: Overload, Short Circuit, Over Discharge			
	& Over Charge			
	8. Transfer Time: 10ms maximum			
	9. Size (Approx.): (H) 223mm x (W) 143mm x (D) 347mm			
unit	10. Metal and/or hard plastic casing USB External HD	7	2745	19,215.00
um	1) 560 G Portable/External Hard Drive	1	2745	19,215.00
	2) Application: Laptop / Desktop PC			
	3) Interface Type: SATAII			
	4) Installation: Mobile			
	5) Formatted Capacity: 1000GB(Windows Display about			
	298GB)			
	6) Size(mm): 14.29 x 80.01 x 17.60 (Approx.)			
	7) Metal Casing			
	8) Comes with USB 3.0 cable (18 inch minimum)			
	9) User's manual (English) on name of parts, user's guide,			
	wiring connection, safety precautions and maintenance			
	10) Smooth surface and no sharp edges			
unit	Video camera, PC	7	500	3,500.00
	1) 5.0 Mega Pixel Web Camera, USB-type;			
	2) With Microphone for Laptop and Desktop PC use;			
	3) Resolution: at least 640 x 480;			
	4) Support Windows XP/7/8/equivalent Mac OS or later			
	versions;			
	5) With User's Manual in English which includes:			
	a) a diagram of the parts with their names,			
	b) operating procedures			
cot	6) Hard plastic or metal casing	14	720	10.090.00
set	Wrench, Allen, 30 pcs/set LONG: 1/16"-5/64"-3/32"-1/8"-9/64"-5/32"-3/16"-1/4"-5/16"	14	720	10,080.00
	SHOR1: 0.05"-1/16"-5/64"-3/32"-7/64"-1/8"-5/32"-3/16"-7/32" LONG: 1.5-2-2.5-3-4-4.5-5-6-8mm			
	SHORT:1.27-1.5-2-2.5-3-3.5-4-5-5.5mm			
unit	White board	7	5020	35,140.00
annt	White board, floor standing, rolling		5020	55,140.00
	Board: White Formica Laminated, plane will not deform.			
	Board Size: Rectangular 1800mm W x 1000 to 1200mm H,			
	Board Edges secured with Aluminum Clip Edging 17 mm			
	(minimum) wih plastic corner caps			
	Comes with Metal Tray for Marker and Eraser			
	The stand and frame are constructed with Aluminum or			
	powder coated steel 25mm square tube (minimum), sturdy,			
	no wobble			
	With 4 lockable hard plastic caster wheels			
	Overall Height from floor: 210 to 214cm			
	Smooth surface, no sharp edges			
unit	Eraser	50	60	3,000.00
	The item shall have the following specifications:			
	1) Material: Vinyl;			

	<ul> <li>2) Color: White;</li> <li>3) Dimension: At least 60 mm x 20 mm x 12 mm;</li> <li>4) No discoloration of the eraser on paper;</li> <li>5) Age resistant;</li> <li>6) The material used must be non-toxic;</li> <li>7) Plastic pouch individual packaging</li> </ul>			
sets	Computer with peripherals (for use in audio and video playback of reference and sample recordings) Processor: 9th Generation Intel® Core i3-9100 processors Chipset: Intel® B365 Express Chipset Memory: 8 GB DDR4 (Up to 32 GB of Dual-channel DDR4) Hard Disk Drive: 1 TB 3.5-inch 7200 RPM Optical Drive: WITHOUT Graphics: Intel® UHD Graphics 630 Card Reader: WITHOUT Printer Port: WITHOUT Audio: Integrated high-definition, 5.1-channel surround sound Networking: Wireless LAN: Intel 802.11ac + Bluetooth 5.0 / LAN: Gigabit Ethernet Keyboard and Mouse: USB Keyboard and Mouse Monitor: 19.5" V206HQL Bb Speakers: WITHOUT Power Supply: 250W	27	32,189.60	869,119.20

Lot 3 Agricultural Crop Production and Landscape Installation & Maintenance Php 163,538.00

Unit	Item Description	Quantity	Unit Cost (per set)	Total Cost
pair	Boots, Safety, Plastic	25	1,163.00	29,075.00
	Upper material: Elastic PVC			
	Sizes:			
	7 inches - 5pcs			
	8 inches - 5pcs			
	9 inches - 5pcs			
	10 inches -5pcs			
	11 inches - 5pcs			
	Height: 13 to 14 inches			
	Plain toe			
	Type of boots: Unisex rain boots with rugged tractor lug			
	outsole			
	Packed with carton box per size			
unit	Coat, Protective	25	459.00	11,475.00
	Material: Polyster			
	Size: Small,Unisex			
	With a minimum of 2 pockets			
	With studs for easy opening and closing of coat			
	Length :up to knee or equivalent to 100cm or more			
	Chemical resistant			
	Packed with plastic pouch			
unit	Cup, Measuring, 250ml	2	193.00	386.00
	Material:Translucent Plastic;			
	Capacity: 250ml			
	Graduation:25ml			
	Inner Dimension: 7cm (minimum)			
unit	Digger, Hole (Digging tool)	5	317.8	1,589.00
	Blade Material: Carbon steel, 1/16 inch thick (minimum)			
	Handle Material: Hardwood			

	Levelle Leverthe A feet (minimum)	1	г г	
	Handle length: 4 feet (minimum)			
	Jaw digger/Blade width dimension: 4 inches (minimum)			
	Blade length: 8 inches (minimum)			
	Blade spread: 5 inches (minimum)			
nair	Manual post hole digger type	25	98.00	2,450.00
pair	Goggles, Safety	20	96.00	2,450.00
	Safety goggles, Clear Polycarbonate - one piece lens with 180° panoramic			
	view, non-fog Size/Dimension: L 17 - 18.5 cm x W 8 cm x D 5-7.5 cm			
	High impact resistant, ANSI "Z87" compliant			
	Firm and comfortable seal around forehead, cheeks, nose			
	and temples protects against splash, chemicals, dust			
	Adjustable head strap			
	Shall bear mark Z87 embossed or engraved or etched on			
	the item.			
	Smooth surface, no sharp edges			
unit	Hat, Hard, HDPE	25	102.00	2,550.00
unit	Type: II Hard Hat with Impact Protection	25	102.00	2,350.00
	Body shape: Full brim			
	Electrical Insulation Rating: Class E			
	Sizes composed of ten (10) pcs in the following:			
	Sizes composed of ten (10) pcs in the following. Small 54-55 cm: 3 pcs			
	Medium 56-57 cm: 3 pcs			
	Large 58-59 cm: 4 pcs			
	Comes with suspension straps and ratchet adjustment.			
	ANSI Standard Type II and Class E must be permanently			
	etched on the inside surface.			
	Must be branded			
unit	Hoe, Light (Digging tool)	5	121.00	605.00
unit	Hoe Material: Carbon Steel, 1/16 inch thick(minimum)	5	121.00	003.00
	Draw hoe type			
	Hoe Length: 6 1/2 inch (minimum)			
	Hoe Width: 4 1/2 inch (minimum)			
	Length:at least 48 inches			
	Handle: Hard Wood			
	Branded"			
unit	Knife, Picking	5	221.2	1,106.00
	Blade material: Stainless steel			,
	Length of blade: 3inches(minimum)			
	Overall Length- 6 inches (minimum)			
	Type:Curved blade and Foldable			
	Comes with plastic handle			
	Packed with protective plastic case			
	Branded			
unit	Pick Mattock (Digging tool)	5	216.00	1,080.00
	Material: Forged Carbon steel		İ	
	Blade=2 inches(minimum)			
	Pick axe length=6 inches(minimum)			
	Head capacity(Permanently etch on the head): 2.0 pounds			
	With wooden handle			
	Handle length: 20 inches(minimum)			
	The head must be prope fitted for maximum seferty			
	The head must be press fitted for maximum safety			
	Branded.			
unit	Branded. Rake	5	150.00	750.00
unit	Branded. Rake Tine material:Forged Carbon steel	5	150.00	750.00
unit	Branded. Rake Tine material:Forged Carbon steel Tine number: 10 to 12 tines	5	150.00	750.00
unit	Branded. Rake Tine material:Forged Carbon steel Tine number: 10 to 12 tines Handle length: 4 ft (minimum)	5	150.00	750.00
unit	Branded. Rake Tine material:Forged Carbon steel Tine number: 10 to 12 tines	5	150.00	750.00

	Design with welded blade socket			
	Garden rake type			
pairs	SCISSORS, 8"	25	114.00	2,850.00
	Type : Scissors			
	Body Shape : Standard Shape			
	Material : Stainless stell with soft grip handle			
	Length : 8 inches (minimum)			
	Well-polished and sharp for cutting paper and fabric			
	Comes with carton box			
	No sharp edges except on the blade			
	The item must be branded and have good quality		454.00	
unit	Scythe	25	154.00	3,850.00
	Type: Scythe			
	Grass blades material:High carbon steel			
	Grass blade length: 8 inches (minimum)			
	With a minimum 15 inches length wooden handle with			
	ferrule ring Bieht banded			
	Right handed			
unit	With non slip handle	5	142.90	710.00
unit	Shears, Hedge Blade material:Carbon steel	5	143.80	719.00
	Blade size :			
	Length-225 mm (minimum )			
	Width-45mm( minimum) Thick-4mm (minimum)			
	Overall length: 700mm			
	Wooden handle with ferrule			
	Non corrosive			
	Packed with protective carton box			
	Must be branded"			
pair	Shears, Pruning	25	464.00	11,600.00
pan	Blade material: Forged steel	25	404.00	11,000.00
	Cutting capacity:1 inch(minimum)			
	Total length 7 inches minimum			
	With non slip grip handle			
	Multifunctional labor type			
	Packed with shipping carton box			
unit	Shovel	5	364.80	1,824.00
	Material: High carbon steel plate			,
	Blade thickness: 1/16 inch (minimum)			
	Handle type and material : D- type,Hardwood			
	Width blade: 8.5 inches (minimum)			
	Handle length : 29 inches (minimum)			
	Total length : 40 inches (minimum)			
	Types of Shovel : Round nose shovel"			
unit	Soil Auger	1	355.00	355.00
	Auger blade material:Carbon steel			
	Auger Blade diameter: 2 3/4 inch (minimum)			
	Length of the blade: 10 inches(minimum)			
	Overall length including the handle:4 feet(minimum)			
	Hand auger type			
	Packed with protective carton box			
unit	Sprayer, Hand	5	239.00	1,195.00
	Material:Plastic			
	Capacity: 1 liter(minimum)			
	Thickness: 1mm(minimum)			
	With hand pump handle			
	Trigger type			
	Packed with shipping carton box			

unit	Sprayer, Knapsack	5	468.00	2,340.00	
	Material: Stainless Steel				
	Capacity: 4 gallons to 5 gallons				
	Back pack type				
	Operating /workingpressure range : 2 - 4 bars( 15 - 60 psi)				
	Comes with complete accessories including the				
	nozzle,rubber hose,connectors				
	pumping lever and shoulder straps.				
	With User's Manual in English which includes:				
	a. parts manual with labels,				
	b. assembly instructions,				
	c. operating procedures,				
	d. safety precautions when using the equipment,				
	Warranty period of parts and service: 1 year				
	Packed with shipping carton box				
	Branded				
unit	Sprinkler	12	479.00	5,748.00	
	Material: Hard plastic, 1.5 mm thick (minimum)				
	Capacity: 12 liters(minimum)				
	Comes with handle and spout				
	Non toxic				
	Branded"				
unit	Steel Tape Measure, 5m	1	78.00	78.00	
	Type: Metric	-			
	Body Shape: L-shape				
	Blade Material: Stainless steel				
	Blade Length: 300 mm				
	Graduation: 1mm				
	Blade Width: 30 mm(minimum)				
	Blade Thickness: 1 mm(minimum)				
	Handle Length: 150 mm(minimum)				
	Graduation are marked permanently				
	Numbers and graduations are endgraved and filled with				
unit	black or red color				
	Packed in a plastic pouch				
	Warranty period of 1 year.				
	Step Ladder	2	2220.00	4,440.00	
unit	Material: aluminum U channel		2220.00	+,++0.00	
	Capacity: 250 lbs (minimum)				
	Type: Flatform type				
	Number of step: 6 (including top step) Reach height: 6 to 8 Feet(minimum)				
	Width: 15 inches minimum				
	Spread: 4 feet (minimum)				
	Twin steps with gripped treads to prevent slipping				
	Step braces on top and bottom step Heavy duty aluminum foot bracket with slip-resistant foot				
	pad				
	With User's Manual in English which includes:				
	a. parts manual with labels,				
	b. assembly instructions,				
•.	Branded				
unit	Trowel, Hand	25	227	5,675.00	
	Type: Garden trowel				
	Material: Carbon Steel				
	Thickness: 0.80 mm (minimum)				
	Blade width: 8 cm(minimum)				
	Blade length: 13 cm(minimum)				
	Length including the handle: 30 cm (minimum)				
	Branded				

рс	pruning shear or secateur	25	288.00	7,200.00		
рс	loping shear	5	72.00	360.00		
рс	pruning saw	25	216.00	5,400.00		
рс	bow saw	5	2,490.00			
рс	tree or pole pruner	5	187.00	935.00		
рс	hedge trimmer	25	115.20	2,880.00		
рс	spade	13 281.00				
рс	shovel					
рс	hole digger	5	1,589.00			
рс	wheel barrow	5	432.00	2,160.00		
рс	chain saw	2	1679.50	3,359.00		
рс	telescopic shaft or power high branch pruner	2	1707.00	3,414.00		
рс	power hedge trimmer	2	1440.00	2,880.00		
рс	one-man soil auger	1	11399.00	11,399.00		
рс	two-man soil auger	1	2999.00	2,999.00		
рс	gloves	25	35.00	875.00		
рс	ear masks/muff//plug	25	16.80	420.00		
рс	goggles	25	98.00	2,450.00		
рс	garden hose with complete accessories@10 m long	5	467.00	2,335.00		
рс	rake	13	150.00	1,950.00		
рс	ruler	5	30.00	150.00		
рс	hand trowel	25	227.00	5,675.00		
рс	soil drencher/accessory to the garden hose	5	31.00	155.00		
рс	fork	25	210.00	5,250.00		

I hereby certify to comply with all the above Technical Specifications

Name of Company/Bidder

Signature over Printed Name

Date

# **Checklist of Technical and Financial Documents**

# I. TECHNICAL COMPONENT ENVELOPE

## Class "A" Documents

Legal Documents

- □ (a) Valid PhilGEPS Registration Certificate (Platinum Membership) (all pages); or
- (b) Registration certificate from Securities and Exchange Commission (SEC), Department of Trade and Industry (DTI) for sole proprietorship, or Cooperative Development Authority (CDA) for cooperatives or its equivalent document,

and

- □ (c) Mayor's or Business permit issued by the city or municipality where the principal place of business of the prospective bidder is located, or the equivalent document for Exclusive Economic Zones or Areas;
   and
- □ (d) Tax clearance per E.O. No. 398, s. 2005, as finally reviewed and approved by the Bureau of Internal Revenue (BIR).

Technical Documents

- □ (e) Statement of the prospective bidder of all its ongoing government and private contracts, including contracts awarded but not yet started, if any, whether similar or not similar in nature and complexity to the contract to be bid; **and**
- □ (f) Statement of the bidder's Single Largest Completed Contract (SLCC) similar to the contract to be bid, except under conditions provided for in Sections 23.4.1.3 and 23.4.2.4 of the 2016 revised IRR of RA No. 9184, within the relevant period as provided in the Bidding Documents; and
- □ (g) Original copy of Bid Security. If in the form of a Surety Bond, submit also a certification issued by the Insurance Commission; or

Original copy of Notarized Bid Securing Declaration; and

- □ (h) Conformity with the Technical Specifications, which may include production/delivery schedule, manpower requirements, and/or after-sales/parts, if applicable; **and**
- (i) Original duly signed Omnibus Sworn Statement (OSS);
   and if applicable, Original Notarized Secretary's Certificate in case of a corporation, partnership, or cooperative; or Original Special Power of Attorney of all members of the joint venture giving full power and authority to its officer to sign the OSS and do acts to represent the Bidder.

Financial Documents

☐ (j) The Supplier's audited financial statements, showing, among others, the Supplier's total and current assets and liabilities, stamped "received" by the BIR or its duly accredited and authorized institutions, for the preceding

calendar year which should not be earlier than two (2) years from the date of bid submission; **and** 

□ (k) The prospective bidder's computation of Net Financial Contracting Capacity (NFCC);

# <u>or</u>

A committed Line of Credit from a Universal or Commercial Bank in lieu of its NFCC computation.

#### Class "B" Documents

 $\Box$  (1) If applicable, a duly signed joint venture agreement (JVA) in case the joint venture is already in existence;

#### or

duly notarized statements from all the potential joint venture partners stating that they will enter into and abide by the provisions of the JVA in the instance that the bid is successful.

NUMBER OF COPIES OF ELIGIBILITY+TECHNICAL COMPONENT DOCUMENTS IN SEPARATE ENVELOPE

□ One (1) Original Copy

 $\Box$  One (1) Additional Copy

## II. FINANCIAL COMPONENT ENVELOPE

- $\Box$  (m) Original of duly signed and accomplished Financial Bid Form; **and**
- $\Box$  (n) Original of duly signed and accomplished Price Schedule(s).

#### Other documentary requirements under RA No. 9184 (as applicable)

- □ (o) [For foreign bidders claiming by reason of their country's extension of reciprocal rights to Filipinos] Certification from the relevant government office of their country stating that Filipinos are allowed to participate in government procurement activities for the same item or product.
- □ (p) Certification from the DTI if the Bidder claims preference as a Domestic Bidder or Domestic Entity.

NUMBER OF COPIES OF ELIGIBILITY+TECHNICAL COMPONENT DOCUMENTS IN SEPARATE ENVELOPE

 $\Box$  One (1) Original Copy

 $\Box$  One (1) Additional Copy

# Appendixes and Sample Forms

#### **APPENDIX "1"**

# **Bid Form for the Procurement of Goods**

[shall be submitted with the Bid]

# **BID FORM**

Date : \_\_\_\_\_\_ Project Identification No. :

To: [name and address of Procuring Entity]

Having examined the Philippine Bidding Documents (PBDs) including the Supplemental or Bid Bulletin Numbers [insert numbers], the receipt of which is hereby duly acknowledged, we, the undersigned, offer to [supply/deliver/perform] [description of the Goods] in conformity with the said PBDs for the sum of [total Bid amount in words and figures] or the total calculated bid price, as evaluated and corrected for computational errors, and other bid modifications in accordance with the Price Schedules attached herewith and made part of this Bid. The total bid price includes the cost of all taxes, such as, but not limited to: [specify the applicable taxes, e.g. (i) value added tax (VAT), (ii) income tax, (iii) local taxes, and (iv) other fiscal levies and duties], which are itemized herein or in the Price Schedules,

If our Bid is accepted, we undertake:

- a. to deliver the goods in accordance with the delivery schedule specified in the Schedule of Requirements of the Philippine Bidding Documents (PBDs);
- b. to provide a performance security in the form, amounts, and within the times prescribed in the PBDs;
- c. to abide by the Bid Validity Period specified in the PBDs and it shall remain binding upon us at any time before the expiration of that period.

#### [Insert this paragraph if Foreign-Assisted Project with the Development Partner:

Commissions or gratuities, if any, paid or to be paid by us to agents relating to this Bid, and to contract execution if we are awarded the contract, are listed below:

Name and address Amount and Purpose of of agentCurrencyCommission or gratuity

(if none, state "None") ]

Until a formal Contract is prepared and executed, this Bid, together with your written acceptance thereof and your Notice of Award, shall be binding upon us.

\_\_\_\_\_

We understand that you are not bound to accept the Lowest Calculated Bid or any Bid you may receive.

We certify/confirm that we comply with the eligibility requirements pursuant to the PBDs.

The undersigned is authorized to submit the bid on behalf of *[name of the bidder]* as evidenced by the attached *[state the written authority]*.

We acknowledge that failure to sign each and every page of this Bid Form, including the attached Schedule of Prices, shall be a ground for the rejection of our bid.

Name:
Legal capacity:
Signature:
Duly authorized to sign the Bid for and behalf of:
Date:

# Price Schedule for Goods Offered from Within the Philippines

[shall be submitted with the Bid if bidder is offering goods from within the Philippines]

# For Goods Offered from Within the Philippines

Name of Bidder			Project ID No			Pageof			
1	2	3	4	5	6	7	8	9	10
Item	Description	Country of origin	Quantity	Unit price EXW per item	Transportation and all other costs incidental to delivery, per item	Sales and other taxes payable if Contract is awarded, per item	Cost of Incidental Services, if applicable, per item	Total Price, per unit (col 5+6+7+8 )	Total Price delivered Final Destination (col 9) x (col 4)

Name: \_\_\_\_\_

Legal Capacity: \_\_\_\_\_

Signature: \_\_\_\_\_

Duly authorized to sign the Bid for and behalf of: \_\_\_\_\_

# REPUBLIC OF THE PHILIPPINES ) CITY/MUNICIPALITY OF \_\_\_\_\_ ) S.S.

# AFFIDAVIT

I, [Name of Affiant], of legal age, [Civil Status], [Nationality], and residing at [Address of Affiant], after having been duly sworn in accordance with law, do hereby depose and state that:

1. [Select one, delete the other:]

[*If a sole proprietorship:*] I am the sole proprietor or authorized representative of [Name of Bidder] with office address at [address of Bidder];

[*If a partnership, corporation, cooperative, or joint venture:*] I am the duly authorized and designated representative of [Name of Bidder] with office address at [address of Bidder];

2. [Select one, delete the other:]

[*If a sole proprietorship:*] As the owner and sole proprietor, or authorized representative of [Name of Bidder], I have full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached duly notarized Special Power of Attorney;

[*If a partnership, corporation, cooperative, or joint venture:*] I am granted full power and authority to do, execute and perform any and all acts necessary to participate, submit the bid, and to sign and execute the ensuing contract for [Name of the Project] of the [Name of the Procuring Entity], as shown in the attached [state title of attached document showing proof of authorization (e.g., duly notarized Secretary's Certificate, Board/Partnership Resolution, or Special Power of Attorney, whichever is applicable;)];

- 3. [Name of Bidder] is not "blacklisted" or barred from bidding by the Government of the Philippines or any of its agencies, offices, corporations, or Local Government Units, foreign government/foreign or international financing institution whose blacklisting rules have been recognized by the Government Procurement Policy Board, <u>by itself or by relation, membership, association, affiliation, or controlling interest with another blacklisted person or entity as defined and provided for in the Uniform Guidelines on Blacklisting;</u>
- 4. Each of the documents submitted in satisfaction of the bidding requirements is an authentic copy of the original, complete, and all statements and information provided therein are true and correct;

- 5. [Name of Bidder] is authorizing the Head of the Procuring Entity or its duly authorized representative(s) to verify all the documents submitted;
- 6. [Select one, delete the rest:]

[*If a sole proprietorship:*] The owner or sole proprietor is not related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a partnership or cooperative:*] None of the officers and members of [*Name of Bidder*] is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

[*If a corporation or joint venture:*] None of the officers, directors, and controlling stockholders of *[Name of Bidder]* is related to the Head of the Procuring Entity, members of the Bids and Awards Committee (BAC), the Technical Working Group, and the BAC Secretariat, the head of the Project Management Office or the end-user unit, and the project consultants by consanguinity or affinity up to the third civil degree;

- 7. [Name of Bidder] complies with existing labor laws and standards; and
- 8. *[Name of Bidder]* is aware of and has undertaken the responsibilities as a Bidder in compliance with the Philippine Bidding Documents, which includes:
  - a. Carefully examining all of the Bidding Documents;
  - b. Acknowledging all conditions, local or otherwise, affecting the implementation of the Contract;
  - c. Making an estimate of the facilities available and needed for the contract to be bid, if any; and
  - d. Inquiring or securing Supplemental/Bid Bulletin(s) issued for the [Name of the Project].
- 9. *[Name of Bidder]* did not give or pay directly or indirectly, any commission, amount, fee, or any form of consideration, pecuniary or otherwise, to any person or official, personnel or representative of the government in relation to any procurement project or activity.
- 10. In case advance payment was made or given, failure to perform or deliver any of the obligations and undertakings in the contract shall be sufficient grounds to constitute criminal liability for Swindling (Estafa) or the commission of fraud with unfaithfulness or abuse of confidence through misappropriating or converting any payment received by a person or entity under an obligation involving the duty to deliver certain goods or services, to the prejudice of the public and the government of the Philippines pursuant to Article 315 of Act No. 3815 s. 1930, as amended, or the

# **Revised Penal Code.**

**IN WITNESS WHEREOF**, I have hereunto set my hand this \_\_\_\_ day of \_\_\_\_, 20\_\_\_ at \_\_\_\_, Philippines.

[Insert NAME OF BIDDER OR ITS AUTHORIZED REPRESENTATIVE] [Insert signatory's legal capacity] Affiant

[Jurat]

[Format shall be based on the latest Rules on Notarial Practice]

